



ಕರ್ನಾಟಕ ವಿಧಾನ ಪರಿಷತ್

ಚುಕ್ಕೆ ಗುರುತಿಲ್ಲದ ಪ್ರಶ್ನೆ ಸಂಖ್ಯೆ : 450(573)

ಸದಸ್ಯರ ಹೆಸರು :

ಶ್ರೀ ಮಂಜುನಾಥ ಭಂಡಾರಿ
(ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ಕ್ಷೇತ್ರ)

ಉತ್ತರಿಸ ಬೇಕಾದ ದಿನಾಂಕ :

11.03.2025

ಉತ್ತರಿಸುವವರು :

ಪೌರಾಡಳಿತ ಮತ್ತು ಹಜ್ ಸಚಿವರು

ಕ್ರ. ಸಂ	ಪ್ರಶ್ನೆ	ಉತ್ತರ
ಅ)	ರಾಜ್ಯದಲ್ಲಿ ಪೌರಾಡಳಿತಗಳ ಅಧೀನದ ನಗರ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಕುಡಿಯುವ ನೀರು ಕಸ ನಿರ್ವಹಣೆ ಮತ್ತು ಒಳಚರಂಡಿ ಯೋಜನೆಗಳನ್ನು ಹೇಗೆ ನಿರ್ವಹಿಸಲಾಗುತ್ತಿದೆ. (ವಿವರ ನೀಡುವುದು).	ಕುಡಿಯುವ ನೀರು ಎಸ್.ಎಫ್.ಸಿ ಕುಡಿಯುವ ನೀರಿನ ಯೋಜನೆಯಡಿ ಕೊಳವೆ ಬಾವಿಗಳನ್ನು ಆಳಗೊಳಿಸುವುದು / ಸ್ವಚ್ಛಗೊಳಿಸುವುದು, ಹೈಡ್ರೋಫ್ಯಾಕ್ಟರಿಂಗ್, ನೀರು ಸರಬರಾಜು ಪೈಪುಗಳ ದುರಸ್ತಿ / ಬದಲಾವಣೆ, ಹೊಸ ಕೊಳವೆ ಬಾವಿಗಳನ್ನು ಕೊರೆಯಲು ಹಾಗೂ ಪಂಪು ಮೋಟಾರ್ ಅಳವಡಿಸುವ ಕಾಮಗಾರಿ, ಕುಡಿಯುವ ನೀರು ಸರಬರಾಜು ಮೊದಲಾದ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ಅವಕಾಶ ಕಲ್ಪಿಸಲಾಗಿರುತ್ತದೆ. ಸದರಿ ಯೋಜನೆಯಡಿ ಪ್ರಸ್ತುತ ಸಾಲಿನಲ್ಲಿ ಒಟ್ಟು ಮೊತ್ತ ರೂ. 15 ಕೋಟಿಗಳು ಬಿಡುಗಡೆಯಾಗಿದ್ದು ಮೊತ್ತ ರೂ. 5.26 ಕೋಟಿಗಳು ವೆಚ್ಚವಾಗಿರುತ್ತದೆ. ಕಸ ನಿರ್ವಹಣೆ ಕೇಂದ್ರ ಸರ್ಕಾರವು ಜಾರಿಗೊಳಿಸಿರುವ ಸ್ವಚ್ಛ ಭಾರತ್ ಮಿಷನ್ (ನಗರ) ಯೋಜನೆಯಡಿ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ ಘನತ್ಯಾಜ್ಯ ವಸ್ತುಗಳ ನಿರ್ವಹಣೆಗೆ ಅಗತ್ಯ ಮೂಲಸೌಕರ್ಯಗಳನ್ನು ಅಭಿವೃದ್ಧಿ ಪಡಿಸಲಾಗುತ್ತಿದೆ. ತ್ಯಾಜ್ಯ ಸಂಗ್ರಹಣೆ ಮತ್ತು ಸಾಗಾಣಿಕೆಗೆ ಅಗತ್ಯವಾದ ವಾಹನ ಮತ್ತು ಯಂತ್ರೋಪಕರಣಗಳನ್ನು ಖರೀದಿಸಲಾಗಿದೆ. ಹಾಗೆಯೇ ತ್ಯಾಜ್ಯ ಸಂಸ್ಕರಣೆಗೆ ಅಗತ್ಯವಾದ Windrow pad, trommel screen, processing shed, leachate treatment system, Sanitary Landfill, ಕಾಂಪೋಂಡ್ ಗೋಡೆ, weigh bridge, ಸಂಪರ್ಕ ರಸ್ತೆ, ಒಳ ರಸ್ತೆಗಳು ಸೇರಿದಂತೆ ಇತರ ಸೌಲಭ್ಯಗಳನ್ನು ನಿರ್ಮಿಸಲಾಗುತ್ತಿದೆ. ಈ ಯೋಜನೆಯಡಿ ಅಭಿವೃದ್ಧಿಪಡಿಸಿದ ಮೂಲಸೌಕರ್ಯವನ್ನು ಉಪಯೋಗಿಸಿಕೊಂಡು ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳು ಪ್ರಸ್ತುತ ತ್ಯಾಜ್ಯ ಸಂಗ್ರಹಣೆ ಮತ್ತು ಸಂಸ್ಕರಣೆ ಮಾಡುತ್ತಿವೆ.

		ಒಳಚರಂಡಿ ಯೋಜನೆ - ರಾಜ್ಯದಲ್ಲಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಶಿಥಿಲಗೊಂಡಿರುವ ಒಳಚರಂಡಿ ಸಂಪರ್ಕಗಳು, ಆಳು ಗುಂಡಿಗಳ ಪುನಶ್ಚೇತನ ಕಾಮಗಾರಿಗಳನ್ನು, wetwell ದುರಸ್ತಿ ಹಾಗೂ ಇತರ ದುರಸ್ತಿ ಕೆಲಸಗಳನ್ನು ಸ್ವಚ್ಛ ಭಾರತ್ ಮಿಷನ್ (ನಗರ) - 2.0 ಯೋಜನೆಯಡಿ ಹಾಗೂ NGT ಪರಿಸರ ಪರಿಹಾರ ನಿಧಿಯಡಿ ಜಲಶಕ್ತಿ ಅಭಿಯಾನದ ನೋಡಲ್ ಏಜೆನ್ಸಿಯಾದ ಕೆ.ಯು.ಐ.ಡಿ.ಎಫ್.ಸಿ. ವತಿಯಿಂದ ಕ್ರಿಯಾಯೋಜನೆ ತಯಾರಿಸಿದ್ದು, ಅನುಷ್ಠಾನಗೊಳಿಸಲು ಕ್ರಮವಹಿಸಲಾಗುತ್ತಿದೆ. - ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯಿಲ್ಲದ ಹಾಗೂ ಹೊಸದಾಗಿ ಮೇಲ್ವರ್ಜಿಗೇರುವ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಿಗೆ ಸ್ವಚ್ಛ ಭಾರತ್ ಮಿಷನ್ (ನಗರ) - 2.0 ಯೋಜನೆ ಮೂಲಕ ಕೆ.ಯು.ಐ.ಡಿ.ಎಫ್.ಸಿ. ರವರಿಂದ ಕ್ರಿಯಾಯೋಜನೆ ತಯಾರಿಸಿ, ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ. - ಒಳಚರಂಡಿ ತಾತ್ಕಾಲಿಕ ಪರಿಹಾರಕ್ಕಾಗಿ ರಾಜ್ಯದ 45 ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ FSTP ಯೋಜನೆಯನ್ನು ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.																		
ಆ)	ರಾಜ್ಯದ ಎಷ್ಟು ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ (24*7) ದಿನ ಪೂರ್ತಿ ಕುಡಿಯುವ ನೀರಿನ ಸಂಪರ್ಕ ಒದಗಿಸಲಾಗಿದೆ? ಇನ್ನೂ ಎಷ್ಟು ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಸಂಪರ್ಕ ಒದಗಿಸಲು ಬಾಕಿಯಿದೆ.(ವಿವರ ನೀಡುವುದು)	ರಾಜ್ಯದಲ್ಲಿ ಪ್ರಸ್ತುತ 227 ಸಂಖ್ಯೆ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಒಟ್ಟು 4,99,018 ಸಂಖ್ಯೆ 24 x 7 ನೀರಿನ ಸಂಪರ್ಕಗಳನ್ನು ಒದಗಿಸಲಾಗಿದೆ ಹಾಗೂ 7,86,181 ಸಂಖ್ಯೆ ಸಂಪರ್ಕಗಳನ್ನು ಕೈಗೊಳ್ಳಬೇಕಾಗಿದೆ. ಯೋಜನೆಗಳ ವಿವರಗಳನ್ನು ಅನುಬಂಧ-1ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.																		
ಇ)	ದಕ್ಷಿಣ ಕನ್ನಡ ಮತ್ತು ಉಡುಪಿ ಜಿಲ್ಲೆಗಳ ಪೌರಾಡಳಿತಗಳ ಅಧೀನದ ಎಷ್ಟು ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಪೂರ್ಣ ಪ್ರಮಾಣದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಒದಗಿಸಬೇಕಾಗಿದೆ. ಯಾವಾಗ ಒದಗಿಸಲು ಕ್ರಮವಹಿಸಲಾಗುತ್ತಿದೆ.	ದಕ್ಷಿಣ ಕನ್ನಡ ಮತ್ತು ಉಡುಪಿ ಜಿಲ್ಲೆಗಳ ವಿವಿಧ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯ ವಿವರಗಳು ಈ ಕೆಳಗಿನಂತಿವೆ. ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆ:- <table border="1"> <tr> <td>1</td><td>ಮಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ</td><td>ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕೆ.ಯು.ಐ.ಡಿ.ಎಫ್.ಸಿ. ವತಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗಿರುತ್ತದೆ.</td></tr> <tr> <td>2</td><td>ಉಳ್ಳಾಲ ನಗರಸಭೆ</td><td>ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.</td></tr> <tr> <td>3</td><td>ಪುತ್ತೂರು ನಗರಸಭೆ</td><td>ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.</td></tr> <tr> <td>4</td><td>ಬಂಟ್ವಾಳ ಪುರಸಭೆ</td><td>ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.</td></tr> <tr> <td>5</td><td>ಸೋಮೇಶ್ವರ ಪುರಸಭೆ</td><td>ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.</td></tr> <tr> <td>6</td><td>ಸುಳ್ಯ ನಗರ ಪಂಚಾಯತ್</td><td>ಭಾಗಶಃ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸಲಾಗಿದೆ.</td></tr> </table>	1	ಮಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕೆ.ಯು.ಐ.ಡಿ.ಎಫ್.ಸಿ. ವತಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗಿರುತ್ತದೆ.	2	ಉಳ್ಳಾಲ ನಗರಸಭೆ	ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.	3	ಪುತ್ತೂರು ನಗರಸಭೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.	4	ಬಂಟ್ವಾಳ ಪುರಸಭೆ	ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.	5	ಸೋಮೇಶ್ವರ ಪುರಸಭೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.	6	ಸುಳ್ಯ ನಗರ ಪಂಚಾಯತ್	ಭಾಗಶಃ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸಲಾಗಿದೆ.
1	ಮಂಗಳೂರು ಮಹಾನಗರ ಪಾಲಿಕೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕೆ.ಯು.ಐ.ಡಿ.ಎಫ್.ಸಿ. ವತಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗಿರುತ್ತದೆ.																		
2	ಉಳ್ಳಾಲ ನಗರಸಭೆ	ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.																		
3	ಪುತ್ತೂರು ನಗರಸಭೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.																		
4	ಬಂಟ್ವಾಳ ಪುರಸಭೆ	ಮಂಡಳಿಯಿಂದ ಅನುಷ್ಠಾನಗೊಳಿಸಲಾಗುತ್ತಿದೆ.																		
5	ಸೋಮೇಶ್ವರ ಪುರಸಭೆ	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.																		
6	ಸುಳ್ಯ ನಗರ ಪಂಚಾಯತ್	ಭಾಗಶಃ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸಲಾಗಿದೆ.																		

7	ಮುಲ್ಕಿ ಪಟ್ಟಣ ಪಂಚಾಯತ್	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.
8	ಮೂಡಬಿದಿರೆ ಪುರಸಭೆ	
9	ಕೋಟಿಕಾರ್ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
10	ಬೆಳ್ತಂಗಡಿ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
11	ವಿಟ್ಲ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
12	ಕಡಬ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
13	ಬಜ್ಜಿ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
14	ಕಿನ್ನಿಗೋಳಿ ಪಟ್ಟಣ ಪಂಚಾಯತ್	
ಉಡುಪಿ ಜಿಲ್ಲೆ:-		
1	ಉಡುಪಿ ನಗರಸಭೆ	ಭಾಗಶಃ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಕಲ್ಪಿಸಲಾಗಿದೆ.
2	ಕುಂದಾಪುರ ಪುರಸಭೆ	ಒಳಚರಂಡಿ ಯೋಜನೆಯಡಿ ಮೆಶಿನ್ ಹೋಲ್ ಮತ್ತು ಕೋಳವೆ ಮಾರ್ಗವನ್ನು ಅಳವಡಿಸಲಾಗಿದೆ.
3	ಕಾಪು ಪುರಸಭೆ	
4	ಕಾರ್ಕಳ ಪುರಸಭೆ	ಭಾಗಶಃ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುತ್ತದೆ.
5	ಸಾಲಿಗ್ರಾಮ ಪಟ್ಟಣ ಪಂಚಾಯತ್	ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆ ಇರುವುದಿಲ್ಲ.
6	ಬೈಂದೂರು ಪಟ್ಟಣ ಪಂಚಾಯತ್	

ದಕ್ಷಿಣ ಕನ್ನಡ ಮತ್ತು ಉಡುಪಿ ಜಿಲ್ಲೆಗಳ ಈ ಕೆಳಕಂಡ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ ಕರ್ನಾಟಕ ನಗರ ನೀರು ಸರಬರಾಜು ಮತ್ತು ಒಳಚರಂಡಿ ಮಂಡಳಿ ವತಿಯಿಂದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಒದಗಿಸುವ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲಾಗಿರುತ್ತದೆ.

1) ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆ: ಉಳ್ಳಾಲ ನಗರ ಸಭೆ ಮತ್ತು ಬಂಟ್ವಾಳ ಪುರಸಭೆ ಮತ್ತು ಸುಳ್ಯನಗರ ಪಂಚಾಯತ್.

2) ಉಡುಪಿ ಜಿಲ್ಲೆ: ಉಡುಪಿ ನಗರ ಸಭೆ, ಕಾರ್ಕಳ ಪುರಸಭೆ, ಕುಂದಾಪುರ ಪುರಸಭೆ ಮತ್ತು ಕಾಪು ಪುರಸಭೆ.

ವಿವರಗಳು ಈ ಕೆಳಗಿನಂತಿವೆ:-

ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆ:-

1) **ಉಳ್ಳಾಲ ನಗರ ಸಭೆ:** ಉಳ್ಳಾಲ ನಗರಸಭೆ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕಲ್ಪಿಸಲು ರೂ.65.71 ಕೋಟಿಗಳ ಅಂದಾಜುಪಟ್ಟಿಗೆ ಅನುಮೋದನೆ ನೀಡಲಾಗಿದೆ. ಕಾಮಗಾರಿಗಳು ಪ್ರಸ್ತುತ ಪ್ರಗತಿಯಲ್ಲಿದ್ದು, ಮಾರ್ಚ್ 2026ಕ್ಕೆ ಚಾಲನೆಗೊಳಿಸಲು ಯೋಜಿಸಲಾಗಿದೆ.

1) **ಬಂಟ್ವಾಳ ಪುರಸಭೆ:** ಬಂಟ್ವಾಳ ಪುರಸಭೆ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ 2008-09ನೇ ಸಾಲಿನಲ್ಲಿ ರೂ. 12.27 ಕೋಟಿಗಳ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲಾಗಿರುತ್ತದೆ. ಸದರಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು

ಚಾಲನೆಗೊಳಿಸಿ ಸಾರ್ವಜನಿಕರ ಉಪಯೋಗಕ್ಕೆ ತರಲು ವೆಟ್ ವೆಲ್ ಗಳು, ಬಳಸಿದ ನೀರು ಶುದ್ಧೀಕರಣ ಘಟಕಗಳನ್ನು ನಿರ್ಮಿಸುವ ಮತ್ತು ಇತರೆ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ರೂ.56.54 ಕೋಟಿಗಳ ಅಂದಾಜುಪಟ್ಟಿಗೆ 2017ನೇ ಸಾಲಿನಲ್ಲಿ ರಾಜ್ಯ ಸರ್ಕಾರದಿಂದ ಅನುಮೋದನೆ ದೊರೆತಿರುತ್ತದೆ. ಸದರಿ ಯೋಜನೆಯನ್ನು ಅನುಷ್ಠಾನಗೊಳಿಸಲು ಅವಶ್ಯವಿರುವ ಜಮೀನುಗಳನ್ನು ಪೂರ್ಣಪ್ರಮಾಣದಲ್ಲಿ ಪುರಸಭ ವತಿಯಿಂದ ಹಸ್ತಾಂತರಿಸಿಕೊಂಡು ಟೆಂಡರ್ ಆಹ್ವಾನಿಸಿ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ಕ್ರಮವಹಿಸಲಾಗುವುದು.

2) ಸುಳ್ಯ ನಗರ ಪಂಚಾಯತ್: ಸುಳ್ಯ ನಗರ ಪಂಚಾಯತ್ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ ರೂ.2.87 ಕೋಟಿಗಳ ಅಂದಾಜು ವೆಚ್ಚದಲ್ಲಿ ಭಾಗಶಃ ಒಳಚರಂಡಿ ಯೋಜನೆಯನ್ನು ಕೈಗೊಂಡು 2010ರಲ್ಲಿ ಚಾಲನೆಗೊಳಿಸಲಾಗಿರುತ್ತದೆ. ಪ್ರಸ್ತುತ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯು ಕಾರ್ಯನಿರ್ವಹಿಸುವ ಸ್ಥಿತಿಯಲ್ಲಿ ಇಲ್ಲದಿರುವುದರಿಂದ ಹಾಲಿ ಇರುವ ಒಳಚರಂಡಿ ಯೋಜನೆಯ ಅಭಿವೃದ್ಧಿ ಕಾಮಗಾರಿಗೆ ರೂ. 57.50 ಕೋಟಿ ಮೊತ್ತದ ಅಂದಾಜು ಪಟ್ಟಿಯನ್ನು ತಯಾರಿಸಲಾಗಿದೆ.

ಉಡುಪಿ ಜಿಲ್ಲೆ:

1) ಉಡುಪಿ ನಗರಸಭೆ: ಹಾಲಿ ಇರುವ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಅಭಿವೃದ್ಧಿ ಪಡಿಸುವ ರೂ.330.00 ಕೋಟಿ ಮೊತ್ತದ ಅಂದಾಜುಪಟ್ಟಿಯನ್ನು ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆಗಾಗಿ ಕ್ರಮವಹಿಸಲಾಗುತ್ತಿದೆ.

2) ಕಾರ್ಕಳ ಪುರಸಭೆ: ಕಾರ್ಕಳ ಪುರಸಭೆ ವ್ಯಾಪ್ತಿಯ ಮುಖ್ಯ ರಸ್ತೆಗಳಲ್ಲಿ 1998ನೇ ಸಾಲಿನಲ್ಲಿ ಕಲ್ಪಿಸಲಾದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಅಭಿವೃದ್ಧಿಪಡಿಸುವ ಕಾಮಗಾರಿಗಳನ್ನು ರೂ.13.00 ಕೋಟಿ ವೆಚ್ಚದಲ್ಲಿ 2021-22ನೇ ಸಾಲಿನಲ್ಲಿ ಕೈಗೊಂಡು ಚಾಲನೆಗೊಳಿಸಲಾಗಿರುತ್ತದೆ.

3) ಕುಂದಾಪುರ ಪುರಸಭೆ: ಕುಂದಾಪುರ ಪುರಸಭೆ ವ್ಯಾಪ್ತಿಯಲ್ಲಿ UIDSSMT ಯೋಜನೆಯಡಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕಲ್ಪಿಸಲು ರೂ.56.54 ಕೋಟಿಗಳ ಅಂದಾಜುಪಟ್ಟಿಗೆ ರಾಜ್ಯ ಸರ್ಕಾರದಿಂದ ಅನುಮೋದನೆ ದೊರೆತಿರುತ್ತದೆ. ಸದರಿ ಯೋಜನೆಯಡಿ ಪಟ್ಟಣದಲ್ಲಿ 31.50 ಕಿ.ಮೀ. ಉದ್ದದ ಒಳಚರಂಡಿ ಕೊಳವೆ ಸಾಲುಗಳನ್ನು ಅಳವಡಿಸಲಾಗಿದ್ದು, 1600 ಗೃಹ ಸಂಪರ್ಕಗಳನ್ನು ಒದಗಿಸಲಾಗಿರುತ್ತದೆ. ಈಗಾಗಲೇ ಅಳವಡಿಸಲಾಗಿರುವ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಚಾಲನೆಗೊಳಿಸಿ ಸಾರ್ವಜನಿಕರ ಉಪಯೋಗಕ್ಕೆ ತರಲು ಉಳಿಕೆ 9.0 ಕಿ.ಮೀ ಉದ್ದದ ಒಳಚರಂಡಿ ಕೊಳವೆ ಸಾಲುಗಳ ಅಳವಡಿಕೆ, ವೆಟ್ ವೆಲ್ ಗಳ ನಿರ್ಮಾಣ, ಏರು ಕೊಳವೆ ಮಾರ್ಗಗಳು, ಪಂಪಿಂಗ್ ಮೆಶಿನರಿ ಅಳವಡಿಕೆ ಮತ್ತು ಇತರೆ ಕಾಮಗಾರಿಗಳನ್ನು ಕೈಗೊಳ್ಳಲು ರೂ.46.81 ಕೋಟಿಗಳ ಅಂದಾಜುಪಟ್ಟಿಯನ್ನು ತಯಾರಿಸಿ, ಕ್ರಮವಹಿಸಲಾಗುತ್ತಿದೆ.

		4) ಕಾಪು ಪುರಸಭೆ: ಕಾಪು ಪುರಸಭೆ ವ್ಯಾಪ್ತಿಯ ಮುಖ್ಯ ರಸ್ತೆಗಳಲ್ಲಿ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯನ್ನು ಕಲ್ಪಿಸಲು ರೂ. 3.03 ಕೋಟಿಗಳ ಅಂದಾಜುಪಟ್ಟಿಗೆ 2015ನೇ ಸಾಲಿನಲ್ಲಿ ಸರ್ಕಾರದಿಂದ ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆ ದೊರೆತಿರುತ್ತದೆ. ಸದರಿ ಯೋಜನೆಯಡಿ ಅನುವು ಮಾಡಲಾಗಿದ್ದು 2.00 ಕಿ.ಮೀ ಉದ್ದದ ಒಳಚರಂಡಿ ಕೊಳವೆ ಮಾರ್ಗಗಳ ಪೈಕಿ ಸುಮಾರು 1.00 ಕಿ.ಮೀ ಉದ್ದದ ಕೊಳವೆ ಮಾರ್ಗಗಳನ್ನು ಅಳವಡಿಸಲಾಗಿರುತ್ತದೆ. ಆಡಳಿತಾತ್ಮಕ ಕಾರಣಗಳಿಂದ ಕಾಮಗಾರಿಗಳು ಸ್ಥಗಿತಗೊಂಡಿರುತ್ತದೆ, ಸದರಿ ಜಾಗವು ಹಸ್ತಾಂತರವಾದ ನಂತರ ಕಾಮಗಾರಿ ಕೈಗೊಳ್ಳಲು ಕ್ರಮವಹಿಸಲಾಗುವುದು.
ಈ)	ಕರಾವಳಿ ಜಿಲ್ಲೆಗಳಲ್ಲಿ ಹೆಚ್ಚು ಮಳೆ ಬರುವುದರಿಂದ ಮತ್ತು ಪೂರ್ಣ ಪ್ರಮಾಣದ ಒಳಚರಂಡಿ ವ್ಯವಸ್ಥೆಯಿರದ ಕಾರಣ ಮಳೆಗಾಲದಲ್ಲಿ ಕೊಳಚೆ ನೀರು ಮನೆಗಳಿಗೆ ನುಗ್ಗುತ್ತಿದ್ದು, ಈ ಬಗ್ಗೆ ಇಲಾಖೆ ಯಾವ ರೀತಿಯ ಕ್ರಮವಹಿಸುತ್ತಿದೆ.	ಕರಾವಳಿ ಜಿಲ್ಲೆಗಳಾದ ದಕ್ಷಿಣ ಕನ್ನಡ ಜಿಲ್ಲೆ, ಉಡುಪಿ ಜಿಲ್ಲೆ & ಉತ್ತರ ಕನ್ನಡ ಜಿಲ್ಲೆಗಳ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ ಮಳೆಗಾಲಕ್ಕೆ ಮುಂಚಿತವಾಗಿ ರಾಜಕಾಲುವೆ ಮತ್ತು ಮಳೆ ನೀರು ಚರಂಡಿಗಳನ್ನು ಹೊಳೆತ್ತಲಾಗುವ ಕಾರ್ಯವನ್ನು ನಿರ್ವಹಿಸಿ, ಮಳೆಗಾಲದಲ್ಲಿ ನೀರು ಸರಾಗವಾಗಿ ಹರಿದು ಹೋಗುವಂತೆ ವ್ಯವಸ್ಥೆ ಮಾಡಲು ಕ್ರಮವಹಿಸಲಾಗಿದೆ ಹಾಗೂ ಕೊಳಚೆ ನೀರು ಮನೆಗಳಿಗೆ ನುಗ್ಗಿರುವ ಪ್ರಕರಣಗಳು ವರದಿಯಾಗಿರುವುದಿಲ್ಲ.
ಉ)	ಕರಾವಳಿ ಜಿಲ್ಲೆಗಳಲ್ಲಿ ಕಸ ನಿರ್ವಹಣೆಯನ್ನು ಯಾವ ರೀತಿಯಲ್ಲಿ ಮಾಡಲಾಗುತ್ತಿದೆ. ನಿರ್ವಹಣೆಯನ್ನು ಹೊರಗುತ್ತಿಗೆ ನೀಡಲಾಗಿದೆಯೇ; ಜಿಲ್ಲಾವಾರು ಎಲ್ಲಾ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳನ್ನು ಸೇರಿಸಿ ಒಂದು ಏಕ ರೀತಿಯ ವ್ಯವಸ್ಥೆಯನ್ನು ಅಭಿವೃದ್ಧಿಪಡಿಸಿ, ಕಸ ನಿರ್ವಹಣೆಯನ್ನು ಮಾಡುವ ಕುರಿತು ಯಾವುದಾದರೂ ಪ್ರಸ್ತಾವನೆ ಸರ್ಕಾರದ ಮುಂದಿದೆಯೇ? (ವಿವರ ನೀಡುವುದು).	- ಕರಾವಳಿ ಜಿಲ್ಲೆಗಳ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಲ್ಲಿ ತ್ಯಾಜ್ಯ ನಿರ್ವಹಣೆಯನ್ನು ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳ ಮೂಲಕ ನಡೆಸಲಾಗುತ್ತಿದೆ. ಇದಕ್ಕೆ ಅಗತ್ಯವಿರುವ ವಾಹನ ಚಾಲಕರು, ಲೋಡರ್ ಕ್ಲಿನರ್ಸ್ ಮತ್ತು ಇತರ ಪೌರ ಕಾರ್ಮಿಕಯೇತರ ಸಿಬ್ಬಂದಿಯನ್ನು ಹೊರಗುತ್ತಿಗೆ ಮೂಲಕ ನೇಮಿಸಿ, ತ್ಯಾಜ್ಯ ಸಂಗ್ರಹಣೆ, ಸಾಗಾಣಿಕೆ ಮತ್ತು ಸಂಸ್ಕರಣೆಯ ಕಾರ್ಯಗಳನ್ನು ನಿರ್ವಹಿಸಲಾಗುತ್ತಿದೆ. - ಎಲ್ಲಾ ನಗರ ಸ್ಥಳೀಯ ಸಂಸ್ಥೆಗಳಿಗಾಗಿ ಏಕರೂಪ ತ್ಯಾಜ್ಯ ನಿರ್ವಹಣಾ ವ್ಯವಸ್ಥೆಯನ್ನು ಅಭಿವೃದ್ಧಿಪಡಿಸುವ ಯಾವುದೇ ಪ್ರಸ್ತಾವನೆ ಇರುವುದಿಲ್ಲ.

ಸಂಖ್ಯೆ: ನಅಇ 15 ಯುಎಂಎಸ್ 2025

(ರಹೀಂ ಖಾನ್)

ಪೌರಾಡಳಿತ ಮತ್ತು ಹಜ್ ಸಚಿವರು

HOW MANY ULBS OF THE STATE HAVE BEEN PROVIDED WITH 24X7 WSS- HSCS AND HOW MANY ULBS ARE BALANCE.

DISTRICT	24 x 7 WSS - HSC'S provided under Various Schemes (Plan, AMRUT 1 & 2)					Balance 24 x 7 WSS - HSCs to be provided (Includes schemes proposed and ongoing works amrut-2 & other)				
	TOWNS	wards- nos'	DMA in Nos'	TOTAL 24 x 7 WSS HSCs - IN NOS.	remarks	TOWNS	wards- nos'	DMA in Nos'	TOTAL 24 x 7 WSS HSCs - IN NOS.	remarks
2	3	4	5	6	7	8	9	10	11	12
Bengaluru Zone										
Shivamogga	Shivamogga		Ward-35	67400						
11	Chitradurga city					Chitradurga city	35	-	-	No 24x7 provided
	Hiriyur city					Hiriyur city	31	12	1350	1350 HSC (1DMA) taken up under Amrut 2.0 out of 6579 HSCs
	Challakere city					Challakere city	31	11	1143	1143 HSC (1DMA) taken up under Amrut 2.0 out of 5010 HSCs
	Hosadurga					Hosadurga	23	5	673	673 HSC (1DMA) taken up under Amrut 2.0 out of 4045 HSCs
	Holalkere					Holalkere	16	6	414	673 HSC (1DMA) taken up under Amrut 2.0 out of 3414 HSCs
	Molakalmuru					Molakalmuru	16	3	256	256 HSC (1DMA) taken up under Amrut 2.0 out of 2089 HSCs
	Nayakanahatti					Nayakanahatti	16	10	429	429 HSC (1DMA) taken up under Amrut 2.0 out of 3235 HSCs
12	Davanagere city					Davanagere city				Works takenup by KUIDFC
	Harihara					Harihara				Works takenup by KUIDFC
	Channagiri					Channagiri	23	6 DMAs	85	85 HSC (1DMA) taken up under Amrut 2.0 out of 1218 HSCs
	Honnali					Honnali	23	11 DMAs	200	200 HSC (1DMA) taken up under Amrut 2.0 out of 3146 HSCs
	Malebennur					Malebennur	23	4 DMAs	1544	1544 HSC (1DMA) taken up under Amrut 2.0 out of 4700 HSCs
	Nyamathi					Nyamathi	11	2 DMAs	0	Providing 2500 HSCs under Ongoing State plan preserised water supply scheme
	Jagalur					Jagalur	18	5	450	450 HSC (1DMA) taken up under Amrut 2.0, 1694 HSCs
16	Bengaluru	No schemes proposed to provide 24x7 WSS								

17	Tumakuru	Tumakuru	-	-	-	37 DMAs with 71,025 Nos metered Hsc's provided with CPWSS. But not be provided with continuous water due to shortage of Bulk storage (IR).	-	-	-	-	-
18		Tiptur	-	-	-	8 DMAs with 10,700 Nos metered Hsc's provided under IWSS scheme. But not be provided with continuous water due to shortage of Bulk storage (IR).	-	-	-	-	-
19		Kunigal	-	-	-	-	Kunigal	23	7 DMA's	10720	Proposed under AMRUT 2 Tranche 1 and 3
20		Huliyar	-	-	-	-	Huliyar	16	3 DMA's	4577	Proposed under AMRUT 2 Tranche 1 and 3
21		Pavagada	-	-	-	-	Pavagada	14 full and 4 partial	6 DMA's	4500	Proposed 24 x7 in 14 full and 4 partial wards and 6 DMA's under AMRUT 2. Balance in 7 wards and 3 DMAs 24x7 to be taken up.
22		Sira	-	-	-	-	Sira	31	9 DMA's	16640	Proposed under AMRUT 2 Tranche 1 and 3
23		Madhugiri	-	-	-	-	Madhugiri	16 full and 5 partial	7 DMA's	5000	Proposed 24 x7 in 16 full and 5 partial wards and 7 DMA's under AMRUT 2. Balance in 5 wards and 2 DMAs 24x7 to be taken up
24		Kortagere	-	-	-	-	Kortagere	-	-	-	Proposed 24x7 only in ward no.15 and part of DMA 2. Balance in 14 wards and 3.5 DMAs, 24x7 to be taken up
25		Turuvekere	-	-	-	-	Turuvekere	3	1 DMA	1500	Proposed 24 x7 in only 3 wards and 1 DMA under AMRUT 2. Balance in 3 wards and 4 DMAs 24x7 to be taken up.
26		Gubbi	-	-	-	-	Gubbi	3	1 DMA	810	Proposed 24 x7 in only 3 wards and 1 DMA under AMRUT 2. Balance in 3 wards and 4 DMAs 24x7 to be taken up.
27		Chikkanayakana halli	-	-	-	-	Chikkanayakana halli	20	5 DMA's	5069	Proposed 24 x7 in 20 wards and 5 DMA's under AMRUT 2. Balance in 3 wards and 3 DMAs 24x7 to be taken up.

Kolar	No schemes proposed to provide 24x7 WSS									
Chikkaballapur	No schemes proposed to provide 24x7 WSS									
Shivamogga	Thirthahalli	15	9 DMAs	3595	Work completed, Commissioned and handedover to ULB	Thirthahalli	15	9 DMAs	350 (In leftout areas)	HSCs proposed under AMRUT 2.0
	Shiralkoppa		-			Shiralkoppa	23	8 DMAs	4934	HSCs proposed under AMRUT 2.0
	Anavatti		-			Anavatti	18	4 DMAs	4207	HSCs proposed under AMRUT 2.0
	Holehonnuru		-			Holehonnuru	16	10 DMAs	4060	HSCs proposed under AMRUT 2.0
	Sagar	-	-			Sagar	-	-	-	Survey work for Providing continuous pressurized water supply system to Sagar city is under progress
	Shikaripura	-	-			Shikaripura	-	-	-	24X7 WSS not provided
	Hosanagar	-	-			Hosanagar	-	-	-	24X7 WSS not provided
	Jog-Kargal	-	-			Jog-Kargal	-	-	-	24X7 WSS not provided
	Soraba	-	-			Soraba	-	-	-	24X7 WSS not provided
	Bhadravathi	-	-			Bhadravathi	-	-	-	24X7 WSS not provided
Mysuru Zone										
Mysuru	Mysuru City		7 DMAs	17712		Mysuru City		69 DMAs	146096	To be proposed in future
	Hootgalli		DMA-05	700		Hootgalli		14 DMAs	16149	
	Bogadhi		DMA-06	1000		Bogadhi		11 DMAs	4344	
	Srirampura		DMA-03	2600		Srirampura		6 DMAs	6330	
	Kadakola		DMA-02	400		Kadakola		6 DMAs	3444	
	Rammanahalli		DMA-04	1500		Rammanahalli		6 DMAs	4554	
	T Narasipura		23/6	8000						
	Krishnarajpet	-	-			Krishnarajpet	23	5	5586	670 Nos of HSC's with 24X7 in DMA -1 are proposed under AMRUT 2.0
	Nagamangala	-	-			Nagamangala	23	5	6078	
	Pandavpura	-	-			Pandavpura	23	6	4400	750 Nos of HSC's with 24X7 in DMA -2 are proposed under AMRUT 2.0
	Srirangapatna	-	-			Srirangapatna	23	5	6200	

51	Mandya	Mandya	12 wards	7	10004	10004 Nos of HSC has been provided under Providing 3rd WSS to Mandya city under AMRUT and improvement of WSS to Mandya city under additional grants of AMRUT. However, the HSC's are not provided	Mandya	35	23	20457	
52		Maddur	23 wards	5	7200	7200 Nos of HSC has been provided under Providing 2nd stage WSS to Maddur town. However, the HSC's are not provided with 24X7	Maddur	23	5	7200	
53		Malavalli	23 wards	5	8200	8200 Nos of HSC has been provide under Providing 2nd stage WSS to Malavalli town. However, the HSC's are not provided with 24X7	Malavalli	23	5	8200	
54		Belluru					Belluru	13	5	2600	470 Nos of HSC's with 24X7 in DMA -2 are proposed under AMRUT 2.0
	Dakshina Kannada						Sullia	9,12 & 13	DMA-6	200	Will be tackled under AMRUT 2.0
							Ullala	6,24 & 29	DMA-9, DMA-10	250	Will be tackled under AMRUT 2.0
							Kotekar	12	DMA-3	100	Will be tackled under AMRUT 2.0
							Someshwara	1,2,3,5 & 6	DMA-1	200	Will be tackled under AMRUT 2.0
							Moodabidri	11,12 & 10	DMA-4	150	Will be tackled under AMRUT 2.0
							Kinnigoli	4,5 & 6	DMA-2	80	Will be tackled under AMRUT 2.0
							Bantwala	3,5,6 & 7	DMA-1 B	650	Will be tackled under AMRUT 2.0
							Bajpe	6,7,8 & 9	DMA-3	300	Will be tackled under AMRUT 2.0
							Mulky	9,10,16 & 17	DMA-3	250	Will be tackled under AMRUT 2.0
	Udupi						Kaup	1,2,3 & 5	DMA-1	800	Will be tackled under AMRUT 2.0
							Karkala	18,19,20,21,22 & 23	DMA-2	600	Will be tackled under AMRUT 2.0
III	Dharwad Zone										
47	DHARWAD	ANNIGERI		23/4	8465				-	-	
48		NAVALGUND		23/5	5797				-	-	
49		KUNDAGOL		19/3	4271				-	-	
50		KALAGHATAGI		17/4	5403				-	-	
51		ALNAVAR		18/3	3950				-	-	
52		Vijayapur		35 / 23	70000		Vijayapur		-	34777	
53		Indi		23 / 7	10900		Indi		-	300	

Vijayapur	Sindagi				Sindagi	23 / 7	6700 + 5212	6700 taken up under AMRUT 2.0 and 5212 Nos. balance left out
	Muddebihal				Muddebihal	23 / 7	9934 + 1000	9934 taken up under AMRUT 2.0 and 1000 Nos. balance left out
	Basavana Bagewadi				Basavana Bagewadi	23 / 7	9500 + 400	9500 taken up under AMRUT 2.0 and 400 Nos. balance left out
	Talikote	-	-	-	Talikote	23/8	7750+ 2500	7750 taken up under AMRUT 2.0 and 2500 Nos. balance left out
	Devarhippargi	-	-	-	Devarhippargi	17 / 5	4024	Proposed under AMRUT 2.0 Scheme
	Managuli	-	-	-	Managuli	16/2	3550	Proposed under AMRUT 2.0 Scheme
	Nidagundi	-	-	-	Nidagundi	16/3	4995	Proposed under AMRUT 2.0 Scheme
	Kolhar	-	-	-	Kolhar	17/3	3395	Proposed under AMRUT 2.0 Scheme
	Nalatwad	-	-	-	Nalatwad	14/3	4600	Proposed under AMRUT 2.0 Scheme
	Chadchan	-	-	-	Chadchan	16/5	4050	Proposed under AMRUT 2.0 Scheme
	Almel	-	-	-	Almel	19/3	4600	Proposed under AMRUT 2.0 Scheme
	Tikota	-	-	-	Tikota	45964	4100	Proposed under AMRUT 2.0 Scheme
	Babaleshwar	-	-	-	Babaleshwar	45995	4250	Proposed under AMRUT 2.0 Scheme
15 Bagalkote	Bilagi	-	-	-	Bilagi	18/4	6500	
	Bagalkot	35/11	11668					
	Badami	23/3	8230		Badami	23/3	1000	
	Kerur	20 / 2	5775					
	Shirur	-	-	-	Shirur	13/3	4000	
	Hungund	23/4	4900					
	Aminagad	16/3	4200					
	Kamatagi	16/3	4200					
	Guledagudda	23/3	6877					
	Tavargera	18/3	3600					
	Kushtagi	23/4	7075					
Bagalkote	Mudhol	31/7	1250		Mudhol	31/7	12350	Out of 13600 No.s of HSCs 6106 No.s proposed under AMRUT 2.0 , 4300 No.s under plan scheme and 3194 No.s under Nagarothana Phase-3.
	Jamkhandi	31/10	14470		Jamkhandi	31/10	1230	Out of 15700 No.s of HSCs 14470No.s provided under other schemes and balance 1230 No s proposed under AMRUT 2.0 .

80	Rabakavi-Rampur	31/7	6723	Rabakavi-Rampur	31/7	6237	Out of 13000 No.s of HSCs 6763N provided at Banahatti under other schemes and 4650 No.s proposed under AMRUT 2.0 (Rabakavi-Rampur). Due to paucity fund HSCs at Hosur was left out.
81	Mahalingapur	23/4	3148	Mahalingapur	23/4	4500	Out of 7648 No.s of HSCs 3148 No.s provided at Zone-3&4 under 9 towns project by KUIDFC and 4500 No.s proposed at Zone-1& Zone-2 under AMRUT 2.0
82	Terdal	23	4079	Terdal	23	2521	Out of 6600 No.s of HSCs 4079 No.s provided and balance HSCs work under progress by KUIDFC under 9 towns project.
83	Lokapura	18	-	Lokapura	18	5000	Water supply to Lokpur town is through Borewell and surface source and new connections to be proposed.
87	Belagali	18	-	Belagali	18	6000	Water supply to Belgali town is through Borewell and surface source and new connections to be proposed.
85	Ankalagi-Akkatangerahal		5717				
86	Kaagawad			Kaagawad	16/16	4500	16809 (Proposed under AMRUT 2.0 Scheme CWSS To Kagwad Shedbal & Ugarkhurd Town)
87	Shedbal			Shedbal	16/16	4900	
88	Ugarkhurd		3300	Ugarkhurd	23/23	7409	
89	Yaragatti		4800				
90	Khanapur						
91	Examba	17	2500	Examba	17	0	
92	Raibag	19	6000	Raibag	19	5544	
93	Harugeri			Harugeri	23	10052	Proposed under Amrut 2.0 Scheme CWSS Tranche-I & II
94	Mugalkhod			Mugalkhod	23	6454	Proposed under Amrut 2.0 Scheme CWSS Tranche-I & II
95	Ramdurga		2200				
96	Chichali	19	3500	Chichali	19	0	
97	Munavalli		5200				
98	Konnur		6760				
99	Boragaon	17	2464	Boragaon	17	2400	
100	Kabbura	19	1983	Kabbura	19	1650	
101	Kankanawadi	17	2620	Kankanawadi	17	0	
102	Nippani						Estimate is under preparation
103	Sankeshwar		2400				
104	Kudachi			Kudachi	23	7409	Proposed Amrut 2.0 Scheme of Kudachi town Tranche-I & II

Belgavi

Channamma Kittur		5200					
M.K. Hubballi		2991					
Hukkeri		2200					
Ainapur	19	5350					
Athani	27	18500					
Mudalagi		23136					
Chikkodi	6	9246		Chikkodi		0	
Sadalaga	23	5646		Sadalaga	23	0	
Bailhongal		13000					
Karwar	31/2	1180		Karwar	29	20418	
Ankola	23/2	900		Ankola	21	4500	
Kumta	0	0		Kumta	23/3	6152	
Honnavar	0	0		Honnavar	20/2	4600	
Bhatkal	0	0		Bhatkal	23/5	5014	
Jali	0	0		Jali	All wards	5184	
Manki	0	0		Manki	20/3	5617	
Dandeli	31/31 wards	12150		Dandeli	0	12150	
Haliyal	23/23 wards	6054		Haliyal	all DMA's	1000	
Sirsi	31/26 wards	11195		Sirsi	DMA 7,8,17,18,26	282	
Siddapura	18/0	0		Siddapura	0	0	
Yellapura	19/0	0		Yellapura	0	0	
Mundgod	19/0	0		Mundgod	0	0	
GADAG-BETAGERI CITY			KUIDFC implementing the scheme. Hence, the details may obtained from KUIDFC.				
--	--	--	--	GAJENDRAGAD	23/5	9679	
NARGUND	20/4	7234		NARGUND	45873	1960	
RON	15/4	2100		RON	23/3	5960	
--	--	--		SHIRAHATTI	18/4	5635	
--	--	--		NAREGAL	17/3	4500	
HAVERI CITY							KUIDFC implementing the scheme. Hence, the details may obtained from KUIDFC.
RANEBENNUR CITY							KUIDFC implementing the scheme. Hence, the details may obtained from KUIDFC.

135	Haveri	BYADAGI								KUIDFC implementing the scheme. Hence, the details may obtained from KUIDFC.
136		HANGAL								KUIDFC implementing the scheme. Hence, the details may obtained from KUIDFC.
137		--	--	--		SAVANUR		23/5	5000	
138		--	--	--		SHIGGAON		23/4	7021	
139		--	--	--		BANKAPUR		23/3	5600	
140		--	--	--		HIREKERUR		35/3	3700	
141		--	--	--		GUTTAL		18/7	4250	
142		--	--	--		RATTIHALI		15/5	3950	
IV	Kalburgi Zone									
143						Jewargi	15	4	3550	Proposed under AMRUT 2.0 Scheme
144						Wadi	7	5	2753	Proposed under AMRUT 2.0 Scheme
145						Yedrami	11	4	3391	3391 HSC are Proposed under Amrut-2.0 in 4 DMAs
146						Sedam	23	8	3754	3754 HSC proposed under IWSS To Sedam town under Amrut 2.0
147						Chittapur	17	4	6149	6149 HSC proposed under IWSS to Chittapur town under Amrut 2.0
148						kalagi	9	4	3200	Proposed under AMRUT 2.0 Scheme
149						chincholi	19	3	5424	Proposed under AMRUT 2.0 Scheme
150						kamlapur	12	4	3240	Proposed under AMRUT 2.0 Scheme
151						Aland	27	5	11000	Proposed under AMRUT 2.0 Scheme
152						Yadgiri	18	2	2160	Proposed under AMRUT 2.0 Scheme
153	Yadgir					Gurumitkal	17	3	1968	Proposed under AMRUT 2.0 Scheme
154						Hunasagi	16	3	3977	Proposed under AMRUT 2.0 Scheme
155						Kembhavi	20	3	5103	Proposed under AMRUT 2.0 Scheme
156						Kakkeri	23	7	4057	Proposed under AMRUT 2.0 Scheme
157						Shahpur	31	8	12828	Proposed under AMRUT 2.0 Scheme
158						B.Gudi	5	5	1080	Proposed under AMRUT 2.0 Scheme
159						Humnabad	27	8	7565	Proposed under AMRUT 2.0 Scheme
160						Chitaguppa	23	5	4317	Proposed under AMRUT 2.0 Scheme
161						Halikheda	23	7	5910	Proposed under AMRUT 2.0 Scheme
162		Gangavathi city	-	-	-	24X7 WSS not provided	-	-	-	-

Koppal					Koppal		6,7,8,9,10,11	7590	Proposed under AMRUT 2.0 Scheme
					Bhagyanagar	01-19	1,2,3	6850	Proposed under AMRUT 2.0 Scheme
					Yelburga	01-15	1,2,3	5204	Proposed under AMRUT 2.0 Scheme
					Kukanoor	01-19	1,2,3,4,5,6,7	6108	Proposed under AMRUT 2.0 Scheme
					Kanakagiri	01-17	1,2	6051	Proposed under AMRUT 2.0 Scheme
					Karatagi	-	-	-	24X7 WSS not provided
Ballari	Ballari city	-	-	-	Ballari	2, 3, 4, 5, 6, 7, 8, 11, 13, 15, 16, 20, 21, 22, 23, 25, 27, 28, 29 & 30, 31, 32, 33, 34, 35	15	42500 (Domestic) + 2000 (Commercial)	Proposed Under "PROVIDING 24 x 7 PRESSURISED CONTINUOUS WATER SUPPLY SCHEME TO BALANCE 15 ZONES OF BALLARI CITY UNDER KMERC" project. (In Tender Stage)
	Siruguppa city	-	-	-	Siruguppa city	W.No. 25 Pr. 26, 45 Pr. 28, 19, 20 Pr. 21 Pr. 22 Pr. 23 Pr. 13, 15 16 Pr. 9, 11, 12 Pr. 14 Pr. 3 Pr. 5 Pr. 6 Pr. 7 Pr. 8 Pr. 10 Pr	5	3000	Proposed under AMRUT 2.0
	Sandur town	-	-	-	Sandur town	W.No. 14 Pr. 15, 16, 17 Pr. 19	2	1217	Proposed under AMRUT 2.0
	Kurugodu town	-	-	-	Kurugodu town	1-23	4	4800	Entire town is considered under AMRUT 2.0
	Kurekuppa town	-	-	-	Kurekuppa town				Water Supply to Kurekuppa, Torangall and other 05 villages in Sandur Taluka of Bellary District under multi village scheme is taken up by RDW&S Department.
	Kampli town	-	-	-	Kampli town			-	Implemented by KUIDFC
	Tekkalakote town	-	-	-	Tekkalakote town			-	Implemented by KUIDFC
	Kuduthini town	-	-	-	Kuduthini town	1-19	5	6334(Domestic and Commercial)	Survey work completed and DPR under Preparation. Required land for Construction IR to be Handed over by ULB.
	Huvinahadagali	-	-	-	Huvinahadagali	8&9	1	450	Proposed under AMRUT 2.0
	Kamlapura	-	-	-	Kamlapura	DMA 2(Zone 3(W No. 15& 16) & 4(W No. 5 Pr.6,8,9)	2	1937	Proposed under AMRUT 2.0

179	Vijayanagara	Kudligi	-	-	-	Kudligi	DMA 2(Zone 3(W No.1,2,3,4,5,6,7, 12, 14 Pr & 18 Pr) & 4(W No.8,9,10,11Pr.13, 15Pr)	2	3986	Proposed under AMRUT 2.0
180		Kottur	-	-	-	Kottur				KUIDFC implementing the scheme.
181		Hagaribommenahalli	-	-	-	Hagaribommenahalli	10,11,12,13,14,15,17,22,21P,23P	1	3328	
182		Mariyammahalli	-	-	-	Mariyammahalli	1-18	4	5485	Proposed under AMRUT 2.0
183		Harapanahalli	-	-	-	Harapanahalli	-	-	-	Nil
184		Hosapete	-	-	-	Hosapete				KUIDFC executed the scheme.
185	Raichur					Lingasugur	18	7	6485	Zone - 1 to 7 proposed under AMRUT 2.0,Zone 8 and 9 balance,Total 1 HSC 8105(Proposed 6485,Balance -1620)
186						Manvi	20	4	7554	Zone - 1 to 4 proposed under AMRUT 2.0,Zone 5 balance,Total 10497 HSC(Proposed 7554,Balance -2943)
187						Maski	23	3	4710	All Zones proposed under AMRUT 2.0
188						Kavithal	16	4	3740	All Zones proposed under AMRUT 2.0
189						Turvihal	14	7	3800	All Zones proposed under AMRUT 2.0
190						Hatti	13	6	4212	All Zones proposed under AMRUT 2.0
					Total		499018			786181