

ಕರ್ನಾಟಕ ವಿಧಾನ ಪರಿಷತ್ತು

ಚುಕ್ಕೆ ಗುರುತಿಲ್ಲದ ಪ್ರಶ್ನೆ ಸಂಖ್ಯೆ	661 (695)
ಮಾನ್ಯ ಸದಸ್ಯರ ಹೆಸರು	ಶ್ರೀ ಎನ್. ರವಿಕುಮಾರ್ (ವಿಧಾನ ಸಭೆಯಿಂದ ಚುನಾಯಿತರಾದವರು)
ಉತ್ತರಿಸಬೇಕಾದ ದಿನಾಂಕ	12 /12/2025
ಉತ್ತರಿಸುವವರು	ಮಾನ್ಯ ಕಾರ್ಮಿಕ ಸಚಿವರು

ಕ್ರ.ಸಂ.	ಪ್ರಶ್ನೆ	ಉತ್ತರ
ಅ)	ನೋಂದಾಯಿಸಿದ ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ಸಲಕರಣೆಗಳ ಚೀಲ ವಿತರಣೆಯಲ್ಲಿ ಅವ್ಯವಹಾರ ಅಕ್ರಮಗಳಾಗಿರುವುದು ಸರ್ಕಾರದ ಗಮನಕ್ಕೆ ಬಂದಿದೆಯೇ; (ವಿವರ ನೀಡುವುದು)	ಕರ್ನಾಟಕ ಕಟ್ಟಡ ಮತ್ತು ಇತರೆ ನಿರ್ಮಾಣ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಮಂಡಳಿಯಿಂದ ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳು ತಮ್ಮ ಕೆಲಸದ ಸ್ಥಳಗಳಲ್ಲಿ ಕಾರ್ಯಕ್ಷಮತೆಯನ್ನು ಕಂಡುಕೊಳ್ಳಲು ಅನುಕೂಲವಾಗುವಂತೆ ವಿವಿಧ ಉಪಕರಣಗಳನ್ನು ಒಳಗೊಂಡ ಟೂಲ್ ಕಿಟ್ ಗಳನ್ನು ನೀಡಲಾಗಿರುತ್ತದೆ. ಮಂಡಳಿ ಸಭೆಯು ತೀರ್ಮಾನಿಸಿದಂತೆ ಸರ್ಕಾರದ ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆಯನ್ವಯ ಮುಕ್ತ ಟೆಂಡರ್ ಕರೆದು ಪಾರದರ್ಶಕವಾಗಿ ಸಂಸ್ಥೆಗಳನ್ನು ಆಯ್ಕೆ ಮಾಡಿ ಈ ಯೋಜನೆಯನ್ನು ಅನುಷ್ಠಾನ ಮಾಡಲಾಗಿದ್ದು, ಇದರಲ್ಲಿ ಯಾವುದೇ ಅವ್ಯವಹಾರ ಅಥವಾ ಅಕ್ರಮ ಆಗಿರುವುದಿಲ್ಲ. ಇದಲ್ಲದೇ, ಮಂಡಳಿಯ ಯೋಜನೆ ಅನುಷ್ಠಾನದ ಲೆಕ್ಕಪತ್ರಗಳನ್ನು ಮಹಾಲೇಖಪಾಲಕರ ಕಛೇರಿಯಿಂದ ಕೂಡ ಪರಿಶೀಲನೆಗೆ ಒಳಪಡಿಸಲಾಗುತ್ತಿದೆ.
ಆ)	5,18,867 ಸಲಕರಣ ಚೀಲಗಳನ್ನು ಖರೀದಿಸಲು ಕಾರ್ಮಿಕ ಕಲ್ಯಾಣ ಮಂಡಳಿಯಿಂದ ಎಷ್ಟು ಮೊತ್ತ ವೆಚ್ಚ ಮಾಡಲಾಗಿದೆ; ಸದರಿ ಸಲಕರಣಾ ಚೀಲಗಳಲ್ಲಿ ಯಾವ ಯಾವ ಸಲಕರಣೆಗಳು ಇವೆ; ಪ್ರತಿಯೊಂದು ಸಲಕರಣಾ ಚೀಲದ	ಮಂಡಳಿಯ ವತಿಯಿಂದ ಇಲ್ಲಿಯವರೆಗೆ 7.45 ಲಕ್ಷ ವೃತ್ತಿವಾರು ಟೂಲ್ ಕಿಟ್ ಗಳನ್ನು ಹಾಗೂ ಕಳೆದ ಮೂರು ವರ್ಷಗಳಿಂದ ಫಲಾನುಭವಿಗಳ ವೃತ್ತಿವಾರು 2.04 ಲಕ್ಷ ಟೂಲ್ ಕಿಟ್ ಗಳನ್ನು ನೀಡಲಾಗಿದ್ದು, ಇದಕ್ಕಾಗಿ ಒಟ್ಟು ರೂ.88.75 ಕೋಟಿ ಮೊತ್ತವನ್ನು ಖರ್ಚು ಮಾಡಲಾಗಿರುತ್ತದೆ. ಟೂಲ್ ಕಿಟ್ ನಲ್ಲಿ


	ಮೊತ್ತವೆಷ್ಟು; ಅದರಲ್ಲಿ ಪ್ರತಿಯೊಂದು ಸಲಕರಣೆಯ ಖರೀದಿ ಮೊತ್ತವೆಷ್ಟು; (ವಿವರ ನೀಡುವುದು)	ಒಳಪಡಿಸಲಾಗಿರುವ ಸಲಕರಣೆಗಳ ವಿವರಗಳನ್ನು ಅನುಬಂಧ-1 ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.
ಇ)	62,674 ಸಲಕರಣಾ ಚೀಲಗಳಲ್ಲಿ 20,771 ಸಲಕರಣಾ ಚೀಲಗಳನ್ನು ನೋಂದಾಯಿತ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸದೇ ಇರುವ ಕುರಿತು ಸರ್ಕಾರದ ನಿಲುವೇನು: (ವಿವರ ನೀಡುವುದು)	ಮಂಡಳಿಯಿಂದ ಒದಗಿಸಲಾಗುವ ಟೂಲ್ ಕಿಟ್ ಗಳನ್ನು ಕಾರ್ಮಿಕ ಇಲಾಖೆಯ ಕ್ಷೇತ್ರ ಮಟ್ಟದ ಅಧಿಕಾರಿಗಳು ಫಲಾನುಭವಿಗಳ ನೋಂದಣಿ ಹಿರಿತನದ ಮೇಲೆ ವಿತರಿಸುತ್ತಿದ್ದು, ಪ್ರಸ್ತುತ ವಿತರಣೆಗಾಗಿ ಯಾವುದೇ ಬಾಕಿ ಇರುವುದಿಲ್ಲ.
ಈ)	ಈ ಸಲಕರಣೆಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಲು ಯಾರಿಗೆ ಟೆಂಡರ್ ನೀಡಲಾಗಿದೆ: ಸದರಿ ಟೆಂಡರ್ ದಾರರು ಎಷ್ಟು ಮತ್ತು ಯಾವ ಯಾವ ಸಲಕರಣೆಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಿರುತ್ತಾರೆ? (ವಿವರ ನೀಡುವುದು)	ವಿವರಗಳನ್ನು ಅನುಬಂಧ-2 ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.

ಕಾಇ 473 ಎಲ್‌ಇಟಿ 2025

(ಸಂತೋಷ್ ಎಸ್ ಲಾಡ್)
ಕಾರ್ಮಿಕ ಸಚಿವರು

TECHNICAL SPECIFICATIONS


Mason Tool Kit:

Sl No.	Description	Specifications
1	a) Plumb line (Bob) 	• First Quality Steel • Screw top simplifies attachment of string to center of the plumb • Resistance to rust • Replaceable, hardened steel tip for longer life • weight 200 grams approximately. • Screw top simplifies attachment of string to centre of the plumb
2	Right Angle 	• First Quality Size 12' X 24' • High quality • Durable • Rust proof
3	Hammer (Sledge) 	• Weight 4LB First Quality (Wooden handle). • Two flat traditional face
4	Brick Hammer (Cross Pein Hammer) 	• Weight 500 grams First Quality (Wooden handle) • one flat traditional face and a short or long chisel-shaped blade
5	Level Tube 	• Accuracy 0.5mm/m and 1.0mm/m • First Quality 10 meters • Flexible PVC pipe 6 mm
6	Spirit Level 	• First Quality 1 Feet (vertical & Horizontal) • Material: Aluminium • Accuracy 0.5mm/m and 1.0mm/m
7	GareChakke 	• Size 12" X 6" X 1" (Wooden) • With Wooden handle
8	Guru mal 	• Plastering First Quality PVC handle • Size: 9" x 4"
9	Set of 4 number Trowel Karne (Thyapi) 	• First Quality of Trowel (Karne/Thyapi) For • a) Size No.1 • b) Size No.2 • c) Size No.3 • d) Size No.4 • Wooden handle • Made of high-quality carbon steel sheet with wooden handle • Easy to handle with pre size design and sturdiness

10	Measuring Steel tape	 • First Quality • Length 5 Mtrs. Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminium frame for accuracy and durability • Steel graduated in CM/Inches
11	Measuring tape	 • First Quality • Length 15mtrs. FBRL Glass Tape Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • graduated in CM/Inches
12	Concrete and wall Chisel set of 2 numbers	 • First Quality • Concrete Breaking (Round) with (Steel Rod 20mm) • Wall Chisel (Flat) (Steel Rod 20mm) • Made from selected Carbon steel • hardened & Painted • Length: 10"(flat), 14"(pointed)
13	Painting brush	 • First Quality Size 4" and 2" • Handheld Brush • Synthetic filament /Natural Bristle
14	Canvas Bag – to accommodate above Tools.	



TABLE: 2 – TECHNICAL SPECIFICATIONS

Welding Tool Kits:

No.	Description	Specifications
1	Angle Grinder 	Voltage/frequency: 230V/50Hz, Input Power: 900W No-Load Speed: 11000r/min Disc Diameter: 110mm with handle & wrench key
2	Portable Welding Machine 	Portable Arc welding machine with IGBT technology cap 200 amps, to accommodate up to 3.2 mm MS electrodes with Earthing cable with clamp, Electrode holder with cable, working on Single ph. with power chord
3	Dark Safety Goggles 	Safety goggles 1 pair
4	Chipping Hammer ½ lb 	• Weight 450 grams First Quality (Wooden handle) • one flat traditional face and a short or long chisel-shaped blade
5	Safety gloves 	Welding hand gloves 1 pair
6	Measuring tape 	• First Quality • Length 5 Mtrs, Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminium frame for accuracy and durability Steel graduated in CM/Inches
7	Try square 	Length 12 In - 300 mm • Precision-etched scale • Stainless-Steel Blade • Oiled for rust proof
8	Combination Plier 	Combination plier cum wire cutter 8 in./ 200mm with insulated grips.
9	Bag	Canvas Bag to accommodate above Tools.

TECHNICAL SPECIFICATIONS

Electrician Tool Kits:

Sl. No.	Name of the Item	Specifications
1	Rotary Hammer 	• Voltage/frequency: 230V/50Hz, • Chuck size: 26mm • Input Power: 720W • No Load Speed: 1100r/min • Impact rate: 4800 bpm • With 360° handle rotation & wrench key • Forward reverse operation • Metal: 13mm, Concrete: 4-22mm, Wood: 45mm • weighing 2.30 kg
2	Masonry Drill Bit 	• 5 Masonry drill bits: 4, 5, 6, 8, 10 mm.
3	Wood Drill Bit 	• 4 Wood drill bits: 4, 5, 6, 8 mm.
4	Screws 	• 30 Screws: 10 x 3ø/30 mm, 10 x 4ø/40 mm, 10 x 5ø/50 mm.
5	Wall Plug 	• 30 Wall plugs: 10 x 5ø/25 mm, 10 x 6ø/30 mm, 10 x 8ø/35 mm.
6	Screw Driver minus 	4 Screw drivers with sleeves 100mm, 125mm, 150mm, 200mm.
7	Drill bit set 	CYL2 concrete drill bits set in the pouch - 3,4,5,6,7,8,9,10mm.
8	Multimeter 	Multi meter Digital, 3 1/2 digit, DC Voltage 200mV to 1000 V, AC voltage 2V to 750V, DC Current 2mA to 10A, AC Current 20mA to 10A, Resistance 200 ohms to 200 Mega ohms, Transister test, Continue test with test leads.
9	Insulation tape 	Insulation tape.
10	Knife 	Sliding knife.
11	Ball pean hammer 	Hammer ball pean 1 lb with handle. Drop forged
12	Combination plier 	Combination plier cum wire cutter 8 in./ 200mm with insulated grips.
13	Bag	Canvas Bag to accommodate above Tools.


ಅನುಬಂಧ-2

ಕರ್ನಾಟಕ ಕಟ್ಟಡ ಮತ್ತು ಇತರೆ ನಿರ್ಮಾಣ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಮಂಡಳಿಯಿಂದ ಕಳೆದ ಮೂರು ವರ್ಷಗಳಲ್ಲಿ ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಿಸಲು ಟೂಲ್ ಕಿಟ್ ಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಿರುವ ಸಂಸ್ಥೆಗಳ ವಿವರ

ಕ್ರ.ಸಂ	ಏಜೆನ್ಸಿಗಳ ಹೆಸರು	ಟೂಲ್ ಕಿಟ್ ವ್ಯತಿ	ಟೂಲ್ ಕಿಟ್ ಗಳ ಸಂಖ್ಯೆ
1	ಮೇ ಸಿಮೆಂಟ್ ಕಂಪೌಂಡ್ ಸಿಸ್ಟಮ್ ಪ್ರೈ. ಲಿಮಿಟೆಡ್, ಬೆಂಗಳೂರು	ಮೇಸನ್	18050
2	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿಮಿಟೆಡ್, ನೋಯ್ಡಾ	ಮೇಸನ್	15400
3	ಮೇ ಉದಯಕಿಶನ್ ಸುತಾರ್ (ಬಾಲಾಜಿ ಬ್ಯಾಗ್ ತಯಾರಕರು),	ಮೇಸನ್	19200
4	ಮೇ ಅಕ್ಕುರಾ ಉಪಕರಣಗಳು, ಬೆಂಗಳೂರು	ಮೇಸನ್	14250
5	ಮೇ ಅಕ್ಕುರಾ ಉಪಕರಣಗಳು, ಬೆಂಗಳೂರು	ಮೇಸನ್	13100
6	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ವೆಲ್ಡಿಂಗ್	4100
7	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ವೆಲ್ಡಿಂಗ್	5300
8	ಮೇ ಜಿಲ್ಲಾ ಸರಬರಾಜು ಮತ್ತು ಮಾರುಕಟ್ಟೆ ಸಹಕಾರ ಸಂಘ ನಿಯಮಿತ, ಬೆಂಗಳೂರು, ನಗರ	ಟೈಲ್ ಲೇಯರ್	6790
9	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಟೈಲ್ ಲೇಯರ್	6860
10	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಟೈಲ್ ಲೇಯರ್	2750
11	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಟೈಲ್ ಲೇಯರ್	3600
12	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ವೆಲ್ಡಿಂಗ್	3000
13	ಮೇ ಸಂಭವ್ ಎಂಟರ್‌ಪ್ರೈಸಸ್, ಬೆಂಗಳೂರು	ವೆಲ್ಡಿಂಗ್	3600
14	ಮೇ ಸಿಮೆಂಟ್ ಕಂಪೌಂಡ್ ಸಿಸ್ಟಮ್ ಪ್ರೈ. ಲಿಮಿಟೆಡ್, ಬೆಂಗಳೂರು	ಎಲೆಕ್ಟ್ರಿಷಿಯನ್	1600
15	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಎಲೆಕ್ಟ್ರಿಷಿಯನ್	1700
16	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಎಲೆಕ್ಟ್ರಿಷಿಯನ್	1400
17	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ಎಲೆಕ್ಟ್ರಿಷಿಯನ್	3300
18	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ರಸ್ತೆ ನಿರ್ಮಾಣ ಕೆಲಸಗಾರ	3110
19	ಮೇ ಟಿಎಎಸ್ ಎಂಜಿನಿಯರಿಂಗ್ ಕಂಪನಿ, ಬೆಂಗಳೂರು	ರಸ್ತೆ ನಿರ್ಮಾಣ ಕೆಲಸಗಾರ	2889
20	ಮೇ ಸಂಭವ್ ಎಂಟರ್‌ಪ್ರೈಸಸ್, ಬೆಂಗಳೂರು	ಪ್ಲಂಬರ್	1140
21	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಮೇಸನ್	10180
22	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಮೇಸನ್	16000
23	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಮೇಸನ್	6400
24	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಮೇಸನ್	8800
25	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಮೇಸನ್	26000
26	ಮೇ ಅಭಿಲಾಷಾ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ ಪ್ರೈ. ಲಿ.	ಎಲೆಕ್ಟ್ರಿಷಿಯನ್	5949

SECTION VI – TECHNICAL SPECIFICATIONS


Road Construction Worker Kit:

Sl No.	Description	Specifications
1	Measuring Steel tape 	• First Quality • Length 5 Mtrs, Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminium frame for accuracy and durability • Steel graduated in CM/Inches
2	Head pan (Plastic /Metal) 	• Construction Mason GI And PVC And MS Bond Pan, For Cement Plasters, • Capacity: 20kg
3	a) Plumb line (Bob) 	• First Quality Steel • Screw top simplifies attachment of string to centre of the plumb • Resistance to rust • Replaceable, hardened steel tip for longer life • weight 200 grams approximately . • Screw top simplifies attachment of string to centre of the plumb
4	Spade 	• Used in Gardening, Farming, Agricultural & Construction purpose • Heavy Duty Gardening Spade • Strong & Lengthy Wooden Handle Multi purpose tool • Dimensions: Length=24, Width=20, Handle length -60 CM, • Warranty Information: 6 months against manufacturing defects
5	Crow bar 	• it is a heavy-duty tool for heavy lifting, prying and digging • It is useful for breaking up hard surfaces specially in construction, mining & agriculture. • Ideal for Removing Nails & Demolition Work. • Manufactured from carbon steel for maximum strength and durability. • Used for digging and prying of dirt and large rocks and tamping soil.

6	Hammer	 • Weight 21 B First Quality (Wooden handle). • Two flat traditional face
7	Spirit Level	 • First Quality 1 Feet (vertical & Horizontal) • Material: Aluminium • Accuracy 0.5mm/m and 1.0mm m
8	Helmet	 • Made of specially formulated polymer with triple corrugation for enhanced strength • Provided with side slots for fitting face, hearing protection accessories and adjustable chin strap • Comes with ratchet type adjustment to suit most head sizes. head band is made of non-irritant and soft fabric to provide maximum comfort to the user • The four point attachment cradle within the shell has a unique angular placement to provide optimum shock absorption • Conforms to is 2925: 1984
9	Hand Gloves	 • Confirms to EN 388 levels 2-2-4-2 High quality latex coated gloves – 10G 100% Polyester Cotton lining, Latex Crinkle finished, Palm coating. • Dexterity latex coated gloves suitable for working with metal during fabrication, construction etc. • Tough latex coating to resist punctures and abrasion. • High strength, Longer life, Smooth finish, • Long lasting Skin friendliness, seamless knit cotton / polyester glove with latex coated smooth grip on palm & fingers, • Cost and comfort combine to make this glove the economical palm coated glove choice, Abrasion resistance and increased grip, should be comfortable and flexible, Knit Wrist to help prevent dirt & debris from entering the glove. • Uncoated back for Breathability and comfort • Length: 10"
10	Rubber Gum Boots	 • Double Density Double Color Gumboots Providing Highest level of safety & Comfort • Various Chemical & Oil / Acid Resistant, Water Proof, Anti Static, Anti Slip • Puncture & Tear Resistant. • Inside Lining FABRIC • Made from Fully Automatic Machine & Imported Moulds
11	Canvas Bag	Canvas Bag to accommodate above Tools.


SECTION VI – TECHNICAL SPECIFICATIONS

Tiles Layer Kit:

Sl.No.	Item Description	Image	Specifications
1	Granite Cutting Machine		Cap 1000 watts App, working on 230V AC supply, Speed app 10000 rpm. to accommodate 5"/125mm cutter blade, with height adjustable facility.
2	Spirit level		First Quality 1 Feet (vertical & Horizontal), Material: Aluminum, Accuracy 0.5mm/m and 1.0mm/m.
3	Measuring tape		5 mtrs, metallic, 19mm width with plastic case.
5	Rubber/Nylon mallet		50mm dia 2 face with handle.
6	Nipper/End cutter		Nipper/End cutter app 125mm.
7	Mason trowel		Mason trowel steel with wooden handle.
8	Canvas Tool bag to carry above tools		

SECTION VI – TECHNICAL SPECIFICATIONS

Plumbing Tool kit:

Sl. No.	Name of the Item	Specifications
1	Angle Grinder 	• Voltage/frequency: 230V/50Hz, • Input Power: 900W • No-Load Speed: 11000r/min • Disc Diameter: 110mm • with handle & wrench key • weighing 1.80 kg
2	Rotary Hammer 	• Voltage/frequency: 230V/50Hz, • Chuck size: 26mm • Input Power: 720W • No-Load Speed: 1100r/min • Impact rate: 4800 bpm • With 360° handle rotation & wrench key • Forward reverse operation • Metal: 13mm, Concrete: 4~22mm, Wood: 30mm • weighing 2.30 kg
3	Wrenches 	2 Forged steel Pipe wrenches of 10 in. & 14 in., AND 5 wrenches #8, #10, #12, #13, #14.
4	Long nose Pliers 	Long nose plier straight jaws 200 mm.
5	Wall plugs 	• 30 Wall plugs: 10 x 5ø/25, 10 x 6ø/30, 10 x 8ø/35 mm
6	Screws 	• 30 Screws: 10 x 3ø/30, 10 x 4ø/40, 10 x 5ø/50 mm
7	Hammer 	Sledge hammer 4 lbs. Drop forged steel
8	Hack saw frame with blade (Cutter) 	Solid frame for use of UPVC pipe cutting etc.
9	Case	Canvas Bag to accommodate above Tools.