



ಕರ್ನಾಟಕ ವಿಧಾನ ಪರಿಷತ್ತು

ಚುಕ್ಕೆ ಗುರುತಿಲ್ಲದ ಪ್ರಶ್ನೆ ಸಂಖ್ಯೆ	876
ಮಾನ್ಯ ಸದಸ್ಯರ ಹೆಸರು	ಶ್ರೀ ಎನ್. ರವಿಕುಮಾರ್ (ವಿಧಾನ ಸಭೆಯಿಂದ ಚುನಾಯಿತರಾದವರು)
ಉತ್ತರಿಸಬೇಕಾದ ದಿನಾಂಕ	14/03/2025
ಉತ್ತರಿಸುವ ಸಚಿವರು	ಮಾನ್ಯ ಕಾರ್ಮಿಕ ಸಚಿವರು

ಕ್ರ. ಸಂ.	ಪ್ರಶ್ನೆ	ಉತ್ತರ
ಅ)	ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ಟೂಲ್ ಕಿಟ್‌ಗಳನ್ನು ನೀಡಲು ಕರೆಯಲಾದ ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆಯಲ್ಲಿ ರೂ. 493.00 ಕೋಟಿ ಅವ್ಯವಹಾರ ನಡೆದಿರುವ ಕುರಿತು ಸರ್ಕಾರದ ನೀಲುವೇನು; (ವಿವರ ನೀಡುವುದು)	<p>ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ಟೂಲ್ ಕಿಟ್‌ಗಳನ್ನು ನೀಡಲು ಕರೆಯಲಾದ ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆಯಲ್ಲಿ ಯಾವುದೇ ಅವ್ಯವಹಾರ ನಡೆದಿರುವುದಿಲ್ಲ.</p> <p>ಮಂಡಳಿಯ ಎಲ್ಲಾ ಯೋಜನೆಗಳನ್ನು ಅನುಷ್ಠಾನ ಮಾಡಲು ಹಾಗೂ ಎಲ್ಲಾ ಖರೀದಿಗಳನ್ನು ಮಾಡಲು ಕೆಟಿಪಿಪಿ ಕಾಯ್ದೆಯನ್ವಯ ಇ-ಪ್ರೋಕ್ಯೂರ್‌ಮೆಂಟ್ ಪೋರ್ಟಲ್‌ನಲ್ಲಿ ನಿಯಮಾನುಸಾರ ಟೆಂಡರ್ ಕರೆದು ಪಾರದರ್ಶಕವಾಗಿ ಅರ್ಹ ಸಂಸ್ಥೆಗಳನ್ನು ಆಯ್ಕೆ ಮಾಡಿಕೊಂಡು ಯೋಜನೆಗಳನ್ನು ಅನುಷ್ಠಾನ ಮಾಡಲಾಗಿರುತ್ತದೆ.</p> <p>ಆಯ್ಕೆಯಾದ ಸಂಸ್ಥೆಗಳು ಸಮರ್ಪಕವಾಗಿ ಹಾಗೂ ತೃಪ್ತಿಕರವಾಗಿ ಕೆಲಸ ನಿರ್ವಹಿಸಿರುವ ಬಗ್ಗೆ ಕಾರ್ಮಿಕ ಇಲಾಖೆಯ ಕ್ಷೇತ್ರಮಟ್ಟದ ಅಧಿಕಾರಿಗಳಿಂದ ದೃಢೀಕರಣವನ್ನು ಪಡೆಯಲಾಗಿರುತ್ತದೆ.</p> <p>ಯೋಜನೆ ಅನುಷ್ಠಾನ ಮಾಡುವ ಸಂದರ್ಭದಲ್ಲಿ ಮೂರನೇ ವ್ಯಕ್ತಿ ತಪಾಸಣೆಗೆ ಒಳಪಡಿಸಿ ಗುಣಮಟ್ಟವನ್ನು ಖಾತರಿಪಡಿಸಿಕೊಳ್ಳಲಾಗಿರುತ್ತದೆ.</p> <p>ಮಂಡಳಿಯ ಯೋಜನೆಗಳನ್ನು ಅನುಷ್ಠಾನ ಮಾಡುವ ಪೂರ್ವದಲ್ಲಿ ಮಂಡಳಿ ಸಭೆಯ ಅನುಮೋದನೆಯನ್ನು ಹಾಗೂ ನಿಯಮಾನುಸಾರ ಸರ್ಕಾರದ ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆ ಪಡೆದು ಕ್ರಮವಹಿಸಲಾಗುತ್ತಿದೆ.</p> <p>ಈ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಯಾವುದೇ ಅವ್ಯವಹಾರ ನಡೆದಿರುವುದಿಲ್ಲ.</p>

ಅ)	ಈ ಟೂಲ್ ಕಿಟ್ ಸರಬರಾಜು ಮಾಡಲು ಐಟಿ ಕಂಪನಿಗೆ ಟೆಂಡರ್ ನೀಡುವ ಮೂಲಕ ನೇರವಾಗಿ ಭ್ರಷ್ಟಾಚಾರವೆಸಗಿರುವ ಸ್ಪಷ್ಟ ದಾಖಲೆಗಳು ಇರುವ ಬಗ್ಗೆ ಸರ್ಕಾರದ ನಿಲುವೇನು;	ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ಟೂಲ್‌ಕಿಟ್‌ಗಳನ್ನು ನೀಡಲು ಸರಬರಾಜು ಮಾಡಲು ಯಾವುದೇ ಐಟಿ ಕಂಪನಿಗೆ ಕಾರ್ಯಾದೇಶವನ್ನು ನೀಡಿರುವುದಿಲ್ಲ. ಇ-ಪ್ರೋಕ್ಯೂರ್ಮೆಂಟ್ ಮೂಲಕ ಕೆ.ಟಿ.ಪಿ.ಪಿ.ನಿಯಮಾನುಸಾರ ಟೆಂಡರ್‌ನಲ್ಲಿ ಕೇಳಿರುವ ಮಾನದಂಡಗಳನ್ನು ಪೂರೈಸಿದ ಹಾಗೂ ಅತೀ ಕಡಿಮೆ ದರವನ್ನು ನಮೂದಿಸಿರುವ ಅರ್ಹ ಸಂಸ್ಥೆಗಳನ್ನು ನಿಯಮಾನುಸಾರ ಆಯ್ಕೆ ಮಾಡಿಕೊಂಡು ಕಾರ್ಯಾದೇಶವನ್ನು ನೀಡಲಾಗಿದೆ.
ಇ)	ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಲು ಖರೀದಿಸಲಾದ ಟೂಲ್ ಕಿಟ್‌ಗಳು ಯಾವುವು; ಅದರಲ್ಲಿ ಯಾವ ಯಾವ ವಸ್ತುಗಳು ಇವೆ; ಸದರಿ ಟೂಲ್ ಕಿಟ್‌ಗಳನ್ನು ಎಷ್ಟು ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಲಾಗಿದೆ; (ಅವರ ಹೆಸರು, ವಿಳಾಸ ಹಾಗೂ ಸದರಿ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಲಾದ ಕಿಟ್‌ನಲ್ಲಿದ್ದ ವಸ್ತುಗಳ ವಿವರದೊಂದಿಗೆ ಮಾಹಿತಿ ನೀಡುವುದು)	ಮಂಡಳಿಯ ವತಿಯಿಂದ ನೋಂದಾಯಿತ ಕಟ್ಟಡ ಮತ್ತು ಇತರೆ ನಿರ್ಮಾಣ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಿರುವ ಟೂಲ್ ಕಿಟ್‌ಗಳ ವಿವರ ಮತ್ತು ಅದರಲ್ಲಿ ಯಾವ ಯಾವ ವಸ್ತುಗಳನ್ನು ನೀಡಲಾಗಿದೆ ಎಂದು ಮಾಹಿತಿಯನ್ನು ಅನುಬಂಧದಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ. ಫಲಾನುಭವಿಗಳ ವಿವರವನ್ನು ಸಿಡಿಯಲ್ಲಿ ನೀಡಲಾಗಿದೆ.

ಕಾಇ 97 ಎಲ್ ಇಟಿ 2025










(ಸಂತೋಷ್ ಎಸ್. ಲಾಡ್)
ಕಾರ್ಮಿಕ ಸಚಿವರು





ಅನುಬಂಧ

ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳಿಗೆ 2021-22 ರಿಂದ 2023-24ರವರೆಗೆ ವಿತರಿಸಲಾದ ಸಲಕರಣೆಗಳ ಜಿಲ್ಲಾವಾರು ವಿವರ

Sl.No.	Districts/LOs	Mason	BarBending TK	Carpentry	Electrician	Painting	Plumbing	Tile Layer	Welding	Road Construction Worker
1	Bangalore Urban	22750	1528	6139	8893	7577	1364	100	170	87
2	Bangalore Rural	2022	478	240	1627	470	354	200	2480	80
3	Belagavi	20316	2185	4166	4482	4536	1947	2030	750	950
4	Chikkamagalore	11027	605	2128	2111	2327	650	250	510	40
5	Davanagere	16550	992	3509	4573	3820	1067	2040	1500	1680
6	Kalburgi	4250	1720	5144	5087	7000	1956	125	100	300
7	Dharwad	12971	3089	2781	3444	3029	1117	1980	600	100
8	Dakshin Kannada	11435	709	2005	3921	2183	762	610	1220	40
9	Bagalkote	8335	0	2246	2955	2445	874	540	340	350
10	Bellary	8763	661	2337	2667	2545	711	285	450	45
11	Bidar	1400	1525	4592	4542	6248	1746	180	80	0
12	Bijapur	8120	0	2223	2236	2420	676	570	180	100
13	Chamarajanagar	3113	323	1111	1560	1105	291	500	200	90
14	Chikkaballapura	4316	216	764	1212	831	198	4520	125	47
15	Chitradurga	12156	685	2419	2628	2632	736	360	650	15
16	Gadag	4343	0	1678	2042	1826	510	450	270	80
17	Hassan	9740	588	2061	2094	2260	631	500	760	70
18	Haveri	13528	0	5167	5471	5625	1472	850	430	1000
19	Uttar Kannada	7625	0	2574	2547	2802	782	270	430	0
20	Kolar	21020	496	1755	1062	0	447	320	600	165
21	Koppala	10500	749	2116	2094	2879	805	250	350	180
22	Mandya	2418	228	805	1164	781	208	230	300	0
23	Mysore	16575	793	2474	3231	2719	713	100	500	80
24	Raichur	8300	457	1295	1896	1762	492	300	320	20
25	Ramanagar	6998	405	1435	1472	2102	371	350	140	0
26	Tumkur	9891	275	972	695	1059	252	540	785	60
27	Udupi	3420	405	1150	1724	1252	437	210	580	0
28	Yadagiri	2950	0	1526	1611	2079	581	60	150	40
29	Madikeri	361	43	151	120	165	48	0	90	0
30	Shimoga	14695	1082	3060	4025	3332	1163	1180	940	190
31	Madhugiri	4000	0	0	200	0	0	0	0	0
32	yallapura	1200	540	0	0	0	0	100	0	190
Total		2,85,088	20,777	70,023	83,386	79,811	23,361	20,000	16,000	5,999

Mason Tool Kit: Technical Specifications

Sl No.	Description	Specifications
1	a) Plumb line (Bob) 	<ul style="list-style-type: none"> • First Quality Steel • Screw top simplifies attachment of string to center of the plumb • Resistance to rust • Replaceable, hardened steel tip for longer life • weight 200 grams approximately. • Screw top simplifies attachment of string to centre of the plumb
2	Right Angle 	<ul style="list-style-type: none"> • First Quality Size 12' X 24' • High quality • Durable • Rust proof
3	Hammer 	<ul style="list-style-type: none"> • Weight 4LB First Quality (Wooden handle). • Two flat traditional face
4	Brick Hammer 	<ul style="list-style-type: none"> • Weight 500 grams First Quality (Wooden handle) • one flat traditional face and a short or long chisel-shaped blade
5	Level Tube 	<ul style="list-style-type: none"> • Accuracy 0.5mm/m and 1.0mm/m • First Quality 10 meters • Flexible PVC pipe 6 mm
6	Spirit Level 	<ul style="list-style-type: none"> • First Quality 1 Feet (vertical & Horizontal) • Material: Aluminium • Accuracy 0.5mm/m and 1.0mm/m
7	GareChakke 	<ul style="list-style-type: none"> • Size 12" X 6" X 1" (Wooden) • With Wooden handle
8	Guru mal 	<ul style="list-style-type: none"> • Plastering First Quality PVC handle • Size: 9" x 4"
9	Set of 4 number Trowel Karne (Thyapi) 	<ul style="list-style-type: none"> • First Quality of Trowel (Karne/Thyapi) For • a) Size No.1 • b) Size No.2 • c) Size No.3 • d) Size No.4 • Wooden handle • Made of high-quality carbon steel sheet with wooden handle • Easy to handle with pre size design and sturdiness

10	Measuring Steel tape 	<ul style="list-style-type: none"> • First Quality • Length 5 Mtrs, Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminium frame for accuracy and durability • Steel graduated in CM/Inches
11	Measuring tape 	<ul style="list-style-type: none"> • First Quality • Length 15mtrs, FIBRE Glass Tape Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • graduated in CM/Inches
12	Concrete and wall Chisel set of 2 numbers 	<ul style="list-style-type: none"> • First Quality • Concrete Breaking (Round) with (Steel Rod 20mm) • Wall Chisel (Flat) (Steel Rod 20mm) • Made from selected Carbon steel • hardened & Painted • Length: 10"(flat), 14"(pointed)
13	Painting brush 	<ul style="list-style-type: none"> • First Quality Size 4" and 2" • Handheld Brush • Synthetic filament /Natural Bristle
14	Canvas Bag – to accommodate above Tools.	

<u>Bar Bending- Technical Specifications</u>		
Sl. No.	Name of the Item	Specifications
1	Hammer	4 Lbs Drop Forged steel Sledge Hammer with wooden handle
2	Cold chisel	150mm length, 3/ 4" dia , 20mm width Laquered, Carbon steel
3	Binding hooks set of 4 Nos	Made of 6mm Mild steel Rod, Wire gauge 20 SWG , Should have double loop handle
4	Lever	Levering rods to bend bars of 8 mm to 16mm. Length 600 mm Mild steel.






5	Plumb line (bob)	<p>First Quality Steel</p> <ul style="list-style-type: none"> • Screw top simplifies attachment of string to center of the plumb • Resistance to rust • Replaceable, hardened steel tip for longer life • Weight: 200 Gms Approximately • Screw top simplifies attachment of string to center of the plumb.
6	Measuring tape	<p>First Quality</p> <ul style="list-style-type: none"> • Length 5Mtrs ,Width 16 mm, Steel Tape with Pvc Body • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminum frame for accuracy and durability • Steel graduated in CM/Inches.
7	Try square	<p>First Quality stainless steel</p> <ul style="list-style-type: none"> • 12" • Try squares consist of a short blade and a beam or handle section that forms an "L" shape. • The beam is thicker compared to the blade, which facilitates location of the square on an edge. • "L" squares are used for general shop marking, measuring, and checking squareness of components.
8	Pin plate	Made of 3mm steel plate 150mm x 150 mm with holes and proper sturdy 3 Pins.
9	Small Bar cutting tools	Small Bar cutting tools (Angle Grinder), Saw blade diameter 100 - 105mm, Power 600W and weighing 1.80 kg.
10	Case	Canvas Bag to accommodate above Tools.


Carpentry Tool kits-Technical Specifications.

Sl No.	Name of the Item	Specifications
1	Drilling Machine, capacity 20mm concrete, wooden and metal bits	Drilling Machine 500 Watts, Capacity 20mm , wooden and Metal bits, Impact rate - 4700 bpm , speed - 3150 rpm, 10mm/ 13mm/25mm(Steel/ concrete/Wood), Bosch or Equivalent make.
2	Hand Saw	18'' Size <ul style="list-style-type: none"> • grip handle for easy blade change. • Deep throat for good work capacity,
3	Claw Hammer (Nail remover)	First Quality <ul style="list-style-type: none"> • With Steel Pipe Handle Rubber Grip 500 Gms • Made from high grade carbon steel • Partially hardened upto 55 to 58 HRC • Phosphate and painted • Handle made from high quality axle wood
4	Combination Plier (Cutting Plier)	Tile Scissors type cutting pliers Carbon steel, Cutting tiles upto 6mm includes two carbide cutting wheels.
5	Screw driver set of 8 pieces	Convenient and Space Saving <ul style="list-style-type: none"> • Ergonomically Designed, Bi-material Handle • Bar is Chrome Plated for Rust Resistance
6	Carpentry Chisel	First Quality <ul style="list-style-type: none"> • 3/4", 1", 1 1/2" , 2" • Rod cutting • Oil quenched and shot blasted for additional stress relief • Anti-rust lacquered in a natural finish • Laser marked shanks ensure positive identification
7	Spirit level	First Quality 12" Length <ul style="list-style-type: none"> • Material: Aluminium • Accuracy 0.5mm/m and 1.0mm/m
8	Level Tube	Accuracy 0.5mm/m and 1.0mm/m <ul style="list-style-type: none"> • First Quality 5 meters • Flexible PVC pipe 6 mm









9	Measuring Steel type	First Quality <ul style="list-style-type: none"> • Length 5 Mtrs, Width 19 mm, (Steel tape with plastic Body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminum frame for accuracy and durability • Steel graduated in CM/Inches
10	Rasp cut file with handle	10" Length <ul style="list-style-type: none"> • Half Round. • PLASTIC Handle • Used for Wood Work
11	Try Square	Length 10 in - 250 mm <ul style="list-style-type: none"> • Precision-etched scale • Stainless-Steel Blade • Oiled for rust proof
12	Plumb Bob with string	First Quality <ul style="list-style-type: none"> • Screw top simplifies attachment of string to centre of the plumb • Polished-lacquer construction resists rust; thru-hole ensures easy tightening • Replaceable, hardened steel tip for longer life • Weight: 200 Gms Approximately • Screw top simplifies attachment of string to centre of the plumb
13	Screw spanner	Adjustable Wrench <ul style="list-style-type: none"> • 10" Length • Rubber Grip • Home & Professional • Made of Steel
14	Allen key	Set of 9 pieces 1.5mm to 10mm Chrome Vanadium steel complete in case
15	Centre punch	Carbon steel, length 150mm / 6 inches.
16	Case	Canvas Bag to accommodate above Tools.












Painting Kit- Technical Specifications


Sl No.	Name of the Item	Specifications
1	Roller 	<ul style="list-style-type: none"> • First Quality • For inside walls • (emulsion) • Roller Size :4 inch • Can be used on Walls, Wood, Plastic and other textures too. • Smooth finish/flawless finish • Excellent bristles material nylon • Handle material plastic • In accordance to the industry standards and norms • High tearing strength
2	Paint Tray 	<ul style="list-style-type: none"> • Size :22x15x5 inch • Weight 600 grams • Highly durable
3	Brush 	<ul style="list-style-type: none"> • First Quality • Size 1", 2", 3", 4" • Handheld Brush • Synthetic filament /Natural Bristle
4	Patti Blade 	<ul style="list-style-type: none"> • First Quality • 1", 2", 3", 4" • A handy selection of flexible stainless steel blades for small mixing and filling jobs on walls, ceilings and woodwork. Each pack contains one each of the following
5	Scraping Blade 	<ul style="list-style-type: none"> • First Quality • 2 inches width to scrape and clean the wood before painting & polishing 2 inches
6	Compressor Hand spray machine	<ul style="list-style-type: none"> • First Quality • To spray the enamel paint & Varnish • Incredibly Easy to Use • Fast and Simple Cleanup

		
7	A Suitable bag for all the above items.	





Plumbing Tool kit: Technical Specifications






Sl. No.	Name of the Item	Specifications
1	Angle Grinder 	<ul style="list-style-type: none"> • Voltage/frequency: 230V/50Hz, • Input Power: 900W • No-Load Speed: 11000r/min • Disc Diameter: 110mm • with handle & wrench key • weighing 1.80 kg
2	Rotary Hammer 	<ul style="list-style-type: none"> • Voltage/frequency: 230V/50Hz, • Chuck size: 26mm • Input Power: 720W • No-Load Speed: 1100r/min • Impact rate: 4800 bpm • With 360° handle rotation & wrench key • Forward reverse operation • Metal: 13mm, Concrete: 4~22mm, Wood: 30mm • weighing 2.30 kg
3	Wrenches 	2 Forged steel Pipe wrenches of 10 in. & 14 in., AND 5 wrenches #8, #10, #12, #13, #14.
4	Long nose Pliers 	Long nose plier straight jaws 200 mm.
5	Wall plugs 	• 30 Wall plugs: 10 x 5ø/25, 10 x 6ø/30, 10 x 8ø/35 mm
6	Screws 	• 30 Screws: 10 x 3ø/30, 10 x 4ø/40, 10 x 5ø/50 mm
7	Hammer 	Sledge hammer 4 lbs. Drop forged steel
8	Hack saw frame with blade (Cutter) 	Solid frame for use of UPVC pipe cutting etc.
9	Case	Canvas Bag to accommodate above Tools.


Electrician Tool Kits: Technical Specifications		
Sl. No.	Name of the Item	Specifications
1	Rotary Hammer 	<ul style="list-style-type: none"> • Voltage/frequency: 230V/50Hz, • Chuck size: 26mm • Input Power: 720W • No-Load Speed: 1100r/min • Impact rate: 4800 bpm • With 360° handle rotation & wrench key • Forward reverse operation • Metal: 13mm, Concrete: 4~22mm, Wood: 30mm • weighing 2.30 kg
2	Masonry Drill Bit 	<ul style="list-style-type: none"> • 5 Masonry drill bits: 4, 5, 6, 8, 10 mm.
3	Wood Drill Bit 	<ul style="list-style-type: none"> • 4 Wood drill bits: 4, 5, 6, 8 mm.
4	Screws 	<ul style="list-style-type: none"> • 30 Screws: 10 x 3ø/30 mm, 10 x 4ø/40 mm, 10 x 5ø/50 mm.
5	Wall Plug 	<ul style="list-style-type: none"> • 30 Wall plugs: 10 x 5ø/25 mm, 10 x 6ø/30 mm, 10 x 8ø/35 mm.
6	Screw Driver minus 	4 Screw drivers with sleeves 100mm, 125mm, 150mm, 200mm.
7	Drill bit set 	CYL2 concrete drill bits set in the pouch - 3,4,5,6,7,8,9,10mm.
8	Multimeter 	Multi meter Digital, 3 1/2 digit, DC Voltage 200mV to 1000 V, AC voltage 2V to 750V, DC Current 2mA to 10A, AC Current 20mA to 10A, Resistance 200 ohms to 200 Mega ohms, Transister test, Continue test, with test leads.
9	Insulation tape 	Insulation tape.
10	Knife 	Sliding knife.
11	Ball pean hammer 	Hammer ball pean 1 lb with handle. Drop forged

12	Combination plier 	Combination plier cum wire cutter 8 in./ 200mm with insulated grips.
13	Bag	Canvas Bag to accommodate above Tools.







Road Construction Worker Kit: Technical Specifications



SI No.	Description	Specifications
1	Measuring Steel tape 	<ul style="list-style-type: none"> • First Quality • Length 5 Mtrs, Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions • Aluminium frame for accuracy and durability • Steel graduated in CM/Inches
2	Head pan (Plastic /Metal) 	<ul style="list-style-type: none"> • Construction Mason GI And PVC And MS Bond Pan, For Cement Plasters, • Capacity: 20kg
3	b) Plumb line (Bob) 	<ul style="list-style-type: none"> • First Quality Steel • Screw top simplifies attachment of string to centre of the plumb • Resistance to rust • Replaceable, hardened steel tip for longer life • weight 200 grams approximately . • Screw top simplifies attachment of string to centre of the plumb
4	Spade 	<ul style="list-style-type: none"> • Used in Gardening, Farming, Agricultural & Construction purpose • Heavy Duty Gardening Spade • Strong & Lengthy Wooden Handle Multi purpose tool • Dimensions: Length=24, Width=20, Handle length -60 CM, • Warranty Information: 6 months against manufacturing defects
5	Crow bar	<ul style="list-style-type: none"> • it is a heavy-duty tool for heavy lifting, prying and digging • It is useful for breaking up hard surfaces specially in construction, mining & agriculture. • Ideal for Removing Nails & Demolition Work. • Manufactured from carbon steel for maximum strength and durability.




		<ul style="list-style-type: none"> Used for digging and prying of dirt and large rocks and tamping soil.
6	Hammer 	<ul style="list-style-type: none"> Weight 2LB First Quality (Wooden handle). Two flat traditional face
7	Spirit Level 	<ul style="list-style-type: none"> First Quality 1 Feet (vertical & Horizontal) Material: Aluminium Accuracy 0.5mm/m and 1.0mm/m
8	Helmet 	<ul style="list-style-type: none"> Made of specially formulated polymer with triple corrugation for enhanced strength Provided with side slots for fitting face, hearing protection accessories and adjustable chin strap Comes with ratchet type adjustment to suit most head sizes, head band is made of non-irritant and soft fabric to provide maximum comfort to the user The four point attachment cradle within the shell has a unique angular placement to provide optimum shock absorption Conforms to is 2925: 1984
9	Hand Gloves 	<ul style="list-style-type: none"> Confirms to EN 388 levels 2-2-4-2 High quality latex coated gloves – 10G 100% Polyester Cotton lining, Latex Crinkle finished, Palm coating. Dexterity latex coated gloves suitable for working with metal during fabrication, construction etc. Tough latex coating to resist punctures and abrasion. High strength, Longer life, Smooth finish, Long lasting Skin friendliness, seamless knit cotton / polyester glove with latex coated smooth grip on palm & fingers, Cost and comfort combine to make this glove the economical palm coated glove choice, Abrasion resistance and increased grip, should be comfortable and flexible, Knit Wrist to help prevent dirt & debris from entering the glove. Uncoated back for Breathability and comfort Length: 10"




10	Rubber Gum Boots 	<ul style="list-style-type: none"> • Double Density Double Color Gumboots Providing Highest level of safety & Comfort • Various Chemical & Oil / Acid Resistant, Water Proof, Anti Static, Anti Slip • Puncture & Tear Resistant. • Inside Lining FABRIC • Made from Fully Automatic Machine & Imported Moulds •
11	Canvas Bag	Canvas Bag to accommodate above Tools.

Welding Tool Kits: Technical Specifications

Sl. No.	Description	Specifications
1	Angle Grinder 	Voltage/frequency: 230V/50Hz, Input Power: 900W No-Load Speed: 11000r/min Disc Diameter: 110mm with handle & wrench key
2	Portable Welding Machine 	Portable Arc welding machine with IGBT technology cap 200 amps, to accommodate up to 3.2 mm MS electrodes with Earthing cable with clamp, Electrode holder with cable, working on Single ph. with power chord
3	Dark Safety Goggles 	Safety goggles 1 pair
4	Chipping Hammer ½ lb 	<ul style="list-style-type: none"> • Weight 450 grams First Quality (Wooden handle) • one flat traditional face and a short or long chisel-shaped blade
5	Safety gloves 	Welding hand gloves 1 pair
6	Measuring tape 	<ul style="list-style-type: none"> • First Quality • Length 5 Mtrs, Width 19mm, (Steel tape, plastic body) • Accurate calibration • Easy to use • Enhanced functionality • Water resistant for use in wet or humid conditions

		<ul style="list-style-type: none"> Aluminium frame for accuracy and durability Steel graduated in CM/Inches
7	Try square 	Length 12 in - 300 mm <ul style="list-style-type: none"> Precision-etched scale Stainless-Steel Blade Oiled for rust proof
8	Combination Plier 	Combination plier cum wire cutter 8 in./ 200mm with insulated grips.
9	Bag	Canvas Bag to accommodate above Tools.

<u>Tiles Layer Kit: Technical Specifications</u>			
Sl.No.	Item Description	Image	Specifications
1	Granite Cutting Machine		Cap 1000 watts App, working on 230V AC supply, Speed app 10000 rpm. to accommodate 5"/125mm cutter blade, with height adjustable facility.
2	Spirit level		First Quality 1 Feet (vertical & Horizontal), Material: Aluminum, Accuracy 0.5mm/m and 1.0mm/m.
3	Measuring tape		5 mtrs, metallic, 19mm width with plastic case.

5	Rubber/Nylon mallet		50mm dia 2 face with handle.
6	Nipper/End cutter		Nipper/End cutter app 125mm.
7	Mason trowel		Mason trowel steel with wooden handle.
8	Canvas Tool bag to carry above tools		