



ಕರ್ನಾಟಕ ವಿಧಾನ ಪರಿಷತ್ತು

ಚುಕ್ಕೆ ಗುರುತಿಲ್ಲದ ಪ್ರಶ್ನೆ ಸಂಖ್ಯೆ	484 (497)
ಮಾನ್ಯ ಸದಸ್ಯರ ಹೆಸರು	ಶ್ರೀ ಎನ್ ರವಿಕುಮಾರ್ (ವಿಧಾನಸಭೆಯಿಂದ ಚುನಾಯಿತರಾದವರು)
ಉತ್ತರಿಸಬೇಕಾದ ದಿನಾಂಕ	30 /01/2026
ಉತ್ತರಿಸುವವರು	ಮಾನ್ಯ ಕಾರ್ಮಿಕ ಸಚಿವರು

ಕ್ರ. ಸಂ.	ಪ್ರಶ್ನೆ	ಉತ್ತರ
ಅ)	ಕಟ್ಟಡ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿಯಿಂದ ಕಾರ್ಮಿಕ ಇಲಾಖೆಯ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಲಾಗುವ ಸುರಕ್ಷತಾ ಕಿಟ್ ಗಳಿಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಹಿಂದೆ ಖರೀದಿಸಿರುವ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳು ಇನ್ನು ಸಂಪೂರ್ಣವಾಗಿ ವಿತರಣೆ ಆಗದೇ ಇದ್ದು, ಸುಮಾರು 4 ಲಕ್ಷ ಹೊಸ ಸುರಕ್ಷತಾ ಕಿಟ್ ಗಳನ್ನು ಖರೀದಿಸಲಾಗಿದೆ ಎಂಬ ಮಾಹಿತಿ ಕುರಿತು ಸರ್ಕಾರದ ಉತ್ತರವೇನು;	ಮಂಡಳಿಯಲ್ಲಿ 6.24 ಲಕ್ಷ ಫಲಾನುಭವಿಗಳ ವೃತ್ತಿವಾರು ಮಾಹಿತಿಯು ಲಭ್ಯವಿದ್ದು, ಇದರಲ್ಲಿ 1.96 ಲಕ್ಷ ಕಿಟ್‌ಗಳನ್ನು ಮಾತ್ರ 2024-25ರಲ್ಲಿ ಖರೀದಿ ಮಾಡಿ ಈಗಾಗಲೇ 1.08 ಲಕ್ಷ ಕಿಟ್‌ಗಳನ್ನು ವಿತರಿಸಲಾಗಿದ್ದು, ಉಳಿದ ಕಿಟ್‌ಗಳನ್ನು ವಿತರಿಸುವ ಕಾರ್ಯ ಪ್ರಗತಿಯಲ್ಲಿದೆ. ಉಳಿದ ಫಲಾನುಭವಿಗಳಿಗೆ ಸೇಪ್ಟಿ ಕಿಟ್ ನೀಡಲು 2025-26ರಲ್ಲಿ 3.89 ಲಕ್ಷ ಕಿಟ್‌ಗಳನ್ನು ಖರೀದಿ ಮಾಡುವ ಪ್ರಕ್ರಿಯೆ ಪ್ರಗತಿಯಲ್ಲಿರುತ್ತದೆ. ಕಾರ್ಮಿಕರ ಸುರಕ್ಷತೆಯ ದೃಷ್ಟಿಯಿಂದ ಈ ಕಿಟ್‌ಗಳನ್ನು ನೀಡಲಾಗುತ್ತಿದೆ.
ಆ)	ಕಿಟ್‌ಗಳನ್ನು ಸ್ವೀಕರಿಸಲು ಯಾವ ಮಾನದಂಡಗಳನ್ನು (ಪ್ಯಾರಾಮೀಟರ್) ಅನುಸರಿಸಲಾಗುತ್ತಿದೆ; ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳಲ್ಲಿ ಇರುವ ಪರಿಕರಗಳನ್ನು ಉತ್ಪಾದನೆ ಮಾಡುವ ಕಂಪನಿಯ ಹೆಸರು ಹಾಗೂ ಪರಿಕರಗಳ ಮೂಲ ಬೆಲೆಯ ಮಾಹಿತಿ ಒದಗಿಸುವುದು;	<ul style="list-style-type: none"> • ಕಿಟ್‌ಗಳನ್ನು ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳು ಸ್ವೀಕರಿಸಿ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಿಸಲು ಮಂಡಳಿಯಿಂದ ಪ್ರತ್ಯೇಕ SOP ಯನ್ನು ನೀಡಲಾಗಿರುತ್ತದೆ (ಅನುಬಂಧ -1 ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ). • ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳ Technical Specifications ಹಾಗೂ ಪ್ರತಿ ಕಿಟ್ ನ ದರವನ್ನು ಅನುಬಂಧ-2 ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ. • ಸೇಪ್ಟಿ ಕಿಟ್‌ಗಳ ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆಯಲ್ಲಿ Technical specifications ಅನ್ನು ಮಾತ್ರ ನಿರ್ದಿಷ್ಟ ಪಡಿಸಿದ್ದು, ಅದರಲ್ಲಿ ಯಾವುದೇ ನಿರ್ದಿಷ್ಟ ಕಂಪನಿಯ ಹೆಸರನ್ನು ನಮೂದಿಸಿರುವುದಿಲ್ಲ.
ಇ)	ಸದರಿ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಸಂಗ್ರಹಿಸಲು (ಸ್ಕೋರೇಜ್) ಎಷ್ಟು ವಿಸ್ತೀರ್ಣದ ಜಾಗದ ಅಗತ್ಯವಿದೆ; ಅಷ್ಟು ವಿಸ್ತೀರ್ಣವಾದ ಜಾಗ ಎಲ್ಲೆಲ್ಲಿ	ಸೇಪ್ಟಿ ಕಿಟ್‌ಗಳನ್ನು ಖರೀದಿಸಿ ಕಟ್ಟಡ ಕಾರ್ಮಿಕರಿಗೆ ಹಂಚಲು ರಾಜ್ಯಾದ್ಯಂತ 43 ಕ್ಷೇತ್ರ ಮಟ್ಟದ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳು ಮತ್ತು ಅವರ ಸೂಚನೆಯಂತೆ ಕಾರ್ಮಿಕ ನಿರೀಕ್ಷಕರುಗಳಿಗೆ ಪೂರೈಸಿದ್ದು, ಸದರಿ ಅಧಿಕಾರಿಗಳ ಕಛೇರಿಯಲ್ಲಿಯೇ

	<p>ಲಭ್ಯವಿದೆ; ಹಾಗೂ ಈಗಾಗಲೇ ಖರೀದಿಸಿರುವ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಸಂಗ್ರಹಿಸಿಟ್ಟಿರುವ ಜಾಗಗಳ ಕುರಿತು ಮಾಹಿತಿ ಒದಗಿಸುವುದು;</p>	<p>ಕಿಟ್‌ಗಳನ್ನು ಸಂಗ್ರಹಿಸಿ ವಿತರಣೆ ಮಾಡಲು ಸ್ಥಳಾವಕಾಶ ಇರುವ ಕಡೆ ಸದರಿ ಕಛೇರಿಗಳಲ್ಲಿ ಮತ್ತು ಲಭ್ಯವಿರುವ ಸರ್ಕಾರಿ ಕಟ್ಟಡಗಳಲ್ಲಿ ಸಂಗ್ರಹಿಸಲಾಗಿದೆ.</p> <p>ಉಳಿದಂತೆ ಯಾದಗಿರಿ ಜಿಲ್ಲೆಯ ಸುರಪುರದಲ್ಲಿ ಮಾತ್ರ ಬಾಡಿಗೆ ಕಟ್ಟಡದಲ್ಲಿ ಕಿಟ್‌ಗಳನ್ನು ಸಂಗ್ರಹಿಸಲಾಗಿದೆ.</p>
ಈ)	<p>ಹಿಂದೆ ಖರೀದಿಸಿರುವ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳ ವಿತರಣೆ ಇನ್ನೂ ಪೂರ್ಣಗೊಳ್ಳದೇ ಇರುವಾಗ 200 ಕೋಟಿ ರೂಪಾಯಿಗಳನ್ನು ಖರ್ಚು ಮಾಡುವ ತುರ್ತು ಅಗತ್ಯವೇನು; (ವಿವರ ಒದಗಿಸುವುದು)</p>	<p>ಕ್ರಮ ಸಂಖ್ಯೆ (ಅ) ರಲ್ಲಿ ಈಗಾಗಲೇ ವಿವರಿಸಲಾಗಿದೆ.</p>
ಉ)	<p>ಸುರಕ್ಷತಾ ಕಿಟ್ ವಿತರಣೆಗೆ ಫಲಾನುಭವಿಗಳ ಆಯ್ಕೆ ಪ್ರಕ್ರಿಯೆ ಯಾವ ರೀತಿಯಾಗಿದೆ; ಕಾರ್ಮಿಕರ ಆಧಾರ್ ಕಾರ್ಡ್ ಅಥವಾ ಕಾರ್ಮಿಕ ಗುರುತಿನ ಚೀಟಿ ಆಧಾರದ ಮೇಲೆ ಕಾರ್ಮಿಕರಿಗೆ ಸುರಕ್ಷತಾ ಕಿಟ್ ವಿತರಣೆ ಮಾಡಲಾಗಿದೆಯೇ; ಕಿಟ್ ನೀಡಿರುವುದಕ್ಕೆ ಸ್ವೀಕೃತಿ (Receipt) ಪಡೆದುಕೊಳ್ಳಲಾಗಿದೆಯೇ (ಮಾಹಿತಿ ಒದಗಿಸುವುದು)</p>	<p>ಸೇಪ್ಪಿ ಕಿಟ್‌ಗಳನ್ನು ವೃತ್ತಿಗೆ ಅನುಗುಣವಾಗಿ ಶಿಷ್ಟಚಾರದಂತೆ ವಿತರಣೆ ಮಾಡಲಾಗಿದೆ. ಕಿಟ್‌ಗಳನ್ನು ವಿತರಣೆ ಮಾಡುವಾಗ ಕಾರ್ಮಿಕ ಕಾರ್ಡ್‌ಗಳು ಮತ್ತು ಆಧಾರ್ ಕಾರ್ಡ್‌ಗಳ ಪ್ರತಿಗಳನ್ನು ಪಡೆದು, ನಂತರ ಕಾರ್ಮಿಕರ ಸಹಿಯನ್ನು ಪಡೆಯಲಾಗಿದೆ ಹಾಗೂ ಈ ದಾಖಲೆಗಳನ್ನು ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳ ಕಛೇರಿಯಲ್ಲಿ ನಿರ್ವಹಿಸಲಾಗಿದೆ.</p> <p>ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಅರ್ಹ ನೋಂದಾಯಿತ ಕಾರ್ಮಿಕರಿಗೆ ವಿತರಿಸಿ ಅವರಿಂದ ಪಡೆದುಕೊಂಡಿರುವ ದಾಖಲೆಗಳ ಪ್ರತಿಯನ್ನು ಅನುಬಂಧ-3 ರಲ್ಲಿ ಪೆನ್‌ಡ್ರೈವ್ ಮೂಲಕ ನೀಡಲಾಗಿದೆ.</p>
ಊ)	<p>ಕಿಟ್‌ಗಳ ಸಂಗ್ರಹಣೆ ಲಭ್ಯವಿರುವ ಸಂಗ್ರಹಣಾ ಜಾಗದ ಹೊಂದಾಣಿಕೆ ಹಾಗೂ ಪಾರದರ್ಶಕ ಮತ್ತು ದೋಷರಹಿತ ವಿತರಣಾ ವ್ಯವಸ್ಥೆಗೆ ಸಂಬಂಧಿಸಿದ ಸಂಪೂರ್ಣ ಸ್ವಾಂತ್ರ್ಯ ಅಪರೇಟಿಂಗ್ ಪ್ರೊಸೀಜರ್ (SOP) ಏನು (ವಿವರಗಳನ್ನು ಒದಗಿಸುವುದು)</p>	<p>ಸುರಕ್ಷತಾ ಕಿಟ್ ವಿತರಣೆ ಸಂಬಂಧ ಮಂಡಳಿಯಿಂದ ಹೊರಡಿಸಿರುವ SOP ಯಲ್ಲಿನ ಕ್ರಮ ಸಂಖ್ಯೆ:07ಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಅರ್ಹ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಣೆ ಮಾಡಿರುವ ಬಗ್ಗೆ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳು ಮಂಡಳಿಗೆ ನಿಗದಿತ ನಮೂನೆಯಲ್ಲಿ ಸಲ್ಲಿಸಿರುವ ಮಾಹಿತಿಯ ವಿವರವನ್ನು ಅನುಬಂಧ-4 ರಲ್ಲಿ ಪೆನ್‌ಡ್ರೈವ್ ಮೂಲಕ ನೀಡಲಾಗಿದೆ.</p>

<p>ಋ) ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಲು ಟೆಂಡರ್ ಕರೆಯಲಾಗಿದೆಯೇ; ಟೆಂಡರ್ ನ ಮೊತ್ತ ಎಷ್ಟು; ಸುರಕ್ಷತಾ ಕಿಟ್ ನ ಪರಿಕರಗಳ ಗುಣಮಟ್ಟ ಪರಿಶೀಲಿಸಲಾಗಿದೆಯೇ; ಹೌದಾದಲ್ಲಿ, ಗುಣಮಟ್ಟ ಪರಿಶೀಲಿಸಿರುವ ಅಧಿಕಾರಿಗಳ ಹೆಸರು ಹಾಗೂ ಹುದ್ದೆಯ ಮಾಹಿತಿ ಒದಗಿಸುವುದು; ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳಲ್ಲಿರುವ ಪರಿಕರಗಳು ISI ಪ್ರಮಾಣೀಕೃತವಾಗಿದೆಯೇ? (ಮಾಹಿತಿ ಒದಗಿಸುವುದು)</p>	<ul style="list-style-type: none"> • ಕೆ.ಟಿ.ವಿ.ವಿ ನಿಯಮಾನುಸಾರ ಟೆಂಡರ್ ಕರೆದು ಅರ್ಹ ಸರಬರಾಜು ಸಂಸ್ಥೆಗಳನ್ನು ಆಯ್ಕೆ ಮಾಡಲಾಗಿರುತ್ತದೆ. • ಟೆಂಡರ್ ವಾರು ಒಟ್ಟು ಪರಿಮಾಣದಲ್ಲಿ Randomly ಶೇ.10ರಷ್ಟು ವಿವಿಧ ವೃತ್ತಿವಾರು ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳ ಗುಣಮಟ್ಟವನ್ನು ಪರಿಶೀಲಿಸಲಾಗಿರುತ್ತದೆ. • ಸುರಕ್ಷತಾ ಕಿಟ್‌ನ ಸಾಮಗ್ರಿಗಳ ಗುಣಮಟ್ಟ ಪರಿಶೀಲಿಸಿರುವ ಅಧಿಕಾರಿಗಳ ವಿವರ ಈ ಕೆಳಗಿನಂತಿದೆ. <ol style="list-style-type: none"> 1. ಶ್ರೀ ಸತೀಶ್ ರಾವ್ ಎನ್.ಎಸ್., ಹೆಚ್.ಒ.ಡಿ, ಮೆಕಾನಿಕಲ್ ಇಂಜಿನಿಯರಿಂಗ್, ಎಸ್.ಜೆ ಸರ್ಕಾರಿ ಪಾಲಿಟೆಕ್ನಿಕ್, ಕೆ.ಆರ್. ಸರ್ಕಲ್, ಬೆಂಗಳೂರು. 2. ಶ್ರೀ ರವಿಶಂಕರ್ ಸಿ.ವಿ., ಪ್ರಾಂಶುಪಾಲರು, ಎಸ್.ಜೆ ಸರ್ಕಾರಿ ಪಾಲಿಟೆಕ್ನಿಕ್, ಕೆ.ಆರ್. ಸರ್ಕಲ್, ಬೆಂಗಳೂರು. 3. ಶ್ರೀ ಮಲ್ಲಿಕಾರ್ಜುನ್ ಎನ್., ಹಿರಿಯ ಅಧ್ಯಾಪಕರು, ಎಸ್.ಜೆ ಸರ್ಕಾರಿ ಪಾಲಿಟೆಕ್ನಿಕ್, ಕೆ.ಆರ್. ಸರ್ಕಲ್, ಬೆಂಗಳೂರು. <p>ಮುಂದುವರೆದು, ಸದರಿ ತಾಂತ್ರಿಕ ಸಮಿತಿಯಿಂದ ಗುಣಮಟ್ಟವನ್ನು ಪರಿಶೀಲಿಸಿ ಸಲ್ಲಿಸಿರುವ ವರದಿಯ ವಿವರಗಳನ್ನು ಅನುಬಂಧ-5 ರಲ್ಲಿ ಸಿಡಿ ಮೂಲಕ ನೀಡಲಾಗಿದೆ.</p>
--	--

ಕಾಇ 53 ಎಲ್‌ಇಟಿ 2026

(ಸಂತೋಷ್ ಎಸ್ ಲಾಡ್)
ಕಾರ್ಮಿಕ ಸಚಿವರು

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ಸರ್ಕಾರಿ ಕಾರ್ಯಾಲಯ
ಕರ್ನಾಟಕ ರಾಜ್ಯ ಕಟ್ಟಡ ಮತ್ತು
ಇತರೆ ನಿರ್ಮಾಣ ಕಾರ್ಮಿಕರ ಕಲ್ಯಾಣ ಮಂಡಳಿ



ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಕಾರ್ಮಿಕ ಇಲಾಖೆ

ಕಲ್ಯಾಣ ಸುರಕ್ಷಾ ಭವನ, ಎಟಿಐ ಕಾಲೇಜು ಆವರಣ,
ಬನ್ನೇರುಘಟ್ಟ ರಸ್ತೆ, ಬೆಂಗಳೂರು-560029.
ಕಛೇರಿ: 080-29753350
Khocwwb@karnataka.gov.in
ದಿನಾಂಕ: 18-08-2025

ಸಂಖ್ಯೆ: KBOCWBB/Safety kit/CR-01/2025-26

ಸುತ್ತೋಲೆ

ವಿಷಯ: 2024-25ನೇ ಸಾಲಿನ ಶ್ರಮ ಸಾಮರ್ಥ್ಯ ಯೋಜನೆಯಡಿ (ಟ್ರೈನಿಂಗ್-ಕಮ್-ಓಲ್‌ಕಿಟ್) ವಿವಿಧ ವೃತ್ತಿಗಳ (ಮೇಸನ್, ಎಲೆಕ್ಟ್ರೀಷಿಯನ್, ವೆಲ್ಡರ್, ಕಾರ್ಪೆಂಟರ್, ಪೇಯಿಂಟರ್ ಮತ್ತು ಪ್ಲಂಬರ್ ವೃತ್ತಿಯ) "ಸುರಕ್ಷತಾ ಕಿಟ್" (Safety Kits) ಗಳನ್ನು ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಿಸಲು ಮಾರ್ಗಸೂಚಿಗಳನ್ನು (SOP) ಹೊರಡಿಸುವ ಕುರಿತು.

- ಉಲ್ಲೇಖ: 1. ದಿನಾಂಕ:19-05-2025 ರಂದು ನಡೆದ ಮಂಡಳಿಯ 45ನೇ ಸಭೆಯ ನಡವಳಿ.
2. ಸರ್ಕಾರದ ದಿನಾಂಕ:28-01-2025 ರ ಆದೇಶ ಸಂಖ್ಯೆ:ಕಾಇ 10 ರಿಂದ -20 ಎಲ್‌ಇಟಿ 2025, ಬೆಂಗಳೂರು.

ಮೇಲ್ಕಂಡ ವಿಷಯಕ್ಕೆ ಸಂಬಂಧಿಸಿದಂತೆ, ಶ್ರಮ ಸಾಮರ್ಥ್ಯ ಯೋಜನೆಯಡಿ (ಟ್ರೈನಿಂಗ್-ಕಮ್-ಓಲ್‌ಕಿಟ್) ವಿವಿಧ ವೃತ್ತಿಗಳ (ಮೇಸನ್, ಎಲೆಕ್ಟ್ರೀಷಿಯನ್, ವೆಲ್ಡರ್, ಕಾರ್ಪೆಂಟರ್, ಪೇಯಿಂಟರ್ ಮತ್ತು ಪ್ಲಂಬರ್ ವೃತ್ತಿಯ) "ಸುರಕ್ಷತಾ ಕಿಟ್" (Safety Kits) ಗಳನ್ನು ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳಿಗೆ ನೀಡುವ ಯೋಜನೆಯನ್ನು ವಿಭಾಗವಾರು ಅನುಷ್ಠಾನಗೊಳಿಸಲು ಸರ್ಕಾರವು ಉಲ್ಲೇಖಿತ ಪತ್ರದ ಮುಖೇನ ಆಡಳಿತಾತ್ಮಕ ಅನುಮೋದನೆ ನೀಡಿ ಆದೇಶ ಹೊರಡಿಸಿರುತ್ತದೆ. ಅಲ್ಲದೇ, ವಿವಿಧ ವೃತ್ತಿಗಳ "ಸುರಕ್ಷತಾ ಕಿಟ್" ಗಳನ್ನು ವಿತರಿಸಲು ಸೂಕ್ತ ಮಾರ್ಗಸೂಚಿಗಳನ್ನು ಸಿದ್ಧಪಡಿಸಿ ಜಾರಿಗೊಳಿಸಲು ತಿಳಿಸಿರುತ್ತದೆ.

ಆದಕಾರಣ, ಮಂಡಳಿಯ ವತಿಯಿಂದ ಶ್ರಮ ಸಾಮರ್ಥ್ಯ ಯೋಜನೆಯಡಿ (ಟ್ರೈನಿಂಗ್-ಕಮ್-ಓಲ್‌ಕಿಟ್) ವಿವಿಧ ವೃತ್ತಿಗಳ "ಸುರಕ್ಷತಾ ಕಿಟ್" ಗಳನ್ನು (Safety Kits) ನೋಂದಾಯಿತ ಫಲಾನುಭವಿಗಳಿಗೆ ಪೂರೈಸಲು ಅರ್ಹ ಸಂಸ್ಥೆಗಳನ್ನು ಆಯ್ಕೆ ಮಾಡಿ ಕಾರ್ಯಾದೇಶ ನೀಡಲಾಗಿರುತ್ತದೆ. ನದರಿ ಕಾರ್ಯಾದೇಶಗಳನ್ನು ಈಗಾಗಲೇ ಇ-ಮೇಲ್ ಮೂಲಕ ರವಾನಿಸಲಾಗಿದೆ. ವಿಭಾಗವಾರು ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಅರ್ಹ ಫಲಾನುಭವಿಗಳಿಗೆ ಈ ಕೆಳಕಂಡ ಮಾರ್ಗಸೂಚಿಗಳನ್ವಯ ವಿತರಣೆ ಮಾಡಿಸಲು ಸೂಚಿಸಿದೆ

- 1) ಪೂರೈಕೆದಾರರು ಒದಗಿಸಬೇಕಾದ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳ ವಿವರಗಳನ್ನು (ಕಾರ್ಯಾದೇಶ ಪ್ರತಿ) ಇ-ಮೇಲ್ ಮೂಲಕ ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳಿಗೆ ಈಗಾಗಲೇ ಒದಗಿಸಿದೆ.
- 2) ಸರಬರಾಜುದಾರರು ಕಾರ್ಯಾದೇಶದಲ್ಲಿ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿವಾರು ಸೂಚಿಸಿರುವ ಪ್ರಮಾಣಗಳಂತೆ ಕಿಟ್‌ಗಳ ಬ್ಯಾಗ್ ಮೇಲೆ ಕ್ರಮವಾಗಿ ನಂಬರಿಂಗ್ ಮಾಡುವುದು ಕಡ್ಡಾಯವಾಗಿರುತ್ತದೆ.
- 3) ಕಾರ್ಯಾದೇಶ ಪಡೆದ ಸಂಸ್ಥೆಯವರು ಕಾರ್ಯಾದೇಶದಲ್ಲಿ ಸೂಚಿಸಿರುವ ಟೆಂಡರ್‌ನ Technical Specifications ನಂತೆ ವ್ಯಕ್ತಿವಾರು ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಸಿದ್ಧಪಡಿಸಿ, ದಾಸ್ತಾನು ಮಾಡಿಕೊಂಡ ನಂತರ 3ನೇ ವ್ಯಕ್ತಿ ತಪಾಸಣೆಗೆ (pre dispatch 3rd party inspection) ಒಳಪಡಿಸಲು ಮಂಡಳಿಗೆ ಪತ್ರವನ್ನು ಸಲ್ಲಿಸುವುದು. ಅದರನ್ವಯ, 3ನೇ ವ್ಯಕ್ತಿ ತಪಾಸಣಾ ತಂಡದವರಿಗೆ ಪತ್ರವನ್ನು ಬರೆದು ಟೆಂಡರ್‌ನ Technical Specifications ನಂತೆ ಇರುವ ಕುರಿತು ಒಟ್ಟು ಪ್ರಮಾಣದಲ್ಲಿ randomly

ಶೀ.10 ಪ್ರಮಾಣಗಳನ್ನು ಪರಿಶೀಲಿಸಿ ವರದಿಯನ್ನು ಸಲ್ಲಿಸುವಂತೆ ಸೂಚಿಸಲಾಗಿರುತ್ತದೆ. ಅದರನ್ವಯ 3ನೇ ವ್ಯಕ್ತಿ ತಪಾಸಣಾ ತಂಡದವರು ಉತ್ತಮ ಗುಣಮಟ್ಟದ ವರದಿಯನ್ನು ಮಂಡಳಿಗೆ ಸಲ್ಲಿಸಿದ ನಂತರ ಏಜೆನ್ಸಿಯವರು ಸದರಿ ವರದಿಯೊಂದಿಗೆ ವ್ಯಕ್ತಿವಾರು ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಕಾರ್ಯಾದೇಶದಲ್ಲ ಸೂಚಿಸಿರುವಂತೆ ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿವಾರು ಸೂಚಿಸಿರುವ ಪ್ರಮಾಣಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಿ ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳ ಸ್ವೀಕೃತಿ ದೃಢೀಕರಣವನ್ನು ಪಡೆಯುವುದು.


4) ತದನಂತರ ಆಯಾ ಉಪವಿಭಾಗ ಮಟ್ಟದ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳ ಕಛೇರಿ ವ್ಯಾಪ್ತಿಯಲ್ಲಿನ ನೋಂದಾಯಿತ ಅರ್ಹ ಕಾರ್ಮಿಕರಿಗೆ ನೋಂದಣಿ ಹಿರತನದ ಆಧಾರದ ಮೇಲೆ ವ್ಯಕ್ತಿಗನುಗುಣವಾಗಿ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ನೀಡುವಾಗ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಣೆ ಮಾಡುವುದು ಹಾಗೂ ವಿತರಣೆ ಮಾಡಿರುವ ಫಲಾನುಭವಿಗಳ ಪಟ್ಟಿಯನ್ನು ದೃಢೀಕರಿಸಿ ಮಂಡಳಿಗೆ ನೀಡುವುದು.

5) ಸರಬರಾಜು ಮಾಡಿದ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳಲ್ಲಿ ವ್ಯತ್ಯಾಸ ಕಂಡುಬಂದಲ್ಲಿ ಮಂಡಳಿಗೆ ಕೂಡಲೇ ತಿಳಿಸುವುದು.

6) ವ್ಯಕ್ತಿವಾರು ನೋಂದಾಯಿತ ಅರ್ಹ ಫಲಾನುಭವಿಗಳಿಗೆ ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಜೇಷ್ಠತೆಯ ಆಧಾರದ ಮೇಲೆ ವಿತರಿಸಿ, ನಂತರ ಅದೇ ವ್ಯಕ್ತಿಯಲ್ಲಿ ಸಹಾಯಕರೆಂದು (Trade Wise Helpers) ನೋಂದಣಿ ಪಡೆದಿರುವ ಅರ್ಹ ಫಲಾನುಭವಿಗಳಿಗೆ ಸದರಿ ಕಿಟ್‌ಗಳನ್ನು ವಿತರಿಸುವುದು.

7) ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ಅರ್ಹ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಣೆ ಮಾಡಿದ ಬಗ್ಗೆ ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳು ತಮ್ಮ ದೃಢೀಕರಣದೊಂದಿಗೆ ಕಿಟ್‌ಗಳನ್ನು ಪಾರದರ್ಶಕವಾಗಿ ವಿತರಿಸಿದ ಬಗ್ಗೆ ಫೋಟೋ ತೆಗೆದು ಮಂಡಳಿಗೆ ಕಳುಹಿಸುವುದು. ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳನ್ನು ತಾವುಗಳು ಸ್ವೀಕೃತಿ ಪಡೆದ ನಂತರ ಕಾಲವಿಳಂಬಕ್ಕೆ ಅವಕಾಶ ನೀಡದಂತೆ ಫಲಾನುಭವಿಗಳಿಗೆ ವಿತರಿಸಿ ಫಲಾನುಭವಿಗಳ ಪಟ್ಟಿಯನ್ನು ಈಗಾಗಲೇ ತಮಗೆ ನೀಡಿರುವ ನಮೂನೆಯಲ್ಲಿ ನಿರ್ವಹಣೆ ಮಾಡಿ, ಅದರ ಒಂದು ಪ್ರತಿಯನ್ನು ಮಂಡಳಿಗೆ ಕಳುಹಿಸಿಕೊಡತಕ್ಕದ್ದು.

8) ಮಂಡಳಿಯು ಸುರಕ್ಷತಾ ಕಿಟ್‌ಗಳ ವಿತರಣೆ ಸಂಬಂಧ ಕಾಲಕಾಲಕ್ಕೆ ಹೊರಡಿಸುವ ಆದೇಶಗಳನ್ನು ಪಾಲಿಸತಕ್ಕದ್ದು.


 (ಭಾರತಿ ಡಿ. ಏ.ಆ.ನೀ.)
 ಮುಖ್ಯ ಕಾರ್ಯನಿರ್ವಾಹಣಾಧಿಕಾರಿಗಳು
 ಹಾಗೂ ಕಾರ್ಯದರ್ಶಿಗಳು
 ಕ.ಕ.ಇ.ನಿ.ಕಾ.ಕ.ಮಂಡಳಿ

ಇವರಿಗೆ:-


- 1) ಉಪ ಕಾರ್ಮಿಕ ಆಯುಕ್ತರು,-ಬೆಂಗಳೂರು ಪ್ರಾದೇಶಿಕ -1 & 2, ಹಾಸನ, ಬೆಳಗಾವಿ, ಮತ್ತು ಕಲಬುರಗಿ- ಇವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ
- 2) ಸಹಾಯಕ ಕಾರ್ಮಿಕ ಆಯುಕ್ತರು, ವಿಭಾಗ, 1 ರಿಂದ 4 ಬೆಂಗಳೂರು, ಮೈಸೂರು, ದಾವಣಗೆರೆ, ಚಿಕ್ಕಮಗಳೂರು, ಮಂಗಳೂರು, ಬೆಳಗಾವಿ, ಕಲಬುರಗಿ ಮತ್ತು ಹುಬ್ಬಳ್ಳಿ. -ಇವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ
- 3) ಎಲ್ಲಾ ಕಾರ್ಮಿಕ ಅಧಿಕಾರಿಗಳಿಗೆ.-ಇವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಮುಂದಿನ ಕ್ರಮಕ್ಕಾಗಿ.
- 4) ಸಂಬಂಧಪಟ್ಟ ಕಾರ್ಯಾದೇಶ ಪಡೆದ ಎಲ್ಲಾ ಏಜೆನ್ಸಿಗಳಿಗೆ-ಇವರಿಗೆ ಮಾಹಿತಿಗಾಗಿ ಹಾಗೂ ಮುಂದಿನ ಕ್ರಮಕ್ಕಾಗಿ.

ಅನುಬಂಧ-೩

TECHNICAL SPECIFICATIONS

1. Carpenter Safety Kit Items Technical Specifications: (Total Kit Rate of Rs.4,005/- Including All Taxes/GST, Transportation Charges...etc).

1	Cut Resistant Gloves		<ul style="list-style-type: none"> • Latex coated gloves for cut resistant. • Seamless polycotton glove for high flexibility and comfort. • The crinkle finish offers excellent grip in both wet and dry conditions for safe and secure handling. • Natural latex coating gives the glove good mechanical performance with Comfort and durability. • Medium duty designed offering good puncture and abrasion resistance. • IS 6994-1 (1973). 	1 Pair
2	Helmet (H400R) with attachable Earmuff		<ul style="list-style-type: none"> • The IS:2925 approved, Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chain strap should provide snug fit. • Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension : 5.1" x 7.4" x 3.8" 	1 Pcs

3	Reflective Jackets		<ul style="list-style-type: none"> • Reflective tape size varying from 1" to 2". • The High-Quality Reflective Tape makes it very useful for people working at night. The primary safety feature inherent in reflective safety jackets is the main color, which should always be fluorescent orange, yellow, Blue or red. • Reflective safety jackets have reflective banding and striping on both the front and back to ensure visibility even when obstructed by debris or natural components in the environment. • Made of polyester and have minimum 2 pockets. 	2 Pcs
4	Dust Mask (N95)		<ul style="list-style-type: none"> • Mask Should have filtering efficiency of 94% or more. • Mask should be with head loop. • Washable & Reusable. • Pack of 10 Pcs. • IS 9473. 	Set Of 10 Pcs
5	Safety Goggles		<ul style="list-style-type: none"> • IS – 5983 approved spectacles should have a wrap – around design providing impact protection from flying particles, frameless design, clear in-built nose bridge for comfort. • Should have made from a hard – coated polycarbonate lens offering 99% UV protection. • The spectacle should also meet ANSI Z87.1 standards. • The temple & the lens should have markings showcasing the markings as per the ANSI standard. • Should be made in INDIA at a ANSI approved Lab. Certificate to that effect should be provided along with supplies. 	1 Pcs
6	Safety Shoe		<ul style="list-style-type: none"> • The Safety shoes IS Code 15298 (Part 2) 2016. • Buff C.G.Booty print fine leather upper. • Double density DIP-PU Sole. 	1Pair

7	Safety Kit Bag		<ul style="list-style-type: none"> • Bag made up of Canvas/ Superior Cora material. • Bag size should fit all the safety items and easy to carry. • Bag Weight 450 Gms +/- 10% variation. • Bag color cream/ white/Dark Green • Bag with nylon strap with 2 handle patty. • Bag with durable zipping system Bag with attractive board matter color printing on one side of the bag. 	1 Pcs
---	-----------------------	---	---	-------


2. Electrician Safety Kit Items Technical Specifications: (Total Kit Rate of Rs.4,585/- Including All Taxes/ GST, Transportation Charges...etc).


1	Insulated Gloves		<ul style="list-style-type: none"> • Electrical rubber insulating gloves. • Gloves must undergoes voltage, ageing and mechanical testing. • Gloves height must be minimum 10" length. • IS 13774:2021. • Class-A tested. 	1 Pair
2	Safety Goggles		<ul style="list-style-type: none"> • IS – 5983 approved spectacles should have a wrap – around design providing impact protection from flying particles, frameless design, clear in-built nose bridge for comfort. • Should have made from a hard – coated polycarbonate lens offering 99% UV protection. • The spectacle should also meet ANSI Z87.1 standards. • The temple & the lens should have markings showcasing the markings as per the ANSI standard. • Should be made in INDIA at a ANSI approved Lab. Certificate to that effect should be provided along with supplies. 	1 Pcs
3	Electrically Insulated Safety Shoes		<ul style="list-style-type: none"> • Shoe Standard IS 15298:2016 (Part-2). • Black Suede Leather. • Having a double density PU Sole for enhanced penetration resistance. • Slip Resistant, Shock Resistant, All Weather Grip, Water Resistant, Breathable. 	1 Pair

			<ul style="list-style-type: none"> • Ultra-Light Weight and flexible Extremely Comfortable. Features: Anti-Skid Sole Design. Oil, Acid & Water Resistant. Heat Resistance up to 120 Degree Celsius. Anti-Static (100KΩ to 1000MΩ). • Steel toe cap which can withstand and impact of +- 200 Joules. Toe cap is made with a special coated stainless steel. • Item Weight Minimum: 1 kg 200 g 	
4	Helmet (H400R) with attachable Earmuff		<ul style="list-style-type: none"> • The IS:2925 approved, Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chain strap should provide snug fit. • Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension: 5.1" x 7.4" x 3.8" 	1 Set
5	Reflective Jackets		<ul style="list-style-type: none"> • Reflective tape size varying from 1" to 2". • The High-Quality Reflective Tape makes it very useful for people working at night. The primary safety feature inherent in reflective safety jackets is the main color, which should always be fluorescent orange, yellow, Blue or red. • Reflective safety jackets has reflective banding and striping on both the front and back to ensure visibility even when obstructed by debris or natural components in the environment. • Made of polyester and have minimum 2 	2 Pcs

			<ul style="list-style-type: none"> pockets. Pack of 2 jackets. 	
6	Safety Kit Bag		<ul style="list-style-type: none"> Bag made up of Canvas/ Superior Cora material. Bag size should fit all the safety items and easy to carry. Bag Weight 450 Gms +/- 10% variation. Bag color cream/ white/Dark Green. Bag with nylon strap with 2 handle patty. Bag with durable zipping system. Bag with attractive board matter color printing on one side of the bag. 	1 Pcs

3. Masons Safety Kit Items Technical Specifications: (Total Kit Rate of Rs.5,045/- Including All Taxes/ GST, Transportation Charges...etc).

1	Dust Mask (N95)		<ul style="list-style-type: none"> Mask Should have filtering efficiency of 94% or more. Mask should be with head loop. Washable & Reusable. Pack of 10 Pcs. IS 9473. 	Pack of 10 Pcs
2	18" Rubber Hand Gloves		<ul style="list-style-type: none"> Safety gloves to protect hands from injuries during building construction. Suitable for construction labours in concrete mixing. Suitable for painting labours to mix paint to avoid infection over direct skin. IS 6994-1 (1973). 	1 Pair
3	Steel Toe Gum Boots		<ul style="list-style-type: none"> Material: PVC (Soft). IS 12254: 1993. Type: High ankle. Upper Printed buff leather with thickness of 1.8-2.00 mm. Sole Single/Double density PU with extended toe guard. 	1 Pair


			<ul style="list-style-type: none"> • Size: Free Size. • Height: 14 inches. • Colour: Black. • Anti Slip, Water proof Breathable Printed Leather Shoes, Puncture and Tear Resistant. • Gum Shoe protects construction workers with foot finger nail infection during concrete mixing works. • Minimum Weight: 1.5Kg. • Toe Style: Steel Toe. 	
4	Tactical Knee and Elbow Pads		<ul style="list-style-type: none"> • Should made up of Thermo plastic rubber with Velcro closers and fasteners. • Should provide effective padding/ cushioning to knee and elbow. • Washable and antiskid material. • Water Proof & light weight material. • Standard measurement of Width 15 mm, height 198 mm, thickness 19 mm. • Set of Knee and Elbow pad combo. 	1 Set- (1 pair Knee and 1 pair Elbow pad)
5	Safety Goggles		<ul style="list-style-type: none"> • IS – 5983 approved spectacles should have a wrap – around design providing impact protection from flying particles, frameless design, clear in-built nose bridge for comfort. • Should have made from a hard – coated polycarbonate lens offering 99% UV protection. • The spectacle should also meet ANSI Z87.1 standards. • The temple & the lens should have markings showcasing the markings as per the ANSI standard. • Should be made in INDIA at a ANSI approved Lab. Certificate to that effect should be provided along with supplies. 	1 Pcs
6	Helmet (H400R) with		<ul style="list-style-type: none"> • The IS:2925 approved , Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. 	1 Set

	<p>attachable Earmuff</p>		<ul style="list-style-type: none"> • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chain strap should provide snug fit. • Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension: 5.1" x 7.4" x 3.8" 	
<p>7</p>	<p>Reflective Jackets</p>		<ul style="list-style-type: none"> • Reflective tape size varying from 1" to 2" • The High-Quality Reflective Tape makes it very useful for people working at night. The primary safety feature inherent in reflective safety jackets is the main color, which should always be fluorescent orange, yellow, Blue or red. • Reflective safety jackets has reflective banding and striping on both the front and back to ensure visibility even when obstructed by debris or natural components in the environment. • Made of polyester and have minimum 2 pockets. • Pack of 2 jackets. 	<p>2 Pcs</p>
<p>8</p>	<p>Safety Kit Bag</p>		<ul style="list-style-type: none"> • Bag made up of Canvas/ Superior Cora material. • Bag size should fit all the safety items and easy to carry. • Bag Weight 450 Gms +/- 10% variation. • Bag color cream/ white/Dark Green • Bag with nylon strap with 2 handle patty. • Bag with durable zipping system • Bag with attractive board matter color printing on one side of the bag. 	<p>1 Pcs</p>

4. Painter Safety Kit Items Technical Specifications: (Total Kit Rate of Rs.7,845/- including All Taxes/ GST, Transportation Charges...etc).

1	Respiratory Half Mask with Filter & cartridge		<ul style="list-style-type: none"> • Material: Durable Thermo Plastic Elastomers (TPE). • Type of PPE Category: III. • Filter PPM: Up to 1000PPM. • Connection Type: Push to Lock. • Reusability: Multiple uses. • As per Standard GB2890: 2009. • Respirators and breathing apparatus (half face mask with filter) to protect against hazardous chemicals and dust particles at construction site. • Applicable for carpentry labours to avoid inhaling hazardous gas & wooden dust production during carpentry work. 	1 Set
2	Safety Goggles		<ul style="list-style-type: none"> • IS – 5983 approved spectacles should have a wrap – around design providing impact protection from flying particles, frameless design, clear in-built nose bridge for comfort. • Should have made from a hard – coated polycarbonate lens offering 99% UV protection. • The spectacle should also meet ANSI Z87.1 standards. • The temple & the lens should have markings showcasing the markings as per the ANSI standard. • Should be made in INDIA at a ANSI approved Lab. Certificate to that effect should be provided along with supplies. 	1 Pcs

<p>3</p>	<p>Chemical Resistant Rubber Gloves.</p>		<ul style="list-style-type: none"> • Safety gloves to protect hands from hazardous chemicals protection during painting works. • Suitable for painting labours to mix paint to avoid infection over direct skin. • Rubber material and 18 Inches Long. • Skin Friendly Yellow Colour. • Fine finish Acid and Alkali application. • As per IS Standards. 	<p>1 Pair</p>
<p>4</p>	<p>Coveralls</p>		<ul style="list-style-type: none"> • MATERIAL: Terry Cotton (Poly Cotton). • Fit Type: Regular Fit and Free size. • CLOUSER TYPE: Zipper closure and Button and Reflective tape Size One Inch. • POCKET TYPE: Six Pocket (Four Pocket on Front Side & Two on back side). • APPLICATION: Coveralls combine shirt and pants wear this type of mechanic jumpsuit to help them deal with common issues that would leave their clothes dirty or ruined. • DESIGNED: Sturdy design enhanced with a two-way frontal antistatic zipper with snaps to secure the coverall and prevent snags with adjustable cuff. • ATTRIBUTES: Elastic waist and straight cut built for hard work and equipped for comfort to accommodate a full range of motion. • CARE INSTRUCTION: Regular Machine wash and hand wash Etc. • Coveralls to be as per IS 15809:2017. 	<p>1 Set</p>

5	Helmet (H400R) with attachable Earmuff		<ul style="list-style-type: none"> • The IS:2925 approved , Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chin strap should provide snug fit. <p>Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension: 5.1" x 7.4" x 3.8".</p>	1 Set
6	Safety Shoes		<ul style="list-style-type: none"> • The Safety shoes IS Code 15298 (Part 2) 2016. • Buff C.G.Booty print fine leather upper. • Double density DIP-PU Sole. 	1 Pair
7	Safety Kit Bag		<ul style="list-style-type: none"> • Bag made up of Canvas/ Superior Cora material. • Bag size should fit all the safety items and easy to carry. • Bag Weight 450 Gms +/- 10% variation. • Bag color cream/ white/Dark Green • Bag with nylon strap with 2 handle patty. • Bag with durable zipping system Bag with attractive board matter color printing on one side of the bag. 	1 Pcs

5. Plumber Safety Kit Items Technical Specifications: (Total Kit Rate of Rs.4,705/- Including All Taxes/ GST, Transportation Charges...etc).

Sl.No.	Item Name	Image	Description	Quantity
1	Cut Resistant Hand Gloves		<ul style="list-style-type: none"> • Latex coated gloves for cut resistant. • Seamless polycotton glove for high flexibility and comfort. • The crinkle finish offers excellent grip in both wet and dry conditions for safe and secure handling. • Natural latex coating gives the glove good mechanical performance with Comfort and durability. • Medium duty designed offering good puncture and abrasion resistance. • IS 6994-1 (1973). 	1 Pair
2	Tactical Knee and Elbow Pad		<ul style="list-style-type: none"> • Should provide effective padding/ cushioning to knee and elbow. • Washable and antiskid material. • Water Proof & light weight material • Standard measurement of Width 15 mm, height 198 mm, thickness 19 mm. 	1 Set (1 pair Knee and 1 pair Elbow pad)
3	Safety Goggles		<ul style="list-style-type: none"> • Spectacle should have a wrap – around design providing impact protection from flying particles, frameless design, clear in-built nose bridge for comfort. • Should have made from a hard – coated polycarbonate lens offering 99% UV protection. • The spectacle should also meet ANSI Z87.1 standards. • The temple & the lens should have markings showcasing the markings as per the ANSI standard. • Should be made in INDIA at a ANSI approved Lab. Certificate to that effect should be provided along with supplies. • IS 5983. 	1 Pcs

4	Safety Shoe		<ul style="list-style-type: none"> • The Safety shoes IS Code 15298 (Part 2) 2016. • Buff C.G.Booty print fine leather upper. • Double density DIP-PU Sole. 	1 Pair
5	Helmet (H400R) with attachable Earmuff		<ul style="list-style-type: none"> • The IS:2925 approved , Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chain strap should provide snug fit. • Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension: 5.1" x 7.4" x 3.8" 	1 Set
6	Reflective Jackets		<ul style="list-style-type: none"> • Reflective tape size varying from 1" to 2" • The High-Quality Reflective Tape makes it very useful for people working at night. The primary safety feature inherent in reflective safety jackets is the main color, which should always be fluorescent orange, yellow, Blue or red. • Reflective safety jackets has 	2 Pcs

			<p>reflective banding and striping on both the front and back to ensure visibility even when obstructed by debris or natural components in the environment.</p> <ul style="list-style-type: none"> • Made of polyester and have minimum 2 pockets. • Pack of 2 jackets. 	
7	Safety Kit Bag		<ul style="list-style-type: none"> • Bag made up of Canvas/ Superior Cora material. • Bag size should fit all the safety items and easy to carry. • Bag Weight 450 Gms +/- 10% variation. • Bag color cream/ white/Dark Green • Bag with nylon strap with 2 handle patty. • Bag with durable zipping system • Bag with attractive board matter color printing on one side of the bag. 	1 Pcs

6. Welders Safety kit Items Technical Specifications: (Total Kit Rate of Rs.3,975/- Including All Taxes/ GST, Transportation Charges...etc).

1	Welding Face Shield		<ul style="list-style-type: none"> • Equipment for eye and face protection during welding from hazardous like harmful optical radiation, flexibility and electrical risks. • Heat resistant material with at least 1.4 mm thickness. • Lighter helmets that weigh around 20 OZ are recommended for professional welders. • IS 1179. 	1 Pcs
---	----------------------------	---	---	-------

2	Helmet (H400R) with attachable Earmuff		<ul style="list-style-type: none"> • The IS:2925 approved , Hard Hat should be made from high density polyethylene (HDPE) & approved BIS Standard. • The Hard Hat should have a 8-point with a ratchet provision for sizing of the suspension via a turn knob locking in to the appropriate size to hold the position securely in place. • The Hard Hat should be supplied in yellow/white colour & should be less than 400 grams. • Integral rain channel should require to prevent falling water on neck. • In-built air vents option to facilitate enhanced air flow & better comfort. • Adjustable chin strap should provide snug fit. • Attachable ear muff: excellent attenuation at low & high frequencies. NRR 24dB product dimension: 5.1" x 7.4" x 3.8" 	1 Set
3	Reflective Jackets		<ul style="list-style-type: none"> • Reflective tape size varying from 1" to 2" • The High-Quality Reflective Tape makes it very useful for people working at night. The primary safety feature inherent in reflective safety jackets is the main color, which should always be fluorescent orange, yellow, Blue or red. • Reflective safety jackets has reflective banding and striping on both the front and back to ensure visibility even when obstructed by debris or natural components in the environment. • Made of polyester and have minimum 2 pockets. • Pack of 2 jackets. 	2 Pcs
4	Safety Shoe		<ul style="list-style-type: none"> • The Safety shoes IS Code 15298 (Part 2) 2016. • Buff C.G.Booty print fine leather upper. • Double density DIP-PU Sole. 	1 Pair

5	Safety Kit Bag		<ul style="list-style-type: none">• Bag made up of Canvas/ Superior Cora material.• Bag size should fit all the safety items and easy to carry.• Bag Weight 450 Gms +/- 10% variation.• Bag color cream/ white/Dark Green.• Bag with nylon strap with 2 handle patty.• Bag with durable zipping system.• Bag with attractive board matter color printing on one side of the bag.	1 Pcs
---	-----------------------	---	--	-------