

ಮಾನ್ಯ ವಿಧಾನಪರಿಷತ್ತಿನ ಸದಸ್ಯರಾದ ಶ್ರೀ ಡಾ.ಎಂ.ಜಿ ಮುಳೆ ಇವರು ನಿಯಮ 72 ರಡಿ ಮಂಡಿಸಿರುವ ಸೂಚನೆಗೆ ಮಾನ್ಯ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸಚಿವರ ಹೇಳಿಕೆ.

ಪ್ರಶ್ನೆ:

ಆಯುಷ್ ಇಲಾಖೆಗೆ ಸಂಬಂಧ ಪಡೆದ AIDS ರೋಗಿಗಳ ಆಯುಷ್ ಇಲಾಖೆಯ ಅಧಿಕಾರಿಗಳು ಔಷಧ ಖರೀದಿಸಿದ ಬಗ್ಗೆ, ಆಯುಷ್ ಇಲಾಖೆಯ AIDS ರೋಗಿಗಳಿಗೆ ಖರೀದಿಸಿದ 10 ಕೋಟಿ ಮೌಲ್ಯದ ಔಷಧಿಗಳನ್ನು ಖರೀದಿಸಿದ್ದು ಈ ಸಂಸ್ಥೆಗೆ 10 ಕೋಟಿ ಮೌಲ್ಯದ ಆಯುಷ್ ತಯಾರಿಸಿದ ಸರಬರಾಜು ಮಾಡುವ ಸಾಮರ್ಥ್ಯ ಇಲ್ಲವಾದಲ್ಲಿ, ಸರಬರಾಜು ಆದೇಶಕ್ಕೆ ಪೂರ್ವ ಭಾವಿಯಾಗಿ ಸರಬರಾಜು ಸಮಸ್ಯೆ ತಯಾರಿಕಾ ಸಾಮರ್ಥ್ಯ ಅನುಭವ ಸುಭದ್ರತೆ ಗುಣಮಟ್ಟ ಇತ್ಯಾದಿಗಳ ಬಗ್ಗೆ ಪರಿವೀಕ್ಷಣೆ ಮಾಡಲಾಗಿದ್ದು, ಎಂಬುದು ತಿಳಿದು ಬಂದಿರುವುದಿಲ್ಲ. AIDS ರೋಗಿಗಳಿಗೆ ಆಯುಷ್ ಔಷಧಿಗಳ ಬಳಕೆಯಿಂದ ಆಗಬಹುದಾದ ಸಾಧಕ-ಬಾಧಕಗಳು, ಪ್ರಯೋಜನ, ದುಷ್ಪರಿಣಾಮ ಇತ್ಯಾದಿಗಳ ಬಗ್ಗೆ ಪೂರ್ವಭಾವಿ ಪರೀಕ್ಷೆಗಳನ್ನು (Clinical test) ಗಳ ಬಗ್ಗೆ AIDS ರೋಗಿಗಳಿಗೆ ಖರೀದಿಸಲಾದ ಔಷಧಿಗಳ ಗುಣಮಟ್ಟ ಅವುಗಳು ಹೊಂದಿರುವ INGREDIENTS AIDS ರೋಗಿಗಳ ಮೇಲೆ ಆಗಬಹುದಾದ ಪರಿಣಾಮಗಳ ಬಗ್ಗೆ ಔಷಧ ಪರೀಕ್ಷಾ ಪ್ರಯೋಗಾಲಯದಲ್ಲಿ ಪರೀಕ್ಷಿಸಲಾಗಿದೆ. ಈ ರೋಗಿಗಳಿಗಾಗಿಯೇ ಸಂಬಂಧಪಡೆದ ಆಯುಷ್ ಇಲಾಖೆಯಿಂದ ಖರೀದಿಸಿರುವ ಆಯುಷ್ ಔಷಧಿಗಳು ನಿರ್ದಿಷ್ಟ ಉದ್ದೇಶಕ್ಕೆ ಬಳಕೆಯಾಗದೆ ಈವರೆಗೆ ದಾಸ್ತಾನಲ್ಲಿ ಹಾಗೆಯೇ ಉಳಿದಿರುವುದರ ಬಗ್ಗೆ ಸಂಬಂಧಪಡೆದ ಆಯುಷ್ ಇಲಾಖೆಯ ಯಾವುದೇ ಸಮೀಕ್ಷೆ ನಡೆಸದೆ ಕ್ಲಿನಿಕಲ್ ಟ್ರೈಲ್ ಇಲ್ಲದೆ ಕೇವಲ ಯಾವುದೇ ಸರಬರಾಜು ಸಂಸ್ಥೆಯೊಂದಿಗೆ ಶ್ಯಾಮಿಲಾಗಿ ಆ ಸಂಸ್ಥೆಗೆ ಅನುಕೂಲ ಮಾಡಿಕೊಡುವ ಉದ್ದೇಶದಿಂದ 10 ಕೋಟಿ ಮೌಲ್ಯದ ಔಷಧಿ ಖರೀದಿಸಿರುವ ಸಾರ್ವಜನಿಕ ಹಣವನ್ನು ಪೊಲು ಮಾಡಿರುವ ವಿಚಾರದ ಕುರಿತು.

ಹೇಳಿಕೆ:

ಆಯುಷ್ ಇಲಾಖೆ ವತಿಯಿಂದ HIV ಸೋಂಕಿತರಿಗೆ ನೀಡಲು ಉದ್ದೇಶಿಸಲಾದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳು ಆಯುಷ್ ಪದ್ಧತಿಯಲ್ಲಿ ದಿನನಿತ್ಯದ ಚಿಕಿತ್ಸಾಗಾಗಿ ಉಪಯೋಗಿಸಲಾಗುವ ಔಷಧಿಗಳಾದ ಸಂಶಮನವಟ್ಟಿ, ಅಶ್ವಗಂಧ Tablet, ಚೈವನಪ್ರಾಣಗಳೇ ಆಗಿದ್ದರಿಂದ ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ:ಆಕುಕ 215 ಪಿಐಎಂ 2023 ಬೆಂಗಳೂರು, ದಿನಾಂಕ:11-03-2024 ರಂತೆ ಸರ್ಕಾರಿ ಸ್ವಾಮ್ಯ ಸಂಸ್ಥೆಯಾದ M/s Karnataka Antibiotics & Pharmaceuticals Limited ರವರಿಗೆ 4(ಜಿ) ವಿನಾಯಿತಿ ನೀಡಲಾಗಿದ್ದು, ಸದರಿಯವರಿಂದ ಔಷಧ ಖರೀದಿಸಲಾಗಿರುತ್ತದೆ. ಸರ್ಕಾರದ ಆದೇಶದ ಪ್ರತಿಯನ್ನು ಅನುಬಂಧ - 1 ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.

AIDS ರೋಗಿಗಳಲ್ಲಿ HIV ಸೋಂಕಿನಿಂದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿ ಬಹುಬೇಗ ಕುಂಠಿತಗೊಂಡು ದೌರ್ಬಲ್ಯ ಉಂಟಾಗುತ್ತದೆ. ಆಯುಷ್ ಔಷಧಿಗಳ ಬಳಕೆಯಿಂದ HIV ಸೋಂಕಿತರಿಗೆ ವ್ಯಾಧಿಕ್ಷಮತ್ವ/ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿ ಹೆಚ್ಚಾಗುವುದು. ಆಯುಷ್ ಇಲಾಖೆಯು ನೀಡಲು ಉದ್ದೇಶಿಸಿರುವ ಆಯುಷ್ ಔಷಧಿಗಳು Classical Medicine ಗಳಾಗಿದ್ದು, ಔಷಧಿಗಳ ಪರೀಕ್ಷೆ ಮಾಡಲಾಗಿರುತ್ತದೆ. AIDS ರೋಗಿಗಳಿಗೆ ಔಷಧಗಳನ್ನು ಆಯುಷ್ ವೈದ್ಯರ ಸಮಾಲೋಚನೆಯಿಂದ ನಿಯಮಿತ ಪ್ರಮಾಣ ಮತ್ತು ಅವಧಿಗೆ ನೀಡಿದ್ದಲ್ಲಿ ಯಾವುದೇ ದುಷ್ಪರಿಣಾಮಗಳು ಉಂಟಾಗುವುದಿಲ್ಲ.


HIV ಸೋಂಕಿತರಿಗೆ ನೀಡುವ ಆಯುಷ್ ಔಷಧಿಗಳನ್ನು ಔಷಧ ಪರೀಕ್ಷಾ ಪ್ರಯೋಗಾಲಯದಲ್ಲಿ ಪರೀಕ್ಷಿಸಲಾಗಿದೆ. (ಪ್ರತಿಯನ್ನು ಅನುಬಂಧ - 2 ಲಗತ್ತಿಸಿದೆ).

ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಐಡ್ಸ್ ಪ್ರೆವೆನ್ಷನ್ ಸೊಸೈಟಿ ರವರ ಪತ್ರ ಸಂಖ್ಯೆ:ಕರಾಐ ಪ್ರಿಸೊ/ಸಿ.ಎಸ್.ಟಿ/08/2016-17 ರ ಮನವಿಯ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಆಯುಷ್ ಇಲಾಖಾವತಿಯಿಂದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳು ನೀಡಲು ಉದ್ದೇಶಿಸಲಾಗಿರುತ್ತದೆ.

ದಿನಾಂಕ:15-04-2024 ರಂದು ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ ಹಾಗೂ ದಿನಾಂಕ:20-05-2024 ರಂದು ಆಯುಕ್ತರು, ಆಯುಷ್ ರವರು HOD -CST National AIDS Control Organization, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಮಂತ್ರಾಲಯ, ಭಾರತ ಸರ್ಕಾರ ರವರಿಗೆ ಪತ್ರದ ಮೂಲಕ ಅನುಮತಿ ಕೋರಲಾಗಿದೆ. ಮಾಹಿತಿಯನ್ನು ಅನುಬಂಧ - 3 (a) ಮತ್ತು ಅನುಬಂಧ - 3 (b) ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.

ಆಯುಷ್ ಇಲಾಖೆ ವತಿಯಿಂದ HIV ಸೋಂಕಿತರಿಗೆ ನೀಡಲು ಉದ್ದೇಶಿಸಲಾದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಬಳಸಲು National AIDS Control Organization, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಮಂತ್ರಾಲಯ, ಭಾರತ ಸರ್ಕಾರ ರವರಿಂದ ಅನುಮತಿ ದೊರಕದ ಹಿನ್ನೆಲೆಯಲ್ಲಿ ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ಆಕುಕ 215 ಪಿಐಎಂ, 2023, ಬೆಂಗಳೂರು ದಿನಾಂಕ:12-06-2025 ರ ಅನುಸಾರ ART ಕೇಂದ್ರಗಳಿಗೆ ಸರಬರಾಜಾದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಆಯುಷ್ಯಾನ್ ಆರೋಗ್ಯ ಮಂದಿರ (ಆಯುಷ್), ಆಯುಷ್ ಆಸ್ಪತ್ರೆ/ಚಿಕಿತ್ಸಾಲಯ ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ತಿಬ್ಬಿರಗಳಲ್ಲಿ ಬಳಕೆ ಮಾಡಲು ಹಿಂಪಡೆಯಲಾಗಿರುತ್ತದೆ. ಮಾಹಿತಿಯನ್ನು ಅನುಬಂಧ - 4(a) ಮತ್ತು ಅನುಬಂಧ (b) ರಲ್ಲಿ ಲಗತ್ತಿಸಿದೆ.

ಸಂಖ್ಯೆ: ಆಕುಕ 314 ಪಿಟಿಡಿ 2024


(ದಿನೇಶ್ ಗುಂಡೂರಾವ್)
ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸಚಿವರು

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ನಡವಳಿಕೆಗಳು

ವಿಷಯ: 2023-24ನೇ ಸಾಲಿಗೆ ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ ಮತ್ತು ಚಿಕಿತ್ಸಾಲಯಗಳಿಗೆ ಅವಶ್ಯಕವಿರುವ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಮತ್ತು ಹೋಮಿಯೋಪತಿ ಔಷಧಗಳನ್ನು ಖರೀದಿಸಲು ಕೆ.ಟಿ.ಪಿ.ಪಿ. ನಿಯಮ 4 (ಜಿ) ರನ್ವಯ ವಿನಾಯಿತಿ ನೀಡುವ ಬಗ್ಗೆ.

- ಓದಲಾಗಿದೆ:**
1. ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರ ಪತ್ರ ಸಂಖ್ಯೆ: ಆಯುಷ್ /50/ಸಂಗ್ರಹಣಾ/2023-24, ದಿನಾಂಕ:07.11.2023 ಹಾಗೂ 16.01.2024.
 2. ಆರ್ಥಿಕ ಇಲಾಖೆಯ ಅಧಿಸೂಚನೆ ಸಂಖ್ಯೆ: ಆಇ 111 ವೆಚ್ಚ-12/2024, ದಿನಾಂಕ: 07.03.2024.


ಪ್ರಸ್ತಾವನೆ:-

ಮೇಲೆ ಓದಲಾದ ಉಲ್ಲೇಖಿತ (1)ರ ಪತ್ರದಲ್ಲಿ, ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರು ಆಯುಷ್ ಇಲಾಖೆಯ ಅಧೀನದಲ್ಲಿ ಕಾರ್ಯನಿರ್ವಹಿಸುತ್ತಿರುವ ಸರ್ಕಾರಿ ಕೇಂದ್ರೀಯ ಔಷಧಾಗಾರ, ಜಯನಗರ ಬೆಂಗಳೂರು ಇದು ಔಷಧ ಉತ್ಪಾದನಾ ಸಂಸ್ಥೆಯಾಗಿದ್ದು, ಪ್ರಸ್ತುತ ಇಲಾಖೆಯ ಆಯುಷ್ ಆಸ್ಪತ್ರೆ/ಚಿಕಿತ್ಸಾಲಯಗಳಿಗೆ ಬೇಕಾದ ಪ್ರಮಾಣದಲ್ಲಿ ಔಷಧಗಳನ್ನು ಸರಬರಾಜು ಮಾಡುವ ಸಾಮರ್ಥ್ಯವನ್ನು ಹೊಂದಿರುವುದಿಲ್ಲ. ಮುಂದುವರಿದು, ಪ್ರಸ್ತುತ 2023-24ನೇ ಸಾಲಿಗೆ ಇಲಾಖೆಗೆ ರಾಷ್ಟ್ರೀಯ ಆಯುಷ್ ಅಭಿಯಾನ ಹಾಗೂ ರಾಷ್ಟ್ರೀಯ ಆರೋಗ್ಯ ಅಭಿಯಾನದಡಿ ಆಯುಷ್ ಔಷಧಗಳ ಸಂಗ್ರಹಣೆಗಾಗಿ ಕಳಕಂಡಂತೆ ಅನುದಾನ ನಿಗದಿಯಾಗಿರುತ್ತದೆ ಎಂದು ತಿಳಿಸಿರುತ್ತಾರೆ:-

ಕ್ರ.ಸಂ	ಪದ್ಧತಿ	NAM	NHM
1	ಆಯುರ್ವೇದ	18,81,00,000	3,72,12,000
2	ಯುನಾನಿ	2,01,00,000	11,34,000
3	ಹೋಮಿಯೋಪತಿ	1,94,00,000	23,10,000
4	ಪ್ರಕೃತಿ ಚಿಕಿತ್ಸೆ & ಯೋಗ	40,00,000	42,000
	ಒಟ್ಟು	23,16,00,000	4,29,01,110

ದಿನಾಂಕ:25.10.2023 ರಂದು ಔಷಧಗಳ ಸಂಗ್ರಹಣೆಗೆ ಸಂಬಂಧಿಸಿದಂತೆ ಆಯುಷ್ ನಿರ್ದೇಶನಾಲಯದಲ್ಲಿ ನಡೆದ ತಾಂತ್ರಿಕ ಅಧಿಕಾರಿಗಳ ಸಮಿತಿ ಸಭೆಯಲ್ಲಿ, ಆಯುಷ್ Co-located PHC, 24x7 PHC/CHC/TH/DH ಮತ್ತು ಪಂಚಕರ್ಮ ಘಟಕಗಳಿಗೆ ಅವಶ್ಯವಿರುವ essential ಆಯುಷ್ ಔಷಧಗಳನ್ನು ಸಂಗ್ರಹಿಸಿ ಕೊಡುವಂತೆ ಕೋರಿದ್ದು, ಔಷಧಗಳನ್ನು ಸರಬರಾಜು ಮಾಡುತ್ತಿರುವ ಈ ಕಳಕಂಡ ಸರ್ಕಾರಿ ಔಷಧ ತಯಾರಿಕಾ ಸಂಸ್ಥೆಗಳು 2023-24ನೇ ಸಾಲಿಗೂ ಸಹ ಔಷಧಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಲು ಕೆ.ಟಿ.ಪಿ.ಪಿ. 4(ಜಿ)ರನ್ವಯ ವಿನಾಯಿತಿ ನೀಡಬೇಕೆಂದು ಮನವಿ ಸಲ್ಲಿಸಿ ಅವುಗಳ ದರಪಟ್ಟಿಯನ್ನು ಸಲ್ಲಿಸಿರುವ ಬಗ್ಗೆ, ಚರ್ಚಿಸಲಾಯಿತು ಎಂದು ಆಯುಕ್ತರು ಆಯುಷ್ ಇಲಾಖೆ ಇವರು ತಿಳಿಸಿರುತ್ತಾರೆ:-

ಕ್ರ.ಸಂ	ಕಂಪನಿಗಳ ಹೆಸರು
1	M/s Karnataka Antibiotics & Pharmaceuticals Limited
2	M/s Indian medicine Pharmaceutical Corporation Limited
3	M/s The Pharmaceutical Corporation (IM) Kerala limited (Oushadhi)
4	M/s HLL Lifecare Limited
5	M/s. The Kerala State Homoeopathic Co-operative Pharmacy Ltd., (Homco),



...2

ಮುಂದುವರೆದು, ಉಪ ಔಷಧ ನಿಯಂತ್ರಕರು, ಔಷಧ ಪರವಾನಗಿ ಪ್ರಾಧಿಕಾರ, ಆಯುಷ್ ಇಲಾಖೆ; ಕಾರ್ಯಕ್ರಮ ಅಧಿಕಾರಿಗಳು, ರಾಷ್ಟ್ರೀಯ ಆರೋಗ್ಯ ಅಭಿಯಾನ, ಆಯುಷ್ ಇಲಾಖೆ ಹಾಗೂ ಉಪ ಮುಖ್ಯ ಭಾರ್ಮಸಿ ಅಧಿಕಾರಿಗಳು, KSMSC, ಬೆಂಗಳೂರು ಈ ಮೂವರನ್ನೊಳಗೊಂಡ ತಂಡವು ಮೇಲ್ಕಂಡ ಸಂಸ್ಥೆಗಳಿಗೆ ಭೇಟಿ ನೀಡಿ ಮಾಸಿಕವಾರು ತಯಾರಿಕಾ ಸಾಮರ್ಥ್ಯ ಹಾಗೂ ಔಷಧ ಗುಣಮಟ್ಟ (Medicine Quality)ಯ ಬಗ್ಗೆ ಪರಿವೀಕ್ಷಣೆ ನಡೆಸಿ ಸಲ್ಲಿಸಿದ ವರದಿಯನ್ನು ಪರಿಶೀಲಿಸಿ, ಆ ಪೈಕಿ M/s HLL Lifecare Limited ಸಂಸ್ಥೆಯು ಹಲವಾರು ಅಗತ್ಯತೆಗಳನ್ನು ಪೂರೈಸುವಲ್ಲಿ ವಿಫಲವಾಗಿರುವುದರಿಂದ "Cannot be considered" ಎಂಬುದನ್ನು ಅವಗಾಹಿಸಿ ಸದರಿ ಸಂಸ್ಥೆಯನ್ನು ಹೊರತುಪಡಿಸಿ ಉಳಿದ 04 ಸಂಸ್ಥೆಗಳ ಬಗ್ಗೆ ಸರ್ಕಾರಕ್ಕೆ ಶಿಫಾರಸ್ಸು ಮಾಡಲು ನಿರ್ದೇಶಿಸಲಾಯಿತು ಎಂದು ಪರಿವೀಕ್ಷಣಾ ವರದಿ, ಕೇಂದ್ರ ಸರ್ಕಾರ ನಿಗದಿಪಡಿಸಿರುವ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಹಾಗೂ ಹೋಮಿಯೋಪತಿ ಪದ್ಧತಿಗಳ ಔಷಧಿಗಳ ಪಟ್ಟಿ, ಆಯುಷ್ ಆಸ್ಪತ್ರೆಗಳು ಮತ್ತು ಚಿಕಿತ್ಸಾಲಯಗಳ ಸ್ಥಳೀಯ ಬೇಡಿಕೆಗನುಸಾರ ಅವಶ್ಯಕವಾದ ಔಷಧಿಗಳ ಪ್ರಮಾಣ ಹಾಗೂ ಸಂಬಂಧಿಸಿದ ದಾಖಲೆಗಳೊಂದಿಗೆ ಪ್ರಸ್ತಾವನೆ ಸಲ್ಲಿಸಿರುತ್ತಾರೆ.

ತದನಂತರ ಆಯುಕ್ತರು ಆಯುಷ್ ಇಲಾಖೆ, ಇವರು ಮೇಲೆ ಓದಲಾದ (1) ರ ದಿನಾಂಕ 16.01.2024 ರ ಪತ್ರದಲ್ಲಿ M/s HLL Lifecare Limited ಸಂಸ್ಥೆಯವರು ಸಲ್ಲಿಸಿರುವ ಅಗತ್ಯ ದಾಖಲೆಗಳೊಂದಿಗೆ ಪ್ರಸ್ತಾವನೆ ಸಲ್ಲಿಸುತ್ತಾ, ಸದರಿ ಸಂಸ್ಥೆಗೆ 2021-22 ಮತ್ತು 2022-23 ನೇ ಸಾಲಿನಲ್ಲಿ ಆಯುಷ್ ಔಷಧಿಗಳನ್ನು ಸಂಗ್ರಹಿಸಿಕೊಳ್ಳಲು ಕೆ.ಟಿ.ಪಿ.ಪಿ. ಕಾಯ್ದೆಯ 4(ಜಿ) ರಡಿ ಆದೇಶ ನೀಡಿದ್ದು, ಸದರಿ ಸಂಸ್ಥೆಯು ನಿಗದಿತ ಕಾಲಾವಧಿಯಲ್ಲಿ ಔಷಧಿಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಿರುತ್ತಾರೆ ಎಂದು ಶಿಫಾರಸ್ಸು ಮಾಡುತ್ತಾ, ಈ ಕೆಳಕಂಡ ಸಂಸ್ಥೆಗಳಿಂದ ನೇರವಾಗಿ ಒಟ್ಟು ರೂ. 38.20 ಕೋಟಿ ಮೊತ್ತದಲ್ಲಿ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಹಾಗೂ ಹೋಮಿಯೋಪತಿ ಔಷಧಿಗಳನ್ನು ಖರೀದಿಸಲು ಕೆ.ಟಿ.ಪಿ.ಪಿ 4(ಜಿ)ರನ್ವಯ ವಿನಾಯಿತಿ ನೀಡುವಂತೆ ಕೋರಿರುತ್ತಾರೆ.

ಕ್ರ.ಸಂ.	ಸಂಸ್ಥೆಗಳ ಹೆಸರು	(ರೂ. ಕೋಟಿಗಳಲ್ಲಿ)			
		ಆಯುರ್ವೇದ	ಯುನಾನಿ	ಹೋಮಿಯೋಪತಿ	ಒಟ್ಟು
1	M/s KPAL	Ayurveda 4.00 HIV IMMUNITY BOOSTER 10.00			14.00
2	M/s IMPCL	4.00	2.35		6.35
3	M/s Oushadhi	2.00			2.00
4	M/s HLL	13.50			13.50
5	M/s HOMCO	-		2.35	2.35
	Total	33.50	2.35	2.35	38.20

ಮೇಲೆ ಓದಲಾದ ಉಲ್ಲೇಖಿತ (2)ರ ಅಧಿಸೂಚನೆಯಲ್ಲಿ, 2023-24ನೇ ಸಾಲಿಗೆ ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ ಮತ್ತು ಚಿಕಿತ್ಸಾಲಯಗಳಿಗೆ ಅವಶ್ಯವಿರುವ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಮತ್ತು ಹೋಮಿಯೋಪತಿ ಔಷಧಿಗಳನ್ನು ಈ ಕೆಳಗಿನ ತಃಖ್ತೆಯಲ್ಲಿ ತಿಳಿಸಿರುವಂತೆ ಒಟ್ಟಾರೆ ರೂ.38.20 ಕೋಟಿಗಳ ವೆಚ್ಚದಲ್ಲಿ ನೇರವಾಗಿ ಸಂಗ್ರಹಣೆ ಮಾಡಿಕೊಳ್ಳಲು ಕರ್ನಾಟಕ ಸಾರ್ವಜನಿಕ ಸಂಗ್ರಹಣೆಗಳಲ್ಲಿ ಪಾರದರ್ಶಕತೆ ಅಧಿನಿಯಮ -1999ರ ಕಲಂ 4(ಜಿ) ರಡಿ ಪ್ರದತ್ತವಾದ ಅಧಿಕಾರ ಜಾಲಾಯಿಸಿ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆಗೆ ಪಾರದರ್ಶಕತೆ ಕಾಯ್ದೆಯಿಂದ ವಿನಾಯಿತಿ ನೀಡಿ ಆದೇಶಿಸಲಾಗಿದೆ:-

ಕ್ರ.ಸಂ.	ಸಂಸ್ಥೆಗಳ ಹೆಸರು	(ರೂ. ಕೋಟಿಗಳಲ್ಲಿ)			
		ಆಯುರ್ವೇದ	ಯುನಾನಿ	ಹೋಮಿಯೋಪತಿ	ಒಟ್ಟು
1	M/s KPAL	Ayurveda 4.00 HIV IMMUNITY BOOSTER 10.00			14.00
2	M/s IMPCL	4.00	2.35		6.35
3	M/s Oushadhi	2.00			2.00
4	M/s HLL	13.50			13.50
5	M/s HOMCO	-		2.35	2.35
	Total	33.50	2.35	2.35	38.20

...3

ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರ ಪ್ರಸ್ತಾವನೆ ಹಾಗೂ ಲಭ್ಯವಿರುವ ದಾಖಲೆಗಳನ್ನು ಕೂಲಂಕಷವಾಗಿ ಪರಿಶೀಲಿಸಿದ ಸರ್ಕಾರವು 2023-24ನೇ ಸಾಲಿಗೆ ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ ಮತ್ತು ಚಿಕಿತ್ಸಾಲಯಗಳಿಗೆ ಅವಶ್ಯಕವಿರುವ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಮತ್ತು ಹೋಮಿಯೋಪತಿ ಔಷಧಿಗಳನ್ನು ಸರ್ಕಾರಿ ಸಂಸ್ಥೆಗಳಿಂದ ನೇರವಾಗಿ ಸಂಗ್ರಹಿಸಿಕೊಳ್ಳಲು ಕೆಟಿಪಿಪಿ ನಿಯಮ 4(ಜಿ) ರಡಿ ವಿನಾಯಿತಿ ನೀಡಿ ಮುಂಬರುವ ಸಾಲುಗಳಿಂದ ಕಡ್ಡಾಯವಾಗಿ ಪ್ರಸ್ತಾವಿತ ಔಷಧಿಗಳನ್ನು ಮುಂಚಿತವಾಗಿಯೇ ಕೆಟಿಪಿಪಿ ಕಾಯ್ದೆ ಮತ್ತು ನಿಯಮಗಳನ್ವಯ ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆ ಮೂಲಕವೇ ಸಂಗ್ರಹಣೆ ಮಾಡಿಕೊಳ್ಳುವಂತೆ ಸೂಚಿಸಿ, ಯಾವುದೇ ಕಾರಣಕ್ಕೂ ಕೆಟಿಪಿಪಿ ಕಾಯ್ದೆಯ ಕಲಂ 4(ಜಿ) ರಡಿ ವಿನಾಯಿತಿ ಕೋರಿ ಪ್ರಸ್ತಾವನೆ ಸಲ್ಲಿಸತಕ್ಕದ್ದಲ್ಲ ಎಂಬ ಷರತ್ತಿಗೊಳಪಟ್ಟು ಅನುಮತಿ ನೀಡಲು ನಿರ್ಧರಿಸಿದೆ. ಅದರಂತೆ ಈ ಕೆಳಕಂಡ ಆದೇಶ.

ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ:ಆಕುಕ 215 ಪಿಐಎಂ 2023.

ಬೆಂಗಳೂರು, ದಿನಾಂಕ: 11.03.2024.

ಪ್ರಸ್ತಾವನೆಯಲ್ಲಿ ವಿವರಿಸಿರುವ ಅಂಶಗಳ ಹಿನ್ನೆಲೆಯಲ್ಲಿ 2023-24ನೇ ಸಾಲಿಗೆ ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ ಮತ್ತು ಚಿಕಿತ್ಸಾಲಯಗಳಿಗೆ ಅವಶ್ಯಕವಿರುವ ಆಯುರ್ವೇದ, ಯುನಾನಿ ಮತ್ತು ಹೋಮಿಯೋಪತಿ ಔಷಧಿಗಳನ್ನು ಕೆಟಿಪಿಪಿ ನಿಯಮ 4(ಜಿ) ರಡಿ ಪ್ರದತ್ತವಾದ ಅಧಿಕಾರ ಚಲಾಯಿಸಿ ಪಾರದರ್ಶಕತೆ ಕಾಯ್ದೆಯಿಂದ ವಿನಾಯಿತಿ ನೀಡಿ ಈ ಕೆಳಕಂಡ ಸಂಸ್ಥೆಗಳಿಂದ ನೇರವಾಗಿ ಸಂಗ್ರಹಿಸಿಕೊಳ್ಳಲು ಅನುಮತಿ ನೀಡಿ ಆದೇಶಿಸಿದೆ:-


ಕ್ರ.ಸಂ.	ಸಂಸ್ಥೆಗಳ ಹೆಸರು	(ರೂ. ಕೋಟಿಗಳಲ್ಲಿ)			
		ಆಯುರ್ವೇದ	ಯುನಾನಿ	ಹೋಮಿಯೋಪತಿ	ಒಟ್ಟು
1	M/s KPAL	Ayurveda 4.00 HIV IMMUNITY BOOSTER 10.00			14.00
2	M/s IMPCL	4.00	2.35		6.35
3	M/s Oushadhi	2.00			2.00
4	M/s HLL	13.50			13.50
5	M/s HOMCO	-		2.35	2.35
	Total	33.50	2.35	2.35	38.20

ಔಷಧಿಗಳ ಖರೀದಿ ಷರತ್ತುಗಳು:

- ಮುಂಬರುವ ಸಾಲುಗಳಿಂದ ಕಡ್ಡಾಯವಾಗಿ ಪ್ರಸ್ತಾವಿತ ಔಷಧಿಗಳನ್ನು ಮುಂಚಿತವಾಗಿಯೇ ಕೆಟಿಪಿಪಿ ಕಾಯ್ದೆ ಮತ್ತು ನಿಯಮಗಳನ್ವಯ ಟೆಂಡರ್ ಪ್ರಕ್ರಿಯೆ ಮೂಲಕವೇ ಸಂಗ್ರಹಣೆ ಮಾಡಿಕೊಳ್ಳುವಂತೆ ಸೂಚಿಸಿದೆ. ಯಾವುದೇ ಕಾರಣಕ್ಕೂ ಕೆಟಿಪಿಪಿ ಕಾಯ್ದೆಯ ಕಲಂ 4(ಜಿ) ರಡಿ ವಿನಾಯಿತಿ ಕೋರಿ ಪ್ರಸ್ತಾವನೆ ಸಲ್ಲಿಸತಕ್ಕದ್ದಲ್ಲ.
- ಉತ್ತಮ ಗುಣಮಟ್ಟದ ಸೇವೆಯನ್ನು ಸಮಂಜಸ ದರದಲ್ಲಿ ಪಡೆಯುವುದನ್ನು ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರು ದೃಢಪಡಿಸಿಕೊಳ್ಳುವುದು.

ಈ ಆದೇಶವನ್ನು ಆರ್ಥಿಕ ಇಲಾಖೆಯ ಟಿಪ್ಪಣಿ ಸಂಖ್ಯೆ: ಆಇ 111 ವೆಚ್ಚ-12/2024, ದಿನಾಂಕ: 07.03.2024 ರಲ್ಲಿ ನೀಡಿರುವ ಸಹಮತಿಯನ್ವಯ ಹೊರಡಿಸಿದೆ.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆದೇಶಾನುಸಾರ
ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ,


(ಶ್ರೀಮತಿ. ವಿ.ಕೆ.)

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ,
ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ
(ಭಾ.ವೈ.ಪ ಮತ್ತು ಸಮನ್ವಯ)

ಇವರಿಗೆ:

- ಪ್ರಧಾನ ಮಹಾಲೇಖಪಾಲರು(ಜಿ & ಎಸ್.ಎಸ್.ಎ) ಮತ್ತು (ಇ & ಆರ್.ಎಸ್.ಎ). ಕರ್ನಾಟಕ, ಹೊಸಕಟ್ಟಡ, ಆಡಿಟ್ ಭವನ, ಅಂಚೆಪೆಟ್ಟಿಗೆ ಸಂಖ್ಯೆ:5398, ಬೆಂಗಳೂರು- 560001.

.....4

- 2) ಪ್ರಧಾನ ಮಹಾಲೇಖಪಾಲರು(ಎ & ಇ), ಕರ್ನಾಟಕ, ಪಾರ್ಕ್ ಹೌಸ್ ರಸ್ತೆ, ಅಂಚೆಪೆಟ್ಟಿಗೆ ಸಂಖ್ಯೆ:5329, ಬೆಂಗಳೂರು- 560001.
- 3) ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ, ಧನ್ವಂತರಿ ರಸ್ತೆ, ಬೆಂಗಳೂರು-09
- 4) ಸಂಬಂಧಪಟ್ಟ ಉತ್ಪಾದನಾ ಸಂಸ್ಥೆಗಳು (ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರ ಮುಖಾಂತರ)
- 5) ನಿರ್ದೇಶಕರು, ರಾಜ್ಯ ಹುಜೂರ್ ಖಜಾನೆ, ನೃಪತುಂಗ ರಸ್ತೆ, ಬೆಂಗಳೂರು.
- 6) ಉಪ ನಿರ್ದೇಶಕರು, ಟಿ.ಎನ್.ಎಂ.ಸಿ., ಖನಿಜ ಭವನ, ಬೆಂಗಳೂರು.
- 7) ಶಾಖಾ ರಕ್ಷಾ ಕಡತ / ಹೆಚ್ಚುವರಿ ಪತ್ರಿಕೆಗಳು.

ಪ್ರತಿ:

- 1) ಮಾನ್ಯ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಸಚಿವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿ, ವಿಕಾಸಸೌಧ, ಬೆಂಗಳೂರು
- 2) ಸರ್ಕಾರದ ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಇವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿಯವರು.
- 3) ಸರ್ಕಾರದ ಜಂಟಿ ಕಾರ್ಯದರ್ಶಿ-3, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಇವರ ಆಪ್ತ ಸಹಾಯಕರು.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/36	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Chayvanprash Avleh	Report No.	: qcl/05/7323-MA
Supplied By	: K.A. & P Ltd.	Received On.	: 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/36	Batch Size	: 35000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample	: Ashwagandha Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/14
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7325-MH
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our specific permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by suchalkumar HEW-IND-ASST(SM) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Works at- 134-135, Sector-A, Industrial Area, Mundideop	Report No.	: qcl/05/7324-MH
Mfg By	: Samsmani Vati	Received On:	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0766 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No. :	qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/36	Batch Size :	35000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ⁷ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashiwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep
Mfg By	: Ashwagandha Vati
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: K.A. & P Ltd.
Mfg. Date	: KAS/14
Date of Report	: 04/2024
	: 28/05/24
Report No.	: qcl/05/7325-MH
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	165	10 ³ /g
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by susheelkumar HEW-IMD-ASST(SM.I) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsinani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters


S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	13.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep	Report No. :	qcl/05/7324-MH
Mfg By	Samsmani Vati	Received On.:	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No. :	NM
Batch No.	KAS/16	Batch Size :	3000 Kg
Mfg. Date	04/2024	Expiry Date :	03/2027
Date of Report	28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the Invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total Liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of non-perishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Mfg By	: Chayvanprash Avleh	Report No.	: qcl/05/7323-MA
Supplied By	: K.A. & P Ltd.	Received On.	: 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/36	Batch Size	: 35000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ⁶ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coll in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total Liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samstani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result stated refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep	Report No.	qcl/05/7324-MH
Mfg By	Samsmani Vati	Received On:	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/16	Batch Size	3000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁶ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonportable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -- II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Ayleh	Report No. :	qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/36	Batch Size :	35000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	115	10 ⁵ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coll in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No: - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	: K.A.& P Ltd.	Received On. :	27/05/24
Supplied By	: K.A.& P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

- Total liability of this Laboratory is limited to the invoice amount, Sample not drawn by us.
- The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
- Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our explicit prior written permission.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
Sample	: Samsmani Vati	Report No. : qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/16	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.6611	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result stated refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mundideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On:	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep
Mfg By	: Samsmani Vati
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: K.A. & P Ltd.
Mfg. Date	: KAS/16
Date of Report	: 04/2024
	: 28/05/24
Report No.	: qcl/05/7324-MH
Received On:	: 27/05/24
Mfg Lic No.:	: 25D/13/289
Ref. No.:	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.:	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ¹ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No: - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Mfg By	: Ashwagandha Vat	Report No. : qcl/05/7325-MH
Supplied By	: K.A. & P Ltd.	Received On. : 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No. : 2SD/13/289
Batch No.	: K.A. & P Ltd.	Ref. No. : NM
Mfg. Date	: KAS/14	Batch Size : 3000 Kg
Date of Report	: 04/2024	Expiry Date : 03/2027
	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ² /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertisement or for any other purpose without the written permission of the Laboratory.

le No. AYUSH/175/NAM/2023-NAM DIRECTORATE AYUSH (Computer No. 1874212)

generated from eOffice by subhashkumar HEW-IND-ASST(CM) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0766 - 4222448, 2410009
E-mail : qcqlab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ⁶ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ⁴ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume
-II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Ayleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2


RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Bthyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume-II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of the laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in each of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vat	Report No.	: qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ² /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.113	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Supplied By	: K.A. & P Ltd.	Received On.	: 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/36	Batch Size	: 35000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-36, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab36@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No. :	qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/36	Batch Size :	35000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ⁷ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.		Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7341
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/37	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/06/7341-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/37	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfug	108	10 ⁵ /g
3.	Yeasts And Mould Count Cfug	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by suchakumar NEW-IMP ASST (GAIL) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222445, 2410009
E-mail : qcslab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vat	Report No. :	qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount, Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our explicit permission for writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by: sushalkumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.42	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.6611	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector--A, Industrial Area, Mandideep	
Sample	: Samsmani Vati	Report No. : qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/16	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coll in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per 'The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume - II first Edition. Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/06/7341-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/37	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	108	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.


File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by: susheela.kumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE OFFICER



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avlehi Report No. : qcl/06/7341
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/37 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qcslab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ² /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount, Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our specific permission.

File No. AYUSH/175/NAM/2023-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Printed from Office by subashkumar HEW-IND-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samstmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.42	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	13.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Supplied By	: K.A. & P Ltd.	Received On.:	27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No. :	NM
Mfg. Date	: KAS/16	Batch Size :	3000 Kg
Date of Report	: 04/2024	Expiry Date :	03/2027
	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.5 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition , Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7341-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/37	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	108	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by: subashkumar, NEW IMP. ASST (GM), ASSISTANT HEALTH AND FAMILY WELFARE OFFICER, 12/06/2025 12:12 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7341
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/37	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Ashwagandha Vati	Report No.	qcl/05/7325-MH
Mfg By	K.A. & P Ltd.	Received On.	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	2SD/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/14	Batch Size	3000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our prior written consent.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at-	134-135, Sector -A, Industrial Area, Mandideep
Sample	: Samstmani Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/16
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7324
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	13.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned. B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the Invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Reinforcement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/06/7341-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/37	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	108	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7341
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/37	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Ashwagandha Vati	Report No.	qcl/05/7325
Mfg By	K.A. & P Ltd.	Received On.	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/14	Batch Size	3000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No: - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No. :	NM
Batch No.	KAS/14	Batch Size :	3000 Kg
Mfg. Date	04/2024	Expiry Date :	03/2027
Date of Report	28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yenstis And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertisement.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	12.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mundheop
Mfg By	: Samsmani Vati
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: K.A. & P Ltd.
Mfg. Date	: KAS/16
Date of Report	: 04/2024
	: 28/05/24
Report No.	: qcl/05/7324-MH
Received On:	: 27/05/24
Mfg Lic No.:	: 25D/13/289
Ref. No.:	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁷ /g
2.	Yeast And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.5 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoein of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qcslab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleth	Report No.	qcl/05/7323-MA
Mfg By	K.A. & P Ltd.	Received On.	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/36	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfug	115	10 ³ /g
3.	Yeasts And Mould Count Cfug	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume-II first Edition, Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vat	Report No. :	qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our express permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Samsinani Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/16
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7324
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	15.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.6611	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.40	5.0-8.5

Note :- Parameters I to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per 'The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleli	Report No.	qcl/05/7323-MA
Mfg By	K.A. & P Ltd.	Received On.	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/36	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Ashwagandha Vati	Report No. : qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/14	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	165	10 ⁷ /g
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our specific permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by eusheelkumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample	: Samsmani Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/16
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7324
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector - A, Industrial Area, Mundhalep		
Sample	: Samsani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Ayleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/05/7323-MA
Mfg By	K.A. & P Ltd.	Received On.	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/36	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	28/05/24	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total Liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in each of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vat	Report No.	: qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertisement media without permission of the Laboratory.

File No. AYUSH/175/NAM/2023-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from e-Office by suchankumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of non-perishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222446, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mundldeep		
Mfg By	: Samsmani Vati	Report No.	: qcl/05/7324-MH
Supplied By	: K.A.& P Ltd.	Received On:	: 27/05/24
Submitted By	: K.A.& P Ltd.	Mfg Lic No. :	: 25D/13/289
Batch No.	: KAS/16	Ref. No. :	: NM
Mfg. Date	: 04/2024	Batch Size :	: 3000 Kg
Date of Report	: 28/05/24	Expiry Date :	: 03/2027
		Sample Qty. :	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁶ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.5 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7342
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/38 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7342-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/38	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by T.L.C	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	128	10 ³ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Ashwagandha Vat	Report No. : qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/14	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit


Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertisement media without the written permission of the Director, AYUSH (Computer No. 1874212)

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



ab35@gmail.com		Ayush License No. :- 48/1/2005	
Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Works at- 134-135, Sector--A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qc/05/7324
Mfg By	: K.A.& P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A.& P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

Scanned from eOffice by aishachellam - HPB&I BRD AGCT(C&I) AGCISTANT HEALTH AND FAMILY WELFARE SEC - 42/100/2005/42/42/BR

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector-A, Industrial Area, Mundkooop
Mfg By	: Samsam Vati
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: K.A. & P Ltd.
Mfg. Date	: KAS/16
Date of Report	: 04/2024
	: 28/05/24
	Report No. : qcl/05/7324-MH
	Received On: 27/05/24
	Mfg Lic No. : 25D/13/289
	Ref. No. : NM
	Batch Size : 3000 Kg
	Expiry Date : 03/2027
	Sample Qty. : 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁶ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned. B.L.Q. = Below Limit of Quantification. Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7342
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/38	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleli	Report No.	qcl/06/7342-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/38	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	128	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0766 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Mfg By	: Ashwagandha Vati	Report No. : qcl/05/7325-MH
Supplied By	: K.A. & P Ltd.	Received On. : 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No. : NM
Mfg. Date	: KAS/14	Batch Size : 3000 Kg
Date of Report	: 04/2024	Expiry Date : 03/2027
	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ² /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any other way.

File No. AYUSH/175/2024-25 NAM DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by susheekumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector - A, Industrial Area, Mandideep		
Sample	: Samstmanj Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	12.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only).
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The results listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7342
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/38	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4224448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/06/7342-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/38	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	128	10 ⁵ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/14	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbini Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any other way.

File No. AYUSH/119/2024-NM-DIRECTORATE OF AYUSH (Computer No. 18/4212)

Generated from Office by Subodh Kumar, HEW-IND-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector--A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result stated refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005		
Sample	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned. B.L.Q. = Below Limit of Quantification. Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7342
Mfg By	: K.A.& P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A.& P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No. : NM
Batch No.	: KAS/38	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7342-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/38	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	128	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qcleb35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount, Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in each of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Ashwagandha Vati	Report No. :	qcl/05/7325-MH
Mfg By	K.A. & P Ltd.	Received On. :	27/05/24
Supplied By	K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No. :	NM
Batch No.	KAS/14	Batch Size :	3000 Kg
Mfg. Date	04/2024	Expiry Date :	03/2027
Date of Report	28/05/24	Sample Qty. :	30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	$10^3/g$
2.	Yeasts And Mould Count Cfu/g	Less Than 10^2 cfu/gm	$10^3/g$
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount, Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertisement or publicity without the written permission of the Director of AYUSH (Computer No. 1874212)

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	12.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mundideep		
Mfg By	Samsmani Yati	Report No.	: qcl/05/7324-MH
Supplied By	K.A. & P Ltd.	Received On:	27/05/24
Submitted By	K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	KAS/16	Batch Size	: 3000 Kg
Date of Report	04/2024	Expiry Date	: 03/2027
	28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁶ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per 'The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Samsmani Vati	Report No.	: qcl/06/7345-MH
Supplied By	: K.A. & P Ltd.	Received On	: 05/06/2024
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: KAS/17	Ref. No.	: NM
Mfg. Date	: 04/2024	Batch Size	: 3000 Kg
Date of Report	: 06/06/2024	Expiry Date	: 03/2027
		Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	280	$10^3/g$
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	$10^3/g$
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced without the permission of the Controller of Publications, Govt of India.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep
Mfg By	: Samsmani Vati
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: K.A. & P Ltd.
Mfg. Date	: KAS/17
Date of Report	: 04/2024
	: 06/06/2024
Report No.	: qcl/06/7345
Received On.	: 05/06/2024
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	274	Not less than Label claim
3.	Hardness kg/cm ²	4.90	3-6 kg/cm ²
4.	Friability % (w/w)	0.72	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	19.029	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.58	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.991	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.65	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.45	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our explicit written permission.

File No. AYUSH/175/NAM/2023-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by sushilkumar HEW-IND-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India
An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	188	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. -3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Ashwagandha Vati	Report No.	: qcl/06/7346
Supplied By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/15	Batch Size	: 3000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 06/06/2024	Sample Qty.	: 30 Tab x 3


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7343-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/39	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol : Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	110	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7343
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/39 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.270	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.402	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.156	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.84	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	65.326	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.12	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Samsmani Vati	Report No. : qcl/06/7345-MH
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/17	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	280	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is valid only for the purpose of quality control and should not be used in any advertising media without our special permission in writing.
5. This report is valid only for the purpose of quality control and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample	: Samsmani Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/17
Mfg. Date	: 04/2024
Date of Report	: 06/06/2024
Report No.	: qcl/06/7345
Received On.	: 05/06/2024
Mfg Lic No.	: 2SD/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	274	Not less than Label claim
3.	Hardness kg/cm ²	4.90	3-6 kg/cm ²
4.	Friability % (w/w)	0.72	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	19.029	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.58	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.991	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.65	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.45	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission.

File No. AYUSH/175/NAM/2025-NAM DIRECTOR AYUSH (Computer No. 1874212)

Reported from OFFICE by Subodh Kumar, HEW-IND-ASST(SM), ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	188	10 ⁵ /g
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105 ^o c	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7343-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/39	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol : Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfug	110	10 ⁵ /g
3.	Yeasts And Mould Count Cfug	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the Invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (except of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7343
Mfg By : K.A.& P Ltd. Received On. : 05/06/2024
Supplied By : K.A.& P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A.& P Ltd. Ref. No. : NM
Batch No. : KAS/39 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.270	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.402	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.156	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.84	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	65.326	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.12	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No. :	qcl/06/7345-MH
Mfg By	: K.A.& P Ltd.	Received On. :	05/06/2024
Supplied By	: K.A.& P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No. :	NM
Batch No.	: KAS/17	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 06/06/2024	Sample Qty. :	60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	280	$10^3/g$
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	$10^3/g$
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. Any report is valid only for the purpose for which it is issued and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/06/7345
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/17	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	274	Not less than Label claim
3.	Hardness kg/cm ²	4.90	3-6 kg/cm ²
4.	Friability % (w/w)	0.72	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	19.029	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.58	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.991	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.65	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.45	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our explicit written permission.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE AYUSH (Computer No. 1874212)

Reported from : Office of the undersigned, NEW-IND-ASST(SM), ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No. :	qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On. :	05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/15	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 06/06/2024	Sample Qty. :	30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfug	188	$10^5/g$
2.	Yeasts And Mould Count Cfug	Less Than 10 cfu/gm	$10^2/g$
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Ashwagandha Vati	Report No.	: qcl/06/7346
Supplied By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/15	Batch Size	: 3000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 06/06/2024	Sample Qty.	: 30 Tab x 3


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 422448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7343-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/39	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol : Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	110	10 ⁵ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7343
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/39 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.270	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.402	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.156	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.84	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	65.326	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.12	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

A Complete and Dependable Testing Place

**A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : gclab35@gmail.com**



**A DIVISION OF "QUALITY"
GROUP OF LABORATORY**

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Samsmani Vati	Report No. : qcl/06/7345-MH
Mfg By	: K.A.& P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A.& P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No. : NM
Batch No.	: KAS/17	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	280	10^3 /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10^1 /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L.= Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part –II (Formulation) Volume –II first Edition . Publisher – The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from the publisher. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from the publisher. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without prior written permission from the publisher.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	188	10^3 /g
2.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10^3 /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Ashwagandha Vati	Report No.	: qcl/06/7346
Supplied By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/15	Batch Size	: 3000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7343-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/39	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters


S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol : Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	110	10 ⁶ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7343
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/39 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.270	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.402	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.156	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.84	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	65.326	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.12	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/06/7345
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/17	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 60 Tab x 3


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	274	Not less than Label claim
3.	Hardness kg/cm ²	4.90	3-6 kg/cm ²
4.	Friability % (w/w)	0.72	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	19.029	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.58	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.991	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.65	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.45	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our prior written permission.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gata No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfug	188	10 ⁵ /g
2.	Yeasts And Mould Count Cfug	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Ashwagandha Vati	Report No.	: qcl/06/7346
Supplied By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No.	: NM
Mfg. Date	: KAS/15	Batch Size	: 3000 Kg
Date of Report	: 04/2024	Expiry Date	: 03/2027
	: 06/06/2024	Sample Qty.	: 30 Tab x 3


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total Liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7342-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/38	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	128	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7342
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/38	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avieh	Report No.	: qcl/06/7343-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/39	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters


S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol : Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	110	10 ⁵ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (In case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7343
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/39	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2


RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.270	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.402	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.156	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.84	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	65.326	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.12	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample	: Samsmani Vati
Mfg By	: K.A.& P Ltd.
Supplied By	: K.A.& P Ltd.
Submitted By	: K.A.& P Ltd.
Batch No.	: KAS/17
Mfg. Date	: 04/2024
Date of Report	: 06/06/2024
Report No.	: qcl/06/7345-MH
Received On.	: 05/06/2024
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	280	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ⁷ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced without the written permission of the Controller of Publications, Govt of India.
5. This report is not to be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep
Mfg By	: Samsmani Vati
Supplied By	: K.A.& P Ltd.
Submitted By	: K.A.& P Ltd.
Batch No.	: KAS/17
Mfg. Date	: 04/2024
Date of Report	: 06/06/2024
Report No.	: qcl/06/7345
Received On.	: 05/06/2024
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 60 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	274	Not less than Label claim
3.	Hardness kg/cm ²	4.90	3-6 kg/cm ²
4.	Friability % (w/w)	0.72	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	19.029	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.58	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.991	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.65	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.45	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our explicit permission.

File No. AYUSH/175/NAM/2025-NAM DIRECTOR GENERAL AYUSH (Computer No. 1874212)

Generated from eOffice by sushalkumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Mfg By	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Supplied By	: K.A. & P Ltd.	Received On.:	27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No. :	NM
Mfg. Date	: KAS/16	Batch Size :	3000 Kg
Date of Report	: 04/2024	Expiry Date :	03/2027
	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁶ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector--A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A.& P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A.& P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6


RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.92	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	13.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person in Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/06/7346-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/15	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	188	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector -A, Industrial Area, Mandideep	Report No.	qcl/06/7346
Mfg By	Ashwagandha Vati	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/15	Batch Size	3000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	30 Tab x 3

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	528	Not less than Label claim
3.	Hardness kg/cm ²	8.18	5-9 kg/cm ²
4.	Friability % (w/w)	0.46	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	5.620	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.604	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.30	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	17.655	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.528	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.50	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample	: Ashwagandha Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/14
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7325-MH
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ⁵ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/75/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 4212)
Reported from: OFFICE IN CHARGE, AYUSH, IND. ACCT (MID), ASSISTANT, HEALTH AND FAMILY WELFARE, CEO, 42/02/2025 12:12 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Sample	: Chayvanprash Ayleh	Report No.	: qcl/06/7342-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/38	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	128	10 ⁷ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ⁷ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0765 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Ayleh	Report No. : qcl/06/7342
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/38	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	Works at- 134-135, Sector-A, Industrial Area, Mandideep		
Mfg By	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Supplied By	: K.A. & P Ltd.	Received On.:	27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Batch No.	: K.A. & P Ltd.	Ref. No. :	NM
Mfg. Date	: KAS/16	Batch Size :	3000 Kg
Date of Report	: 04/2024	Expiry Date :	03/2027
	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per 'The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the Invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd, Ayush License No. :- 48/1/2005 Works at- 134-135, Sector--A, Industrial Area, Mandideep		
Sample	: Samsinani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A.& P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A.& P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	12.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters I to II as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410008
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at-	134-135, Sector -A, Industrial Area, Mandideep
Sample	: Ashwagandha Vati
Mfg By	: K.A. & P Ltd.
Supplied By	: K.A. & P Ltd.
Submitted By	: K.A. & P Ltd.
Batch No.	: KAS/14
Mfg. Date	: 04/2024
Date of Report	: 28/05/24
Report No.	: qcl/05/7325-MH
Received On.	: 27/05/24
Mfg Lic No.	: 25D/13/289
Ref. No.	: NM
Batch Size	: 3000 Kg
Expiry Date	: 03/2027
Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS


Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any other legal proceedings.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid Insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7342-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/38	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cf/g	128	10 ³ /g
3.	Yeasts And Mould Count Cf/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avlehi Report No. : qcl/06/7342
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/38 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.082	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.318	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.145	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	58.96	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.451	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.02	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in cash of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address : Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005
Works at- 134-135, Sector -A, Industrial Area, Mandideep
Sample : Chayvanprash Avleh Report No. : qcl/06/7341
Mfg By : K.A. & P Ltd. Received On. : 05/06/2024
Supplied By : K.A. & P Ltd. Mfg Lic No. : 25D/13/289
Submitted By : K.A. & P Ltd. Ref. No. : NM
Batch No. : KAS/37 Batch Size : 35000 Kg
Mfg. Date : 04/2024 Expiry Date : 03/2027
Date of Report : 06/06/2024 Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7341-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/37	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	108	10 ³ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume-II
first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising medium without the prior written permission of the Laboratory.

File No. AYUSH/716/2025/ANALYTICAL REPORT AYUSH (Computer No. 1874212)

Generated from eOffice by susheepkumar HEW-IMD-ASST(SM1) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mundheep		
Sample	: Samsmani Vati	Report No.	: qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count CfU/g	220	10 ⁶ /g
2.	Yeast And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part II (Formulation) Volume -II first Edition, Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsinani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qc1ab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qc1/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Ayush License No. :- 48/1/2005

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Report No.	: qcl/06/7341
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	Received On.	: 05/06/2024
Sample	: Chayvanprash Avleth	Mfg Lic No.	: 25D/13/289
Mfg By	: K.A. & P Ltd.	Ref. No.	: NM
Supplied By	: K.A. & P Ltd.	Batch Size	: 35000 Kg
Submitted By	: K.A. & P Ltd.	Expiry Date	: 03/2027
Batch No.	: KAS/37	Sample Qty.	: 500 gm x2
Mfg. Date	: 04/2024		
Date of Report	: 06/06/2024		

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/06/7341-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/37	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 06/06/2024	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol: Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	108	10 ⁵ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

File No. AYUSH/175/NAM/2025-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Generated from eOffice by suchalkumar HEW-IMD-ASST(SM II) ASSISTANT HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:19 PM

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
Sample	: Samsmani Vati		
Mfg By	: K.A. & P Ltd.	Report No.	: qcl/05/7324-MH
Supplied By	: K.A. & P Ltd.	Received On:	: 27/05/24
Submitted By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Batch No.	: KAS/16	Ref. No.	: NM
Mfg. Date	: 04/2024	Batch Size	: 3000 Kg
Date of Report	: 28/05/24	Expiry Date	: 03/2027
		Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ⁷ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ² /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per 'The Ayurvedic Pharmacopoeia of India Part II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsman Vati	Report No.	: qcl/05/7324
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.42	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result stated refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No: - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Ashwagandha Vati	Report No. : qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/14	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as Cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopocia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of law and should not be used in any legal proceedings.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qcslab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acid in taste.	Light brown color vati with faint odour and slight acid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd.	Ayush License No. :- 48/1/2005
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Chayvanprash Avleh	Report No. : qcl/06/7341
Mfg By	: K.A. & P Ltd.	Received On. : 05/06/2024
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/37	Batch Size : 35000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 06/06/2024	Sample Qty. : 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying % (w/w)	6.556	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.322	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.114	Not more than 1.0 %w/w
5.	Alcohol soluble extractive % (w/w)	59.18	Not less than 50.0 %w/w
6.	Water soluble extractive % (w/w)	63.624	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.11	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	Chayvanprash Avleh	Report No.	qcl/06/7341-MA
Mfg By	K.A. & P Ltd.	Received On.	05/06/2024
Supplied By	K.A. & P Ltd.	Mfg Lic No.	25D/13/289
Submitted By	K.A. & P Ltd.	Ref. No.	NM
Batch No.	KAS/37	Batch Size	35000 Kg
Mfg. Date	04/2024	Expiry Date	03/2027
Date of Report	06/06/2024	Sample Qty.	500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count CfU/g	108	10 ⁵ /g
3.	Yeasts And Mould Count CfU/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2) µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II
first Edition . Publisher - The Controller of Publication India.


Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the
Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

- Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
- The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
- Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
- This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission. Ayurvedic

File No. AYUSH/175/NAM/2023-NAM-DIRECTORATE OF AYUSH (Computer No. 1874212)

Reported from Office by Subodh Kumar, HEALTH AND FAMILY WELFARE SEC on 12/08/2025 12:18 PM



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsmani Vati	Report No. :	qcl/05/7324-MH
Mfg By	: K.A. & P Ltd.	Received On.:	27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. :	25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. :	NM
Batch No.	: KAS/16	Batch Size :	3000 Kg
Mfg. Date	: 04/2024	Expiry Date :	03/2027
Date of Report	: 28/05/24	Sample Qty. :	60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	220	10 ³ /g
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part - II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication. Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing



A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Samsinani Vati	Report No.	: qcl/05/7324
Mfg By	: K.A.& P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A.& P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A.& P Ltd.	Ref. No.	: NM
Batch No.	: KAS/16	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 60 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight bitter in taste.	Light brown color vati with faint odour and slight bitter in taste.
2.	Average weight in mg	282	Not less than Label claim
3.	Hardness kg/cm ²	4.02	3-6 kg/cm ²
4.	Friability % (w/w)	0.67	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	4.691	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	18.118	Not more than 35 % (w/w)
7.	Acid Insoluble Ash % w/w	2.51	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	19.956	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.660	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.49	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No: - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail: qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005	
	Works at- 134-135, Sector -A, Industrial Area, Mandideep	
Sample	: Ashwagandha Vati	Report No. : qcl/05/7325-MH
Mfg By	: K.A. & P Ltd.	Received On. : 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No. : 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No. : NM
Batch No.	: KAS/14	Batch Size : 3000 Kg
Mfg. Date	: 04/2024	Expiry Date : 03/2027
Date of Report	: 28/05/24	Sample Qty. : 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	API Specification
Microbial Limits			
1.	Total Aerobic Bacterial Count Cfu/g	165	$10^3/g$
2.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	$10^3/g$
3.	Escherichia Coli in 1 gm	Absent	Absent
4.	Salmonella in 1 gm	Absent	Absent
5.	S. aureus in 1 gm	Absent	Absent
6.	Pseudomonas in 1 gm	Absent	Absent
Heavy Metals			
7.	Arsenic (as As) ppm	B.L.Q. (Q.L. = 0.05)	3.0 ppm max.
8.	Lead (as Pb) ppm	B.L.Q. (Q.L. = 0.05)	10.0 ppm max.
9.	Mercury (as Hg) ppm	B.L.Q. (Q.L. = 0.05)	1.0 ppm max.
10.	Cadmium (as cd) ppm	B.L.Q. (Q.L. = 0.05)	0.3 ppm max.

Note N.M. = Not mentioned, B.L.Q. = Below Limit of Quantification, Q.L. = Quantification Limit

Note :- Parameters 1 to 10 as per The Ayurvedic Pharmacopoeia of India Part -II (Formulation) Volume -II first Edition . Publisher - The Controller of Publication, Govt of India

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any legal proceedings.

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Ashwagandha Vati	Report No.	: qcl/05/7325
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/14	Batch Size	: 3000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 30 Tab x 6

RESULTS OF ANALYSIS

Physico-Chemical Parameters

S.No.	Parameters	Results	In House Specification
1.	Description	Light brown color vati with faint odour and slight acrid in taste.	Light brown color vati with faint odour and slight acrid in taste.
2.	Average weight in mg	522	Not less than Label claim
3.	Hardness kg/cm ²	8.10	5-9 kg/cm ²
4.	Friability % (w/w)	0.48	Not more than 1.0 % (w/w)
5.	Loss on drying % (w/w) at 105°C	6.219	Not more than 10 % (w/w)
6.	Total Ash % (w/w)	20.029	Not more than 40 % (w/w)
7.	Acid insoluble Ash % w/w	2.36	Not more than 15 % (w/w)
8.	Water soluble extractive % (w/w)	21.854	Not less than 8 % w/w
9.	Alcohol soluble extractive % (w/w)	1.525	Not less than 0.5 % w/w
10.	Disintegration Time in minutes	15-20	Not more than 45 minutes
11.	pH (1 % aqueous solu.)	6.54	5.0-8.5

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume-II first Edition. Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005 Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323-MA
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
Identification			
1.	Identification by TLC	Complies	Mobile Phase- Ethyl acetate : Methanol:Water (15:1:1), under UV 254 nm shows 3 major spots
Microbial Limits			
2.	Total Aerobic Bacterial Count Cfu/g	115	10 ³ /g
3.	Yeasts And Mould Count Cfu/g	Less Than 10 cfu/gm	10 ³ /g
4.	Escherichia Coli in 1 gm	Absent	Absent
5.	Salmonella in 1 gm	Absent	Absent
6.	S. aureus in 1 gm	Absent	Absent
7.	Pseudomonas in 1 gm	Absent	Absent
Aflatoxins			
8.	Aflatoxin(B1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
9.	Aflatoxin(B2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.5 ppm
10.	Aflatoxin(G1)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm
11.	Aflatoxin(G2)µg/kg	B.L.Q. (Q.L. = 0.5)	0.1 ppm

Note :- Parameters 1 to 11 as per The Ayurvedic Pharmacopocin of India Part -II (Formulation) Volume
-II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in
the Act and the rules made there under for the reason given below with respect to the test/ tests performed.

Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Indorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

QUALITY CONTROL LABORATORY

A Complete and Dependable Testing Place

A-35, Vidhya Nagar, Infront of Gyan Vigyan Bhawan,
B. U. Gate No. - 3, Hoshangabad Road, Bhopal (M.P.)
Ph.: 0755 - 4222448, 2410009
E-mail : qclab35@gmail.com



A DIVISION OF "QUALITY"
GROUP OF LABORATORY

Approved by Govt. Of India

An ISO 9001 : 2008 Certified Laboratory

Name & Address	: Karnataka Antibiotics & Pharmaceuticals Ltd. Ayush License No. :- 48/1/2005		
	Works at- 134-135, Sector -A, Industrial Area, Mandideep		
Sample	: Chayvanprash Avleh	Report No.	: qcl/05/7323
Mfg By	: K.A. & P Ltd.	Received On.	: 27/05/24
Supplied By	: K.A. & P Ltd.	Mfg Lic No.	: 25D/13/289
Submitted By	: K.A. & P Ltd.	Ref. No.	: NM
Batch No.	: KAS/36	Batch Size	: 35000 Kg
Mfg. Date	: 04/2024	Expiry Date	: 03/2027
Date of Report	: 28/05/24	Sample Qty.	: 500 gm x2

RESULTS OF ANALYSIS

Physico-chemical Parameters

S. No.	Parameters	Results	Specification as per API
1.	Description	Dark brown color semi solid mass with pleasant odor and sweet in taste.	Semisolid chocolate brown colored sticky paste, taste sweet with non specific pleasant odour.
2.	Loss on drying %(w/w) at 105°C	7.729	Not more than 9.0 %w/w
3.	Total Ash % (w/w)	0.390	Not more than 2.0 %w/w
4.	Acid insoluble ash % (w/w)	0.125	Not more than 1.0 %w/w
5.	Alcohol soluble extractive%(w/w)	59.32	Not less than 50.0 %w/w
6.	Water soluble extractive %(w/w)	61.517	Not less than 50.0 %w/w
7.	pH (1 % Aqueous solution)	4.08	3.82 to 4.23

Note :- Parameters 1 to 7 as per The Ayurvedic Pharmacopoeia of India Part-II (Formulation) Volume - II first Edition . Publisher - The Controller of Publication India.

Report : In the opinion of the undersigned, the sample referred to above is of standard quality as defined in the Act and the rules made there under for the reason given below with respect to the test/ tests performed.


Person In Charge

1. Total liability of this Laboratory is limited to the invoice amount. Sample not drawn by us.
2. The result listed refer only to the tested sample and applicable parameter. Endorsement of products is neither inferred nor implied.
3. Samples will be destroyed after one month from the date of issue of test certificate (in case of nonperishable items only.)
4. This report is not to be reproduced wholly or in part and cannot be used as evidence in the court of Law and should not be used in any advertising media without our special permission in writing

Department of Health & Family Welfare
KARNATAKA STATE AIDS PREVENTION SOCIETY
 Arogya Soudha, 4th Floor, 1st Cross, Magadi Road, Bengaluru-560 023.

No. KSAPS/CST/08/2016-17

Date: 15-04-2024

To

The Head of the Department (HOD)-CST,
 National AIDS Control Organization,
 Ministry of Health & Family Welfare,
 Government of India,
 New Delhi.

Respected Sir,

Sub : Request for Approval to provide Ayush Immunity Boosters to People Living with HIV (PLHIV) in Karnataka.

Ref : 1. Letter No. Ayush/03/Coordination/2023-24 dated 23-01-2024
 2. Proceedings of the Technical Committee Meeting held on 23-01-2024

As you are aware, Karnataka is one of the high burden states in the country in terms of HIV prevalence, with 81 Antiretroviral Therapy (ART) Centres and 294 Link ART Centres catering to the needs of PLHIV. As of March 2024, these centres have registered 3.90 HIV positive patients, with 1.89 patients currently undergoing ART treatment.

As per the ref (1) & (2) cited above, as discussed and decided in the Technical Committee Meeting held on 23-01-2024 under the Chairmanship of the Hon'ble Commissioner, Ayush Department for finalization of Immunity Booster Medicine for HIV patients under the National Ayush Abhiyan Scheme 2023-24 from Ayush Department.

During the aforementioned meeting, it was unanimously agreed that providing immunity booster drugs would be appropriate for PLHIV in Karnataka. It was further decided that these Ayush medicines should be administered for a period of six months, with dosages tailored according to the CD4 count of the patients. The proposed Ayush medicines, along with their recommended dosages, are as follows:

Sl. No.	Drug Name	Dosage	Per Day
1	Samshamanvati	250 mg	Two time / day
2	Ashwagandha Tablet	500 mg	Once / day
3	Chyawanprash	15mg	Once / day

- 2 -

These Ayush medicines have been selected based on their known benefits in boosting immunity at the time of Covid-19, particularly in individuals with compromised immune systems.

In ensuring the well-being of PLHIV in Karnataka, we kindly request your prompt approval for the implementation of this initiative. Your support and endorsement will greatly contribute to improving the health outcomes and quality of life for PLHIV in our state.


Project Director,
Karnataka State AIDS Prevention Society,
Bengaluru

Copy to:

1. The Principal Secretary, Health & Family Welfare Department, Vikasa Soudha, Bengaluru.
2. The Commissioner, Health & Family Welfare Department, Arogya Soudha, Bengaluru.
3. The Commissioner, Ayush Department, Anandrao Circle, Bengaluru-09.
4. The Director, Health & Family Welfare Department, Azogya Soudha, Bengaluru.
5. The Deputy Director-CST, NACO, New Delhi.



Government of Karnataka
Department of AYUSH

Dhavanthri Road, Bangalore-560 009

T.No: 080-22876553, Fax: 080-22340139, e-mail: directorayush@gmail.com

No: Ayush/03/samanvaya/2023-24

Dt:20-05-2024

To,
The Head of the Department (HOD)-CST
National AIDS Control Organization,
Ministry of Health and Family Welfare,
Government of India
New-Delhi

Dear Sir,

Sub Request for approval to provide Ayush Immunity
Boosters to people Living with HIV(PLHIV) in
Karnataka.

Ref 1 Proceedings of the Technical Committee Meeting held
on dated:23-01-2024
2 Project Director KSAPS, Bengaluru letter no:
KSAPS/CST/08/2016-17 Dated:15-04-2024

With respect to above subject, Ministry of AYUSH Government of India has approved to provide the immunity boosters Ayush medicines to the PLHIV patients in the year 2023-24 under the "Targeted Ayush intervention for AIDS patients" component. Accordingly, state has constituted the expert committee and finalized the drugs and dosages.

The Ministry of AYUSH, Government of India, has approved the initiative to provide immunity boosters to PLHIV patients as part of our efforts to enhance their well-being. This decision reflects our commitment to leveraging Ayush interventions for the betterment of healthcare outcomes for all.

ರವಾನಿ ಸಹಿ
493

-2-

The expert committee agreed to provide the following drugs and dosages.

Sl no	Drug Name	Dosage	Per Day
1	Samshamanavati	250 mg	Two time/day
2	Ashwagandha Tablet	500 mg	Once/day
3	Chywanaprash	15 mg	Once/day

While Ayurveda offers holistic approaches to health and wellness, including immune support, it's essential to emphasize that there's no scientifically proven Ayurvedic cure for HIV/AIDS. However, Ayurveda can offer supportive care to help manage symptoms, boost overall health, and improve quality of life for HIV patients. Integrative care that combines Ayurveda with conventional medicine under the guidance of qualified practitioners can offer a holistic approach to managing HIV/AIDS.

These Ayush medicines have been selected based on their known benefits in boosting immunity at the time of Covid-19, particularly in individuals with compromised immune systems.

In this regard Project Director KSAPS, Bengaluru has sought approval from you in ref(2). Currently, the National Ayush Mission, Karnataka has received grants from Ministry of Ayush, Government of India, and there is timeline to utilize these grants. Hence, your approval for the implementation of this initiative is requested. Your support will significantly contribute to improving the health outcomes and quality of life for PLHIV in our state.

Commissioner
Ayurveda, Yoga & Naturopathy
Unani, Siddha & Homoeopathy
(Ayush) Directorate, Dharmawadi Road,
Bangalore - 560 009

Copy to

1. Secretary, Ministry of Ayush, Government of India, AYUSH Bhawan, B-Block GPO Complex, INA, New Delhi - 110023.
2. Joint Secretary, Ministry of Ayush, Government of India, AYUSH Bhawan, B-Block GPO Complex, INA, New Delhi - 110023.



ಅನುಬಂಧ-4(G)

18/6/25
DP5

ಕರ್ನಾಟಕ ಸರ್ಕಾರದ ನಡವಳಿಗಳು

ಮುಖ್ಯ ಸಂಖ್ಯೆ: NAM
 ದಿನಾಂಕ: 19/6/25
 ವಿಷಯ: 10321190
 ಸಂಖ್ಯೆ: 10321190

ಓದಲಾಗಿದೆ: ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರ
 ಪತ್ರ ಸಂಖ್ಯೆ: ಆಯುಷ್/23/ನ್ಯಾಮ್/2024, ದಿನಾಂಕ: 04.04.2025.

ಪ್ರಸ್ತಾವನೆ

ಮೇಲೆ ಓದಲಾದ ಆಯುಷ್ ಆಯುಕ್ತರ ಪ್ರಸ್ತಾವನೆಯಲ್ಲಿ, ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಐಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ ಇವರು ಕರ್ನಾಟಕ ರಾಜ್ಯದ HIV ಸೊಂಕಿತರಿಗೆ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿ ಹೆಚ್ಚಿಸಲು ಹಾಗೂ ಸೋಂಕುಗಳಿಗೆ ತುತ್ತಾಗುವುದನ್ನು ತಡೆಗಟ್ಟಿ ಆರೋಗ್ಯ ಸುಧಾರಿಸಲು ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಒದಗಿಸುವಂತೆ ಕೋರಿದ್ದರು. ಕೇಂದ್ರ ಪುರಸ್ಕೃತ ಯೋಜನೆಯಾದ ರಾಷ್ಟ್ರೀಯ ಆಯುಷ್ ಅಭಿಯಾನದಡಿ ಕಾರ್ಯಕಾರಿ ಸಮಿತಿ ಅನುಮೋದನೆಯೊಂದಿಗೆ 2023-24ನೇ ಸಾಲಿನ - ವಾರ್ಷಿಕ ಕ್ರಿಯಾಯೋಜನೆಯಡಿಯಲ್ಲಿ HIV ಸೊಂಕಿತರಿಗೆ ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿ ಹೆಚ್ಚಿಸುವ ಔಷಧಿಗಳನ್ನು ವಿತರಿಸುವ ಪ್ರಸ್ತಾವನೆಯನ್ನು ಸಲ್ಲಿಸಿದ್ದರ ಮೇರೆಗೆ ಭಾರತ ಸರ್ಕಾರದ ಆಯುಷ್ ಮಂತ್ರಾಲಯವು ಪತ್ರ ಸಂಖ್ಯೆ: S-16012/2/2022-NAM, ದಿನಾಂಕ: 20.06.2023 ರಲ್ಲಿ Targeted Ayush interventions for AIDS patients ಎಂದು ಮರುನಾಮಕರಣ ಮಾಡಿ ರೂ.10.00 ಕೋಟಿಗಳ ವೆಚ್ಚದಲ್ಲಿ ಅನುಷ್ಠಾನಗೊಳಿಸಲು ಅನುಮೋದನೆ ನೀಡಿರುತ್ತದೆ.

ಮುಂದುವರೆದು, 2023-24ನೇ ಸಾಲಿಗೆ HIV ಸೊಂಕಿತರಿಗೆ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಸಂಗ್ರಹಿಸಿಕೊಳ್ಳಲು ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ಆಕುಕ 215 ಪಿಐಎಂ 2023, ದಿನಾಂಕ: 11.03.2024 ರನ್ವಯ KTPP ನಿಯಮ 4(G)ರಡಿ ಅನುಮತಿ ನೀಡಿದ್ದು, ಸದರಿ ಆದೇಶದನ್ವಯ M/s Karnataka Antibiotics & Pharmaceuticals Limited ಆಯುರ್ವೇದ ಔಷಧಿಗಳನ್ನು ಸಂಗ್ರಹಿಸಿ KSAPS ನ 33 ART Centers ಗಳಿಗೆ ಸರಬರಾಜು ಮಾಡಲು ಆದೇಶ ನೀಡಿ ಎಲ್ಲಾ ART Centers ಗಳಿಗೆ ಆಯುರ್ವೇದ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಸರಬರಾಜು ಮಾಡಲಾಗಿರುತ್ತದೆ.

19/6/2025 ಆದರೆ ಸದರಿ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು HIV ಸೊಂಕಿತರಿಗೆ ವಿತರಿಸುವ ಬಗ್ಗೆ NACO ಮತ್ತು ಭಾರತ ಸರ್ಕಾರದ ಆಯುಷ್ ಮಂತ್ರಾಲಯದಿಂದ ಯಾವುದೇ ಪ್ರತಿಕ್ರಿಯೆ ಲಭ್ಯವಾಗಿರುವುದಿಲ್ಲವಾದ ಕಾರಣ ಹಾಗೂ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ದೀರ್ಘಕಾಲ ಬಳಸದೆ ಇದ್ದರೆ ಹಾಳಾಗುವುದರಿಂದ, ಸದರಿ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಆಯುಷ್ ಇಲಾಖೆಯು ಎಲ್ಲಾ ART Centers ಗಳಿಂದ ಹಿಂಪಡೆದು ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ/ಚಿಕಿತ್ಸಾಲಯ/ಆಯುಷ್ಫಾನ್ ಆರೋಗ್ಯ ಮಂದಿರ (ಆಯುಷ್ ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ಶಿಬಿರಗಳಿಗೆ ಬಳಸಿಕೊಳ್ಳಲು ದಿನಾಂಕ: 19-03-2025 ರಂದು ಸರ್ಕಾರದ ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿಯವರ ಅಧ್ಯಕ್ಷತೆಯಲ್ಲಿ ನಡೆದ ಸಭೆಯಲ್ಲಿ ತೀರ್ಮಾನಿಸಿದಂತೆ 33 ART ಕೇಂದ್ರಗಳಿಗೆ ಸರಬರಾಜಾಗಿರುವ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಹಿಂಪಡೆಯುವ ಬಗ್ಗೆ ಸೂಕ್ತ ಕ್ರಮವಹಿಸುವಂತೆ ಯೋಜನಾ ನಿರ್ದೇಶಕರು ಕರ್ನಾಟಕ ರಾಜ್ಯ ಐಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ ಇವರ ಪತ್ರ ಸಂಖ್ಯೆ: ಕಸಾಪ್ಸ್ /ಸಿಎಸ್ಟಿ/01/2024-25, ದಿನಾಂಕ: 03.04.2025ರ ಪತ್ರದಲ್ಲಿ ಕೋರಿರುತ್ತಾರೆ.


ಈ ಎಲ್ಲಾ ಅಂಶಗಳ ಹಿನ್ನೆಲೆಯಲ್ಲಿ, ಆಯುಷ್ ಇಲಾಖೆಯಿಂದ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿಯ 33 ART ಕೇಂದ್ರಗಳಿಗೆ ಸರಬರಾಜು ಆಗಿರುವ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಹಿಂಪಡೆದು ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ/ಚಿಕಿತ್ಸಾಲಯ/ಆಯುಷ್ಮಾನ್ ಆರೋಗ್ಯ ಮಂದಿರ(ಆಯುಷ್) ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ಶಿಬಿರಗಳಿಗೆ ಬಳಸಿಕೊಳ್ಳಲು ಅನುಮತಿ ನೀಡುವಂತೆ ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರು ಕೋರಿರುತ್ತಾರೆ.

ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ ಇವರ ಪ್ರಸ್ತಾವನೆ ಹಾಗೂ ಲಭ್ಯವಿರುವ ದಾಖಲೆಗಳನ್ನು ಪರಿಶೀಲಿಸಿದ ಸರ್ಕಾರವು ಈ ಕೆಳಕಂಡಂತೆ ಆದೇಶಿಸಿದೆ.

ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ:ಆಕುಕ 215 ಪಿಐಎಂ 2023
ಬೆಂಗಳೂರು, ದಿನಾಂಕ:12.06.2025

ಪ್ರಸ್ತಾವನೆಯಲ್ಲಿ ವಿವರಿಸಿರುವ ಅಂಶಗಳ ಹಿನ್ನೆಲೆಯಲ್ಲಿ, ಆಯುಷ್ ಇಲಾಖೆಯಿಂದ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿಯ 33 ART ಕೇಂದ್ರಗಳಿಗೆ ಸರಬರಾಜಾಗಿರುವ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಹಿಂಪಡೆದು ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ಪತ್ರೆ/ಚಿಕಿತ್ಸಾಲಯ/ಆಯುಷ್ಮಾನ್ ಆರೋಗ್ಯ ಮಂದಿರ(ಆಯುಷ್) ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ಶಿಬಿರಗಳಿಗೆ ಬಳಸಿಕೊಳ್ಳಲು ಸರ್ಕಾರದ ಅನುಮತಿ ನೀಡಿ ಆದೇಶಿಸಿದೆ.

ಕರ್ನಾಟಕ ರಾಜ್ಯಪಾಲರ ಆಜ್ಞಾನುಸಾರ
ಮತ್ತು ಅವರ ಹೆಸರಿನಲ್ಲಿ


(ಶ್ರೀಪತಿ ಪಿ.ಕೆ.)

ಸರ್ಕಾರದ ಅಧೀನ ಕಾರ್ಯದರ್ಶಿ
ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ
(ಭಾವೈಪ ಮತ್ತು ಸಮನ್ವಯ)

ಇವರಿಗೆ:-

1. ಪ್ರಧಾನ ಮಹಾಲೇಖಪಾಲರು (ಜಿ&ಎಸ್‌ಎಸ್‌ಎ/ಇ&ಆರ್‌ಎಸ್‌ಎ), ಕರ್ನಾಟಕ, ಹೊಸ ಕಟ್ಟಡ, ಆಡಿಟ್ ಭವನ, ಅಂಚೆ ಪೆಟ್ಟಿಗೆ ಸಂಖ್ಯೆ: 5398, ಬೆಂಗಳೂರು-01.
2. ಪ್ರಧಾನ ಮಹಾಲೇಖಪಾಲರು (ಎ&ಇ), ಕರ್ನಾಟಕ, ಪಾರ್ಕ್‌ಹೌಸ್ ರಸ್ತೆ, ಅಂಚೆ ಪೆಟ್ಟಿಗೆ ಸಂಖ್ಯೆ: 5329, ಬೆಂಗಳೂರು-01.
3. ಆಯುಕ್ತರು, ಆಯುಷ್ ಇಲಾಖೆ, ಧನ್ವಂತರಿ ರಸ್ತೆ, ಬೆಂಗಳೂರು.
4. ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ, ಬೆಂಗಳೂರು.
5. ಶಾಖಾ ರಕ್ಷಾ ಕಡತ

ಪ್ರತಿ ಮಾಹಿತಿಗಾಗಿ:-

1. ಮಾನ್ಯ ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಸಚಿವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿ, ವಿಕಾಸಸೌಧ, ಬೆಂಗಳೂರು.
2. ಸರ್ಕಾರದ ಪ್ರಧಾನ ಕಾರ್ಯದರ್ಶಿ, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಇವರ ಆಪ್ತ ಕಾರ್ಯದರ್ಶಿ.
2. ಸರ್ಕಾರದ ಅಪರ ಕಾರ್ಯದರ್ಶಿ, ಆರೋಗ್ಯ ಮತ್ತು ಕುಟುಂಬ ಕಲ್ಯಾಣ ಇಲಾಖೆ ಇವರ ಆಪ್ತ ಸಹಾಯಕರಿಗೆ.

**ಕರ್ನಾಟಕ ಸರ್ಕಾರ
ಆಯುಷ್ ಇಲಾಖೆ**

ಧನ್ಯಂತರಿ ರಸ್ತೆ, ಬೆಂಗಳೂರು-560 009

ದೂರವಾಣಿ ಸಂ:080-22876553, ಫ್ಯಾಕ್ಸ್: 080-22340139, ಇ-ಮೇಲ್:karnatakanam@gmail.com

ಸಂಖ್ಯೆ: AYUSH/23/NAM/2024-NAM-DIRECTORATE OF AYUSH
Comp. No.:1600244

ದಿನಾಂಕ:01-07-2025

-:ಸುತ್ತೋಲೆ:-

- ವಿಷಯ: ಆಯುಷ್ ಇಲಾಖೆಯಿಂದ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿಯ 33 ART ಕೇಂದ್ರಗಳಿಗೆ ಸಂಬಂಧಿಸಿರುವ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಹಂಪಡೆದು ಕೊಳ್ಳುವ ಬಗ್ಗೆ.
- ಉಲ್ಲೇಖ: 1. ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ ರವರ ಪತ್ರ ಸಂಖ್ಯೆ:ಕರಾವಿಪ್ರಿಸೊ/ಸಿ.ಎಸ್.ಟಿ/08/2016-17 ದಿನಾಂಕ: 12-05-2023.
2. ಆಯುಷ್ ನಿರ್ದೇಶನಾಲಯದ ಸಂಬಂಧಿಸಿದ ಆದೇಶ ಸಂಖ್ಯೆ: Ayush/72/NAM/2023-24 ದಿನಾಂಕ: 12-03-2024.
3. ಆಯುಷ್ ನಿರ್ದೇಶನಾಲಯದ ಪತ್ರ ಸಂಖ್ಯೆ: Ayush/72/NAM/2023-24 ದಿನಾಂಕ: 10-06-2024.
4. ಸರ್ಕಾರದ ಆದೇಶ ಸಂಖ್ಯೆ: ಆಕುಕ 215 ವಿವಿಎಂ 2023 ಬೆಂಗಳೂರು ದಿನಾಂಕ: 12.06.2025.

ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ ರವರು ಕರ್ನಾಟಕ ರಾಜ್ಯದ HIV ಸೊಂಕಿತರಿಗೆ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿ ಹೆಚ್ಚಿಸಲು ಹಾಗೂ ಅವಕಾಶವಾದಿ ರೋಗಗಳ ಸೋರಿಕೆಗಳಿಗೆ ತುತ್ತಾಗುವುದನ್ನು ತಡೆಗಟ್ಟಿ, ಆರೋಗ್ಯ ಸುಧಾರಿಸಲು ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಒದಗಿಸುವಂತೆ ಉಲ್ಲೇಖ (1) ರ ಪತ್ರದಲ್ಲಿ ಕೋರಿಕೆಯನ್ನು ಆಯುಷ್ ಇಲಾಖೆಗೆ ಸಲ್ಲಿಸಿದ್ದು, ಸದರಿಯವರಿಗೆ ಕೋರಿಕೆಯಂತೆ ಉಲ್ಲೇಖ (02) ರ ಆಯುಷ್ ನಿರ್ದೇಶನಾಲಯದ ಸಂಬಂಧಿಸಿದ ಆದೇಶದನ್ವಯ ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಸಂಗ್ರಹಿಸಿಕೊಂಡು, ಉಲ್ಲೇಖ (03) ರ ಪತ್ರದನ್ವಯ ರಾಜ್ಯದ ಎಲ್ಲಾ ART ಕೇಂದ್ರಗಳಿಗೆ ಸಂಬಂಧಿಸಿದ ಮೊದಲಾಗಿತ್ತು.

ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು HIV ಸೊಂಕಿತರಿಗೆ ವಿತರಿಸಲು National Aids Control Organization (NACO) ಮತ್ತು ಭಾರತ ಸರ್ಕಾರದ ಆಯುಷ್ ಮಂತ್ರಾಲಯದಿಂದ ಯಾವುದೇ ಪ್ರತಿಕ್ರಿಯೆ ಲಭಿಸಿಲ್ಲದ ಕಾರಣ ಉಲ್ಲೇಖ (04) ರ ಸರ್ಕಾರದ ಆದೇಶದಲ್ಲಿ ಆಯುಷ್ ಇಲಾಖೆಯಿಂದ ಕರ್ನಾಟಕ ರಾಜ್ಯ ಏಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿಯ ART ಕೇಂದ್ರಗಳಿಗೆ ಸಂಬಂಧಿಸಿದ ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಹಂಪಡೆದು ಆಯುಷ್ ಇಲಾಖೆಯ ಆಸ್ತಿ/ಚಿಕಿತ್ಸಾಲಯ/ಆಯುಷ್ ಆರೋಗ್ಯ ಮಂದಿರ (ಆಯುಷ್) ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ತಿಬ್ಬರಗಳಿಗೆ ಬಳಸಿಕೊಳ್ಳಲು ಸರ್ಕಾರವು ಅನುಮತಿ ನೀಡಿ ಆದೇಶಿಸುವುದರಿಂದ ಪ್ರಾಚಾರ್ಯರುಗಳು/ಜಿಲ್ಲಾ ಆಯುಷ್ ಅಧಿಕಾರಿಗಳು ತಮ್ಮ ಜಿಲ್ಲಾ ಆಯುಷ್ ಕೇಂದ್ರಗಳಿಂದ ಅನುಬಂಧ - 1 ರಲ್ಲಿ ತಿಳಿಸಿರುವಂತೆ ಆಯುಷ್ ರೋಗ ನಿರೋಧಕ ಶಕ್ತಿವರ್ಧಕಗಳನ್ನು ಆಯುಷ್ ವೈದ್ಯಕೀಯ ಮಹಾವಿದ್ಯಾಲಯ/ಜಿಲ್ಲಾ ಆಯುಷ್ ಕಛೇರಿಗೆ ಹಂಪಡೆದು ಇಲಾಖೆಯ ಆಸ್ತಿ/ಚಿಕಿತ್ಸಾಲಯ/ಆಯುಷ್ ಆರೋಗ್ಯ ಮಂದಿರ (ಆಯುಷ್) ಹಾಗೂ ಆಯುಷ್ ಆರೋಗ್ಯ ತಿಬ್ಬರಗಳಿಗೆ ಬಳಸಿಕೊಳ್ಳಲು ಸೂಚಿಸಿದೆ.

Digitally signed by
VIPIN SINGH
Date: 01-07-2025
19:48:50

ಗೆ,

1. ಪ್ರಾಚಾರ್ಯರು, ಸರ್ಕಾರಿ ಆಯುಷ್ ವೈದ್ಯಕೀಯ ಮಹಾವಿದ್ಯಾಲಯ ಮತ್ತು ಆಸ್ಪತ್ರೆ, ಬೆಂಗಳೂರು, ಮೈಸೂರು, ಶಿವಮೊಗ್ಗ ಮತ್ತು ಬೆಳ್ಳಾರಿ.
2. ಜಿಲ್ಲಾ ಆಯುಷ್ ಅಧಿಕಾರಿಗಳು, ಜಿಲ್ಲಾ ಆಯುಷ್ ಕಛೇರಿ,..... ಜಿಲ್ಲೆ.

ಪ್ರತಿಯನ್ನು:

1. ಯೋಜನಾ ನಿರ್ದೇಶಕರು, ಕರ್ನಾಟಕ ರಾಜ್ಯ ಐಡ್ಸ್ ಪ್ರಿವೆನ್ಷನ್ ಸೊಸೈಟಿ, ಆರೋಗ್ಯ ಸೌಧ, ಬೆಂಗಳೂರು.
2. ಕ.ಪ್ರ/ಹೆ.ಪ್ರ.

ಅನುಬಂಧ - 1

Ayush Immunity Medicines available in ART Centres

Sl. No.	Name of the ART Centre, All District Hospitals, ART Centre	Number of boxes available in ART Centre (32 quantity 3 drugs/box) *	Place to Shift	Number of boxes to Shifted
1	Bagalkot	709	DAO office, Bagalkote	709
2	Belagavi	919	DAO office, Belagavi	919
3	Bellary	250	TGAMC, Ballari	250
4	Bengaluru (Bowring & Lady curzen Hospital)	413	GAMC Bangalore	413
5	Bengaluru (KCG)	184	GAMC Bangalore	184
6	Bengaluru (Victoria)	249	DAO office, Bangalore Urban/Rural	249
7	Bidar	190	DAO office, Bidar	190
8	Chamarajanagar	175	DAO office, Chamarajanagar	175
9	Chikkaballapur	183	DAO office, Chikkaballapur	183
10	Chikmangaluru	104	DAO office, Chikmangaluru	104
11	Chitradurga	270	DAO office, Chitradurga	270
12	Dakshina Kannada	100	DAO office, Dakshina Kannada	100
13	Davanagere	464	DAO office, Davanagere	200
			GAMC, Shivamogga	264
14	Dharwad (Hubli)	295	DAO office, Dharwad (Hubli)	295
15	Gadag	124	DAO office, Gadag	124
16	Hassan	225	DAO office, Hassan	225
17	Haveri	209	DAO office, Haveri	209
18	Kalaburgi	235	DAO office, Kalaburgi	235
19	Kodagu	100	DAO office, Kodagu	100
20	Kolar	200	DAO office, Kolar	200
21	Koppal	285	DAO office, Koppal	285
22	Mandya	215	DAO office, Mandya	215
23	Mysuru (K R Hospital)	547	DAO office, Mysuru	200
			GAMC, Mysuru	347

24	Raichur	333	DAO office, Raichur	333
25	Ramanagar	100	DAO office, Ramanagar	100
26	Shivamogga	182	DAO office, Shivamogga	182
27	Tumkur	332	DAO office, Tumkur	332
28	Udupi	207	DAO office, Udupi	207
29	Uttara Kannada	100	DAO office, Uttara Kannada	100
30	Vijayanagara (Hospet)	160	DAO office, Ballary/ Vijayanagara	160
31	Vijayapur	456	DAO office, Vijayapur	456
32	Yadgir	184	DAO office, Yadgir	184
	Total	8699	Total	8699

*Each box includes the following medications.

1. Chyavabprash Avaleha : 500 Gram
2. Shamshamanivati (250 mg Tab): 60 Tab
3. Ashwanganda vati (500mg Tab): 30 Tab

Digitally signed by
VIPIN SINGH
Date: 01-07-2025
19:48:26
Commissioner